

## Cervical Screening Programme, England: 2004-05


### KEY FACTS

At 31 March 2005

- 80.3% of eligible women aged 25-64 resident in England had been screened at least once in the previous 5 years, compared with 80.6% in 2004.
- In 207 of the 303 Primary Care Organisations the coverage was 80% or higher (213 in 2004).

In 2004-05

- 3.6 million women of all ages were screened, 0.7% more than in 2003-04.
- Laboratories examined an estimated 4.0 million samples, 0.2% fewer than in 2003-04.



Contents	Page
Introduction	2
Analysis and Commentary - call and recall programme	2
cervical cytology	6
colposcopy	8
Definitions	10
Editorial notes	11
Index to tables	12
Reference tables	14

**Community Health  
Services**

**Price: Free**

**Published by the Health and Social Care Information Centre  
Part of the Government Statistical Service**

ISBN 1-84636-027-7

Bulletin 2005/09/HSCIC

This publication may be requested in large print or other formats.

For further information contact:

online: [www.ic.nhs.uk](http://www.ic.nhs.uk)

telephone: 0845 300 6016

email: [enquiries@ic.nhs.uk](mailto:enquiries@ic.nhs.uk)

© 2005, NHS Health and Social Care Information Centre, Health Services Community Statistics. All rights reserved.

This work remains the sole and exclusive use of the Health and Social Care Information Centre, and may only be reproduced, and publicly displayed, where there is explicit reference to the ownership of the Health and Social Care Information Centre.


This work may only be reproduced in a modified format with the express written permission of the Health and Social Care Information Centre.

## 1 INTRODUCTION

**1.1** This is the eleventh annual bulletin to be published about the cervical screening programme in England. The information for this publication is collected on three Department of Health (now Health and Social Care Information Centre) returns. Information from the call and recall system is collected on return KC53. Information about cervical screening samples examined by pathology laboratories is collected on return KC61 (which includes some information about symptomatic as well as screening programme samples). Information on referrals to colposcopy, whether following a cytological or clinical indication, and subsequent treatment and outcome is collected on return KC65.

**1.2** KC53 returns were received in respect to all 303 Primary Care Organisations (PCOs). KC61 returns were received from all of the 140 laboratories known to carry out cervical cytology. KC65 returns were received from 222 clinics/trusts providing colposcopy services. In some instances, smaller clinics have included their data in the main hospital return. Where the data returned were incomplete, estimates have been made of the missing data where possible (see 5.4 below).

**1.3** National policy for the screening programme is that eligible women should be screened every 3 to 5 years. Before 1995, coverage figures were based on a 5½ year period, in order to allow for delays between invitation and the actual screening test.



From 1995, however, coverage figures are based on a strict 5 year period to reflect the evidence base of the screening interval. Since 2003, women aged 25 to 64 have been eligible for routine screening, with routine invitations to begin at age 25. In this bulletin, the target group of 25-64 has been used wherever possible.

**1.4** In presenting laboratory statistics, data about samples from GP and NHS Community Clinics have been used in most tables in preference to data about samples from all sources, so as to reflect more closely the results from screening programme tests.

## 2 ANALYSIS AND COMMENTARY - CALL AND RECALL PROGRAMME


### 2.1 Coverage (Tables 1, 2, 11, 12 and 13)

**2.1.1** About 80.3% of eligible women, aged 25-64 at 31 March 2005 were recorded as being less than 5 years since their last screening that resulted in an

adequate test result. This is about the same as the proportion in each year since 1995. Figures prior to 1995 are not directly comparable, being based on a period since last test of 5.5 years and not adjusted to exclude women with recall ceased for non-clinical reasons; however, the data suggest that coverage has been over 80% since 1992 (Figure 1).

**2.1.2** Although the overall coverage has remained much the same since 1997, analysis by age shows a continuing slow but steady falling off of coverage among women under 50 and increasing coverage of women aged 55-64 (Figure 2).

**2.1.3** Coverage of the target age group 25-64 in 2004-05 varied considerably between Government Office Regions. The highest reported coverage was in the East Midlands at 83.8%. Coverage in all other regions except London was between 80.0% and 81.8%. The percentage difference in coverage, from 2003-04,



ranged from a fall of 0.6% in the North West to a rise of 0.1% in the South West. Coverage in London has fallen slightly to 75.5%. At Primary Care Organisation (PCO) level, 29 of the 303 PCOs reported coverage of 85% or higher, 178 between 80% and 85% and 96 below 80% (Figure 3 and 3a).

**2.1.4** Information collected on the period of time since a woman was last tested, suggests that in addition to the 74% of women in the 25-64 age group (including those with recall ceased for any reason) who on 31<sup>st</sup> March 2005 were less than 5 years since their last test, a further 8% were within 10 years of their last test and 2% were within 15 years. About 0.8% of women were reported as having had at least one adequate screening test, but not within the last 15 years. Only 0.3% had attended but never had an adequate test, 6.9% had been called but had not attended for screening and 0.2% of women in the target age group were


reported as having no cytology record at all.

**2.2 Uptake of invitations for screening (Tables 4, 5 and 11)**


**2.2.1** About 4.7 million women were invited for screening in 2004-05, a rise of 7% compared with 2003-04. For 15% of women this was their first invitation (call) and for 63% a routine recall. About 13% of invitations were early recalls for surveillance, 4% were early recalls following persistent findings of borderline changes or mild

dyskaryosis and 5% were recalls following inadequate tests.

**2.2.2** About 3.8 million women in the target age range 25-64 were tested in the year. Of these, 2.6 million were tested following an invitation within the screening programme. About 0.7 million women (21%) had screening tests not prompted by the programme, i.e. tests initiated by the sample taker or opportunistically by the woman, without her necessarily having been invited. In particular, some women are routinely recalled by their GPs earlier than at the locally agreed standard interval. Because women recorded as having a test not prompted by the programme may nevertheless have been invited through such a GP programme, it is not possible to calculate the percentage uptake of invitations from the call/recall database.



*Figure 3a* Cervical screening: Percentage coverage by Primary Care Organisation, England, 2004-05




## 2.3 Test results (Tables 6, 7, 8 and 11)

**2.3.1** Some women have more than one test during the year and the 3.6 million women of all ages tested in 2004-05 generated 4.0 million tests. About 1 in 10 tests do not have a result, as the sample is “inadequate” i.e. it does not contain material suitable for analyses (see 3.1.2 below). For women tested again due to an earlier inadequate test, almost 1 in 5 tests again resulted in an inadequate result. These repeated inadequates accounted for 16% of all inadequate results in the year.

**2.3.2** Of nearly 3.5 million women who did have a result in 2004-05, 93.8% were negative, 3.2% showed borderline changes, 1.7% showed mild dyskaryosis, 0.6% showed moderate dyskaryosis, 0.5% showed severe dyskaryosis and 0.1% showed glandular neoplasia. The percentage of results which are severe or worse shows a distinct pattern by age, being highest (1.2%) for women aged 25-29, falling to 0.2% for women aged 60-64 (Figure 4).

**2.3.3** Across the country as a whole, about 6% of women aged 25-64, with at least one adequate test result, had a result categorised as abnormal (including severe dyskaryosis or worse). At PCO level, in 252 of the 303 PCOs the proportion of women presenting with an abnormal result was between 4% and 8%. In 26 the proportion was between 8% and 10%; and in 25 PCOs the proportion lay outside the range 4% to 10% (Figure 5).



## 2.4 Time from screening to notification of result (Table 9)


**2.4.1** Information about the time from the taking of a sample to the notification of the test result is currently available only where the result letter is sent by the Primary Care Organisation. This was reported as occurring in 89% of cases overall, though there were large differences between regions. Where result letters were sent by PCOs 29% were sent within 4 weeks of the sample being taken, compared with 38% in 2003-04. A further 48% were sent more than 4 weeks but within 8 weeks. In 4% of cases, the time to notification was over 12

weeks compared with 3% in 2003-04.

## 2.5 Recall status (Table 10)

**2.5.1** Normal recall status defined as action code A (routine recall) may be used only where the test result is negative. In 2004-05, about 85% of women who had nothing other than a negative test result in the year had a normal recall status. Almost all the remaining women with negative results had a repeat recall status; and about 1% had a suspend recall status.

**2.5.2** Repeat recall status, action code R, requires a further test earlier than



routine recall, typically within 6 months of the previous test. This may be used where a test result is negative, inadequate, borderline or mild dyskaryosis. In 2004-05, about 52% of women whose most severe test result in the year was mild dyskaryosis had a repeat recall status; the corresponding proportion for borderline was 79%, and for inadequate 96%. The balance of women in these three groups had a suspend recall status.


**2.5.3 Suspend recall status,** action code S, is an indication that recall has been suspended due to referral. This should be the only allowable status following a test result of moderate dyskaryosis or worse. In 2004-05, all women whose most severe test result in the year was moderate dyskaryosis or worse had a suspend recall status; no women were recorded with repeat recall status.

### 3 ANALYSIS AND COMMENTARY - CERVICAL CYTOLOGY

#### 3.1 Samples examined (Tables 14, 15, 17 and 19)

**3.1.1** An estimated 4.0 million samples were examined by pathology laboratories in 2004-05, about 0.2% less than in 2003-04. About 3.7 million (93% of the total) were submitted by GPs or by NHS community clinics - almost all these would be samples taken as part of the screening programme; a further 0.2 million (6%) were from NHS hospitals - most of these were probably samples taken following the

Figure 6 Cervical cytology: Percentage of samples from GP & NHS Community Clinics found to be inadequate, from women aged 25-64, by laboratory, England 2004-05



discovery of symptoms or cytological abnormality.

**3.1.2** Of the GP and NHS Community Clinic samples examined in 2004-05 for women aged between 25 and 64, about 9.0% were inadequate specimens for which no result could be determined, a slightly lower proportion than in 2003-04. The proportion of samples found inadequate is related to the women's age. In 2004-05 for women aged under 30 about 12% of samples were found inadequate. The proportion was lower with each succeeding older age band and for women aged 65 or over only about 6% of samples were found inadequate. Overall, the proportion inadequate was around 6% in the years 1989-90 to 1992-93, but rose in each year to 1999-2000 where it peaked at 9.8%. Since 1999-2000 the percentage has fallen reaching 9.2% in 2004-05.

**3.1.3** At laboratory level, there was wide variation in the proportion of samples judged to be inadequate. The use of liquid based cytology (LBC) began in

April 2001 with three pilot laboratories. In October 2003 the National Institute for Clinical Excellence recommended its use nationally. It is expected that the use of LBC will substantially reduce the proportion of inadequates. During 2004-05, a number of laboratories began the conversion to LBC. Three quarters of all laboratories had inadequate results of between 6% and 12%. Nearly 1 in 10 had results between 12% and 14% and in the remaining 16% of laboratories, the proportion lay outside the range 6% to 14% (Figure 6).

#### 3.2 Results (Tables 15, 16 and 19)

**3.2.1** The percentage of adequate GP and NHS Community Clinic samples tested in 2004-05 for women aged 25-64, which were reported as being negative was 94.1%. Borderline changes were found in 3.3% of adequate tests, mild dyskaryosis in 1.6%, moderate dyskaryosis in 0.5% and severe dyskaryosis in 0.5%; suspected invasive carcinoma or glandular

neoplasia were found in less than 0.1% of samples. Generally, the older the women the higher the proportion of tests found to be negative; but also the proportion of tests showing suspected invasive carcinoma or glandular neoplasia was higher with increasing age. Borderline changes and mild dyskaryosis occurred more frequently in samples from younger women; moderate dyskaryosis accounted for a higher proportion of results from women aged 20-29 than from women in other age groups; the proportion of severe dyskaryosis was highest in samples from women aged 25-34.

**3.2.2** At laboratory level there was wide variation in the percentage distribution of results, in particular in the proportion reported as borderline.

**3.2.3** The distribution of the individual laboratory results is used for quality assurance purposes, as set out in sections 8.2 – 8.4 of the second edition of *Achievable standards for Cervical Cytopathology*, NHSCSP publication No 1, May 2000. Target ranges for laboratory

Indicator	10th - 90th percentile range*	
	2003-04	2004-05
Inadequate as % of all samples	6.3% - 12.3%	-
Mild / borderline as % of adequate samples	3.7% - 7.5%	3.2% - 7.2%
Moderate or worse as % of adequate samples	0.8% - 1.4%	0.8% - 1.3%
PPV for CIN2 or worse	65% - 87%	65% - 87%
<i>Number of laboratories whose results were used</i>	<i>143</i>	<i>140</i>


Source : Form KC61

Based on results from GP and NHS Community Clinics  
 \* 2003-04 women aged 20-64, 2004-05 women aged 25-64

reporting are set from the 10<sup>th</sup> and 90<sup>th</sup> percentiles of the distributions of 4 key indicators. The ranges for 2003-04 and 2004-05 are set out in Table A. These were calculated from women aged 20-64 (2003-04) and 25-64 (2004-05) tested in GP or NHS Community Clinics; results from all laboratories are included. Ranges for percentage inadequate have not been included for 2004-05 as the phased roll out of LBC will affect the inadequate rate of those laboratories which are in the process of converting to LBC. During 2005-06, some laboratories will have completed their conversion,

many will be partially converted and some will still be using conventional cytology and so the inadequate ranges will not be a meaningful benchmark.

**3.2.4** Average times from the receipt of the specimen at the laboratory until the authorisation of the report rose in 2004-05. Just over 29% of tests were reported within 2 weeks of receipt at the lab down from 39% in 2003-04, a further 32% were reported within 4 weeks (31% in 2003-04). Just over 7% of tests were reported more than 8 weeks after receipt (2% more than 2003-04).



### 3.3 Outcome of gynaecological referrals (Tables 18, 18a and 19)

**3.3.1** Information about outcomes of gynaecological referrals for tests registered during April – June 2004 was provided by all laboratories with sizeable numbers of screening programme tests. Several laboratories reported high numbers of outcomes not known, and these data


have been omitted from the following analyses.

**3.3.2** For women referred following persistent non-negative tests whose referral outcome was known, only 0.1% were found to have cervical cancers and 6.2% showed CIN3 or adenocarcinoma in situ; 10% showed CIN2 and 24% showed CIN1; 11.4% showed HPV only, 15% showed no CIN or HPV, 2% were inadequate biopsies and in 30% no abnormality was detected at colposcopy. Non-cervical cancers were identified from 0.1% of referrals (Figure 7).

**3.3.3** For referrals with known outcomes following a single occurrence of a potentially significant abnormality, 2.0% were found to be cervical cancers and 49% showed CIN3 or adenocarcinoma in situ; 24% showed CIN2 and 11% showed CIN1; 3% showed HPV only, 5% showed no CIN or HPV, 1% were inadequate biopsies and in 3.3% no abnormality was detected at colposcopy. Non-cervical cancers were identified from 0.5% of referrals.

**3.3.4** A positive predictive value (PPV) was calculated for each laboratory (see 5.3 below); reported PPVs ranged from 52% to 95% with the majority lying between 65% and 85% (Figure 8).

**3.3.5** Retrospective information regarding referrals from an earlier complete year was collected again in 2004-05, relating to referrals in the 12 month period April 2003 to March 2004. Although some laboratories has ceased



screening prior to or during 2004-05, most completed this part of the KC61 return in sufficient detail to be included in the analyses, (140 laboratories). The whole year results were in fact very similar to the results reported last year except that the proportions found to have the more severe results were slightly higher.

## 4 ANALYSIS AND COMMENTARY - COLPOSCOPY

### 4.1 Referrals for colposcopy (Tables 20 and 21)

**4.1.1** Details of the first referrals of each quarter to each clinic were recorded, regardless of whether or not the woman kept her appointment. About 124,000 referrals to colposcopy were reported in 2004-05. Of these 78% were reported as being triggered by a screening test and 17% were clinically indicated. Of women referred to colposcopy after a screening test, over a third followed findings of borderline changes or mild dyskaryosis; about 1 in 6

referrals followed findings of moderate dyskaryosis and a slightly smaller proportion followed findings of severe dyskaryosis or worse.

**4.1.2** Clinics were asked to supply data on the time between the date on the woman's referral letter and her first offered out patient appointment, regardless of whether she attended the appointment or not. Where direct referral systems are in operation, the referral date has been taken to be the date the test was reported. In 2004-05, 15% of women were offered an appointment within 2 weeks, rising to 43% within 4 weeks and 82% by 8 weeks from referral. Women with more serious test results tended to be offered appointments earlier; 68% of the women with a result of moderate or severe dyskaryosis were offered an appointment within 4 weeks (an increase of 8% compared with 2003-04) (Figure 9).

**4.1.3** At regional level, the percentage of all women offered an appointment

within 8 weeks ranged from 73% in London to 96% in the North East. For those with moderate or severe dyskaryosis the percentage seen within 4 weeks ranged from 57% in East Midlands to 93% in the North East.


**4.1.4** The time from referral to first offered appointment was over 12 weeks for 6% of women referred. When returning their data a number of clinics indicated that patients had requested a delayed appointment for personal reasons or where treatment for another condition had to be completed before colposcopy could take place.

## 4.2 Appointments for colposcopy (Table 22)

**4.2.1** During 2004-05 a total of 354,600 appointments were reported at colposcopy clinics. Of these, 42% were new appointments, i.e. all appointments offered for a first visit, 8% were for return for treatment and 50% were follow-up appointments.

**4.2.2** Broadly speaking, out of every 10 new and return for treatment appointments, 8 were attended, 1 was cancelled by the patient and 1 was where the patient failed to turn up with no advance warning being given. Two per cent of new appointments and 3% of return for treatment appointments were cancelled by the clinic.

**4.2.3** Only 67% of follow-up appointments were attended; 12% were cancelled by the patient and



5% by the clinic. In 17% the patient failed to turn up.

## 4.3 First Attendances at colposcopy (Table 23)

**4.3.1** Clinics are required to supply details of all treatment and procedures undertaken at first attendance at the colposcopy clinic. The data collected relates only to procedures undertaken the first time a woman attends. In the case of deferred treatment the woman will be recorded as having no treatment at her first attendance.

**4.3.2** Just under 118,000 first attendances at colposcopy were reported in 2004-05. Most will relate to a referral in that year, although some women attending may have been referred in a previous year and some of the women referred in this year will attend in the next.

**4.3.3** Overall, about three in five women attending had some treatment or procedure at first attendance. For those attending with high-grade

abnormalities, the proportion was 82%.

**4.3.4** The most common treatment or procedure at first attendance was diagnostic biopsy. This was carried out at about 43% of all first attendances. The use of this procedure was more common amongst those attending with low-grade abnormalities. For those attending with high-grade abnormalities the most common treatment at first attendance was excision.

**4.3.5** Of women attending with high-grade abnormalities, 44% were treated by excision and 37% had a diagnostic biopsy. Conversely, of those attending with low-grade abnormalities, 58% had a diagnostic biopsy and only 7% underwent excision.

**4.3.6** Treatment patterns vary considerably at local and regional level. The percentage of all women receiving some treatment or procedure at first attendance ranged from 51% in the West Midlands to 75% in the North East.

Similar patterns are reported in the use of treatment for those attending with both high and low grade abnormalities.

**4.3.7** The use of diagnostic biopsy for those attending with a high-grade abnormality ranged from 22% in the West Midlands to 52% in London. For low-grade the equivalent range was 34% in the West Midlands to 77% in the North East.

**4.3.8** The use of excision at first attendance was more common for those attending with a high-grade abnormality. It ranged from 24% in London to 63% in the East of England.

**4.3.9** It is likely that the majority of those women presenting with high-grade abnormalities and reported as having either no treatment or a diagnostic biopsy went on to receive therapeutic treatment at a subsequent attendance.

#### **4.4 Biopsies (Tables 24 and 25)**

**4.4.1** Part D of the KC65 shows, for each biopsy taken, the time elapsing before the woman is informed in writing of her result. The interval measured is the time between the date on which the biopsy was taken and the date on the letter that is sent to the patient informing her of her result. In order to allow time for follow up of results, the return relates only to those biopsies taken in the first month of each quarter. The data include all biopsies taken, not just those taken from women on first attendance. It is possible

that more than one biopsy may be taken from the same woman.

**4.4.2** Just under 39,000 biopsies were reported by clinics in the four sample months in 2004-05. These represent approximately one third of the total annual workload. The woman was informed of her result within 2 weeks in 28% of all cases, with a further 36% being informed within 4 weeks. Just over 6% of women had not been informed of their result within 12 weeks. This figure includes cases where the result had yet to be reported to the clinic. Variations in working practices may account for this delay: for example, where a cytology test has been taken at the same time as a biopsy, the clinic may not report the biopsy result until the cytology result is also known.

**4.4.3** Clinics are asked to supply data on the histological result for each biopsy taken. Of all biopsies reported about 60% were diagnostic, 37% were excision and the remaining 3% were other non-diagnostic biopsies.

**4.4.4** Of all non-diagnostic biopsies i.e. excision biopsies and other non-diagnostic biopsies, taken in 2003-04 85% showed evidence of CIN. The proportion ranged from 82% in the West Midlands to 90% in the South West.

#### **4.5 Clinic data (Tables 26a and Table 26b)**

Colposcopy data for individual clinics is shown in Tables 26a and 26b.

These may be used to identify different treatment patterns across the country and show wide variation between clinics. Some of this variation may arise from the fact that many clinics deal with only a small number of cases and this should be borne in mind when interpreting the clinic level results.

## **5 DEFINITIONS**

**5.1.1** Coverage is defined the percentage of women in a population eligible for screening at a given point in time who were less than a specified period [the headline coverage figure relates to 5 years] since their last test producing an adequate test result. Women ineligible for screening, and thus not included in the numerator or denominator of the coverage calculation, are those whose recall has been ceased for clinical reasons (most commonly due to hysterectomy).

**5.1.2** Local level coverage is calculated for Primary Care Organisations (i.e. Primary Care Trusts or Care Trusts). Although PCOs do have a defined geographical boundary, the populations used are not those of women resident within the PCO boundaries. Instead the populations of women for whom each PCO is responsible are used. Responsible populations include women on the list of GPs who comprise the PCO, regardless of which geographical PCO they live in; where women on the call/recall register are not under the care of a GP at the time coverage is

calculated, they are allocated to a PCO on a geographical basis.

**5.2** The terms “severe dyskaryosis or worse”, “abnormal” and “negative” used in the text to describe the result of a cytology test are defined as follows in terms of the categories used on the cytology report form HMR 101/5:

*Severe dyskaryosis or worse:* HMR 101/5 cat. 4 (severe dyskaryosis), cat. 5 (severe dyskaryosis /? invasive carcinoma) or cat. 6 (? glandular neoplasia); women who have such test results are usually referred directly for further investigation, eg biopsy.

*Abnormal:* HMR 101/5 cat. 3 (mild dyskaryosis), cat. 7 (moderate dyskaryosis) or cat. 8 (borderline changes); women who have an abnormal test categorised as result code 3 or 8 will usually be recalled early for another test. Women who have an abnormal test categorised, as result code 7 will be referred immediately for further investigation, eg colposcopy.

*Negative:* HMR 101/5 cat. 2 (negative); women with a negative test result will be returned to the screening programme to be called again at the normal interval (usually 3 or 5 years).

**5.3** A *positive predictive value (PPV)* relating cytology with histology was calculated from outcomes of referral for tests with result moderate dyskaryosis or worse as follows:

numerator:  
number of tests with outcome of referral cancer,

adenocarcinoma in situ, CIN3 or CIN2.

denominator:  
number of tests with outcome of referral known and not recorded as inadequate biopsy or colposcopy NAD.

**5.4** Where parts of a return are missing, the corresponding parts have been apportioned using England averages.

**5.5** There were a number of laboratory mergers and name changes in 2004-05: North Tees General Hospital became the University Hospital of North Tees. North Tyneside DGH ceased screening in September 2004, transferring its work to the Royal Victoria Infirmary. Scarborough Hospital ceased screening transferring its work to York Hospital (York District Hospital). Huddersfield ceased screening in September 2004 transferring its work to Calderdale Royal Hospital. A new system, Pathlinks, now provides data collectively for Scunthorpe General Hospital, Diana Princess of Wales Hospital, Lincoln County Hospital and Pilgrim Hospital. North Staffordshire Hospital became the University Hospital of North Staffordshire. Sandwell DGH became Sandwell Hospital. Walsgrave General Hospital became Walsgrave Hospital and Worcester Royal Infirmary became Worcestershire Royal Hospital. Addenbrookes Hospital merged with West Suffolk to form the West Anglia Laboratory based at Addenbrookes Hospital.

## 6 EDITORIAL NOTES

In the Tables:

.. = not available  
. = not applicable

Media enquiries should be made to:

The Health and Social Care Information Centre media office on 01392 449673 or 07771 996095.

Email: [media@ic.nhs.uk](mailto:media@ic.nhs.uk)

Any enquiries about data contained in this bulletin, requests for further information, or further copies of this bulletin should be addressed to:

The Health and Social Care Information Centre  
1 Trevelyan Square,  
Boar Lane,  
Leeds, LS1 6AE

Tel: 0845 300 6016

Email: [enquiries@ic.nhs.uk](mailto:enquiries@ic.nhs.uk)

This bulletin and copies of the Korner returns KC53, KC61 and KC65 can be found on the Health and Social Care Information Centre website at:

<http://www.ic.nhs.uk/pubs/cervicscrneng2005>

Previous editions of the bulletin can be accessed via the Department of Health website, [www.dh.gov.uk](http://www.dh.gov.uk), by clicking on the following links:

- >Publications and Statistics
- >Statistics (from shortcuts menu)
- >Statistical Work Areas
- >Health Care
- >Community Care

October 2005

## INDEX TO TABLES

Table Number	Description	Page Number
Table 1	Summary statistics on cervical cancer and the NHS cervical screening programme, 1995 to 2005	14
Table 2	Cervical screening programme: test status of women and coverage by age, 31 March 2005	15
Table 3	Cervical screening programme: test status of eligible women by age (numbers), 31 March 2005	16
Table 3a	Cervical screening programme: test status of women by age, 31 March 2005	16
Table 4	Cervical screening programme: number of women invited in the year by type of invitation and age, 2004-05	17
Table 5	Cervical screening programme: number of women tested in the year by type of invitation and age, 2004-05	17
Table 6	Cervical screening programme: number of women aged 20-64 tested in the year by type of invitation and result, 2004-05	18
Table 7	Cervical screening programme: number and percentage of tests in the year by type of invitation and result, 2004-05	18
Table 8	Cervical screening programme: results of adequate tests by age, 2004-05	19
Table 9	Cervical screening programme: Time from screening to notification of result by region, 2004-05	19
Table 10	Cervical screening programme: Recall status by most severe screening result and region, 2004-05	20
Table 11	Cervical screening programme: Summary of regional data for women aged (25-64), 2004-05	21
Table 12	Cervical screening programme: Target age group (25-64), results of tests by Primary Care Organisation, 2004-05	22
Table 13	Cervical screening programme: coverage of the target age group (25-64) by Primary Care Organisation, 2001-02 to 2004-05	27
Table 14	Samples examined by pathology laboratories, by source of sample and result of test, 2004-05	32
Table 15	GP & NHS Community Clinic samples examined by pathology laboratories, by result and age of women, 2004-05	33
Table 16	Cervical screening programme: Time from receipt of sample to authorisation of report by region, 2004-05	34

Continued

Table Number	Description	Page Number
Table 17	Samples examined by pathology laboratories, by source of sample, result of test and region, 2004-05	35
Table 18	Outcome of referrals for samples registered at the laboratory between April 2003-March 2004, by Government Office Region	36
Table 18a	Outcome of referrals for samples registered at the laboratory between April-June 2004, by Government Office Region	37
Table 19	GP and NHS Community Clinics samples from women aged 25-64 examined by pathology laboratories, by laboratory and result, 2004-05	38
Table 20	Women referred to colposcopy, referral indication of first offered appointment in Quarter, by region, 2004-05	42
Table 21	Women referred to colposcopy: Time from referral to first offered appointment by referral indication and region, 2004-05	42
Table 22	Appointments for colposcopy: attendance status and appointment type, by Region 2004-05	43
Table 23	Women referred to colposcopy: First attendance by result of referral, type of procedure and region, 2004-05	44
Table 24	Biopsies taken at colposcopy: Time from biopsy until patient informed of result, by region, (4 month sample) 2004-05	45
Table 25	Non-diagnostic biopsies taken at colposcopy, by type, outcome and region, (4 month sample) 2004-05	45
Table 26	Summary statistics by colposcopy clinic, England 2004-05	46

Table 1: Statistics on cervical cancer and the NHS cervical screening programme, 1995 to 2005

England

	units	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
<b>Cervical Screening Programme data</b>												
<b>Coverage-less than 5 years <sup>(1a)</sup></b>												
<b>Women aged 25-64</b>	%	<b>82.1</b>	<b>82.0</b>	<b>82.0</b>	<b>82.5</b>	<b>82.3</b>	<b>82.0</b>	<b>81.3</b>	<b>81.6</b>	<b>81.2</b>	<b>80.6</b>	<b>80.3</b>
Under 20	%	3.2	2.9	2.7	2.5	2.0	1.4	1.0	0.7	0.5	0.4	0.2
20-24	%	64.6	63.3	61.8	61.3	59.4	56.6	54.1	53.0	52.0	50.5	44.6
25-29	%	79.7	79.2	78.4	78.8	78.0	77.0	75.5	75.0	74.0	72.8	71.6
30-34	%	84.3	83.7	83.2	83.5	83.0	82.5	81.5	81.7	81.0	80.0	79.2
35-39	%	85.3	85.1	84.7	85.2	84.9	84.5	83.7	84.1	83.7	82.9	82.4
40-44	%	85.1	84.9	84.7	85.2	84.9	84.6	84.0	84.3	84.0	83.6	83.4
45-49	%	84.9	84.7	84.7	85.1	85.0	84.8	84.1	83.9	83.8	83.3	83.3
50-54	%	83.0	83.0	83.3	83.8	83.9	83.8	83.4	83.3	83.2	82.9	82.9
55-59	%	79.3	79.3	79.8	80.2	80.8	81.0	80.9	81.4	81.4	81.2	81.3
60-64	%	70.2	72.1	73.6	75.1	75.8	76.1	76.1	77.0	77.3	77.5	78.0
65-69	%	49.1	49.0	50.7	53.1	54.1	52.5	51.1	51.5	51.5	51.5	51.2
70-74	%	11.9	12.5	12.9	13.5	14.0	13.7	12.6	11.5	10.5	9.6	9.3
75 and over	%	2.2	2.0	2.0	1.9	1.9	1.8	1.7	1.5	1.4	1.3	1.2
<b>Coverage-less than 3 or 3.5 years <sup>(1b)</sup></b>												
<b>Women aged 25-64</b>	%	<b>66.0</b>	<b>66.3</b>	<b>66.8</b>	<b>67.8</b>	<b>67.4</b>	<b>67.2</b>	<b>66.1</b>	<b>71.2</b>	<b>70.8</b>	<b>70.3</b>	<b>69.7</b>
Under 20	%	3.2	2.8	2.6	2.5	2.0	1.4	0.9	0.7	0.5	0.4	0.2
20-24	%	56.1	54.2	53.2	53.4	51.9	49.5	47.2	48.8	48.4	47.2	41.0
25-29	%	66.5	65.5	65.2	66.4	65.5	64.4	62.3	65.8	65.0	64.1	62.5
30-34	%	70.1	69.4	69.3	70.4	69.6	68.9	67.1	71.8	71.0	70.2	68.9
35-39	%	69.9	69.8	69.9	71.2	70.7	70.2	68.7	74.1	73.5	72.9	71.9
40-44	%	68.0	68.0	68.3	69.4	69.0	68.9	67.7	73.5	73.2	72.9	72.3
45-49	%	67.3	67.4	68.2	69.1	68.7	68.8	67.7	73.1	72.8	72.6	72.3
50-54	%	64.8	65.4	66.6	67.4	67.3	67.5	66.8	72.4	72.1	71.8	71.6
55-59	%	60.9	62.4	63.7	64.2	64.5	65.3	65.0	70.6	70.5	70.3	70.4
60-64	%	52.2	55.7	57.9	58.8	59.0	60.0	60.3	66.1	66.2	66.3	66.9
65-69	%	27.6	30.7	31.6	31.2	29.3	28.0	27.2	33.1	33.0	32.6	31.5
70-74	%	5.6	6.0	6.3	6.2	5.6	5.4	5.0	5.7	5.5	5.3	4.8
75 and over	%	1.1	1.0	1.0	1.1	1.0	0.9	0.8	0.9	0.8	0.7	0.7
<b>Invitations and outcomes <sup>(2)</sup></b>												
Women invited (20-64)	millions	2.94	3.27	3.35	3.47	3.45	3.74	3.97	4.28	4.25	4.33	4.63
Women invited (25-64)	..	..	..	..	..	..	..	..	..	..	..	4.15
Women screened (20-64)	millions	3.67	3.67	3.57	3.71	3.65	3.64	3.52	3.77	3.60	3.53	3.56
Women screened (25-64)	..	..	..	..	..	..	..	..	..	..	..	3.28
Women with low-grade abnormalities (20-64)	millions	0.15	0.15	0.15	0.22	0.22	0.23	0.21	0.23	0.21	0.21	0.19
	%	4.4	4.3	4.5	6.1	6.2	6.5	6.4	6.2	6.2	6.0	5.6
Women with low-grade abnormalities (25-64)	millions	..	..	..	..	..	..	..	..	..	..	0.2
	%	..	..	..	..	..	..	..	..	..	..	4.9
Women with high-grade abnormalities (20-64)	millions	0.04	0.04	0.04	0.06	0.06	0.06	0.05	0.05	0.05	0.05	0.05
	%	1.2	1.2	1.2	1.6	1.7	1.6	1.5	1.5	1.4	1.4	1.3
Women with high-grade abnormalities (25-64)	millions	..	..	..	..	..	..	..	..	..	..	0.04
	%	..	..	..	..	..	..	..	..	..	..	1.2
<b>Pathology Laboratory data <sup>(3)</sup></b>												
Samples examined (all ages)	millions	..	..	..	3.79	3.77	3.72	3.59	3.89	3.78	3.71	3.74
Samples found inadequate (all ages)	%	..	..	..	9.1	9.3	9.8	9.7	9.2	9.4	9.3	9.2
<b>Cervical Cancer registration data <sup>(4)</sup></b>												
Registrations in women aged 20-64		1,975	1,934	1,862	1,837	1,874	1,744	1,746	1,674	..	..	..
Registrations in women of all ages		2,837	2,737	2,607	2,594	2,642	2,424	2,418	2,305	..	..	..
Registrations per 100,000 popn (20-64)	rate	13.8	13.4	12.8	12.5	12.7	11.7	11.6	11.0	..	..	..
Registrations per 100,000 popn (all ages)	rate	10.3	9.9	9.5	9.2	9.4	8.6	8.6	8.0	..	..	..
<b>Cervical Cancer mortality data <sup>(4) (5)</sup></b>												
Deaths (20-64)		621	618	565	530	494	511	472	438	409	432	..
Deaths (all ages)		1,256	1,225	1,150	1,078	1,034	1,035	947	926	888	899	..
Deaths per 100,000 popn (20-64)	rate	4.5	4.5	4.0	3.7	3.4	3.5	3.2	3.0	2.8	2.9	..
Deaths per 100,000 popn (all ages)	rate	4.1	4.0	3.7	3.5	3.2	3.3	3.0	3.7	3.5	3.5	..

<sup>(1a)</sup> Source: Form KC53; data are as at 31 March and are of women less than 5 years since last test with an adequate result (Data prior to 2002 were based on last test with a result, not last adequate test, and have been adjusted to allow for this)

<sup>(1b)</sup> Source: Form KC53; data are as at 31 March and are of women less than 3 years (from 2002 3.5 years) since last test with an adequate result Data prior to 2002 were based on last test with a result, not last adequate test

<sup>(2)</sup> Source: Form KC53; data are for 12 months ending 31 March; percentage with abnormalities is based on women with a test result, excluding those whose samples were inadequate

<sup>(3)</sup> Source: Form KC61; data are for 12 months ending 31 March and relate to samples from GP and community clinics only

<sup>(4)</sup> Source: National Cancer Intelligence Centre, ONS; data are for year commencing 1 January Registration and death rates are Directly Age Standardised Rates using the European Standard Population (DAS(E))

<sup>(5)</sup> Figures for mortality for 2004 are provisional (figures for 2003 have been updated)

- Information not available

Table 2

## Cervical screening programme: test status of women and coverage by age, 31 March 2005

England

Thousands

Age at 31 March 2005	Number of women resident	Number of women with recall ceased			Number of eligible women	Number of women less than 5 years since last adequate test	Coverage <sup>(1)</sup> (less than 5 years since last adequate test)(%)	Number of women less than 3.5 years since last adequate test
		for clinical reasons	for age reasons	for other reasons				
<b>All age groups</b>	<b>26,553.0</b>	<b>1,728.5</b>	<b>1,591.3</b>	<b>1,364.4</b>	<b>24,824.5</b>	<b>11,708.5</b>	<b>47.2</b>	<b>10,048.5</b>
<b>25-64</b>	<b>14,027.4</b>	<b>1,141.0</b>	<b>194.9</b>	<b>127.3</b>	<b>12,886.4</b>	<b>10,346.5</b>	<b>80.3</b>	<b>8,980.7</b>
Under 20	6,188.9	0.0	-	0.0	6,188.9	15.4	0.2	15.1
20-24	1,722.1	0.2	-	1.4	1,721.9	768.3	44.6	706.5
25-29	1,760.4	1.0	-	3.5	1,759.4	1,260.4	71.6	1,100.0
30-34	1,932.5	6.8	-	5.8	1,925.8	1,524.9	79.2	1,327.1
35-39	2,054.9	29.9	-	8.2	2,025.0	1,667.9	82.4	1,455.8
40-44	1,992.8	80.9	-	10.8	1,911.9	1,594.9	83.4	1,383.2
45-49	1,720.3	151.7	-	12.8	1,568.6	1,306.4	83.3	1,133.5
50-54	1,568.7	231.2	-	15.9	1,337.5	1,108.2	82.9	957.4
55-59	1,670.8	335.9	-	24.4	1,334.8	1,085.7	81.3	939.1
60-64	1,327.0	303.5	194.9	45.9	1,023.5	798.1	78.0	684.6
65-69	1,176.2	253.9	499.1	196.0	922.3	471.9	51.2	290.3
70-74	1,048.2	187.6	481.2	286.9	860.6	79.7	9.3	41.1
75-79	925.2	118.7	317.0	397.1	806.4	18.3	2.3	10.0
80 and over	1,465.0	27.0	99.1	355.8	1,437.9	8.3	0.6	4.7

<sup>(1)</sup> The denominator used in calculating the percentage is the resident population less those women with recall ceased for clinical reasons.

Table 3 Cervical screening programme: test status of eligible women <sup>(1)</sup> by age, 31 March 2005

England											Thousands
Age at 31 March 2005	Number of women - Time since last adequate test (years)							Women called but not tested			
	less than 1.5 years	1.5 years & up to 3 years	3 years & up to 3.5 years	3.5 years & up to 5 years	5 years & up to 10 years	10 years & up to 15 years	15 years and over	no adequate sample	never attended	no cytology record	
<b>All age groups</b>	<b>5,024.8</b>	<b>4,138.8</b>	<b>884.8</b>	<b>1,660.0</b>	<b>1,900.6</b>	<b>991.8</b>	<b>522.2</b>	<b>68.6</b>	<b>2,060.1</b>	<b>7,575.2</b>	
<b>25-64</b>	<b>4,517.2</b>	<b>3,700.0</b>	<b>763.5</b>	<b>1,365.8</b>	<b>1,089.2</b>	<b>313.2</b>	<b>112.7</b>	<b>36.6</b>	<b>963.2</b>	<b>26.2</b>	
Under 20	10.5	4.1	0.4	0.3	0.0	0.0	0.0	0.9	7.8	6,165.1	
20-24	391.8	262.3	52.5	61.8	14.7	0.0	0.0	20.9	608.5	309.6	
25-29	578.1	427.0	94.8	160.4	118.2	5.4	0.0	15.4	348.1	12.1	
30-34	684.6	526.7	115.8	197.8	175.5	31.5	2.1	7.8	178.6	5.7	
35-39	735.4	593.7	126.7	212.1	184.0	47.9	9.3	4.3	108.8	3.0	
40-44	697.5	567.0	118.7	211.6	167.9	51.7	15.8	2.7	77.3	1.9	
45-49	564.7	473.5	95.4	172.9	131.3	47.9	18.2	1.9	62.0	1.2	
50-54	471.8	405.5	80.0	150.9	109.8	41.0	20.6	1.6	55.6	0.9	
55-59	456.5	406.8	75.9	146.6	111.0	45.3	24.3	1.6	66.2	0.8	
60-64	328.7	299.7	56.2	113.5	91.6	42.6	22.5	1.4	66.7	0.7	
65-69	87.7	146.0	56.6	181.6	273.0	56.8	28.6	1.5	79.3	11.2	
70-74	12.6	19.6	8.9	38.6	394.4	204.1	44.4	2.1	109.7	26.3	
75-79	3.4	4.6	2.0	8.3	102.5	317.3	138.7	2.8	161.6	65.3	
80 and over	1.6	2.2	0.9	3.6	26.8	100.3	197.6	3.7	130.1	971.4	

(1) Excludes women with recall ceased for clinical reasons

Source: KC53 part A2 & A3

Table 3a Cervical screening programme: test status of women by age, 31 March 2005

England								Percentages
Age at 31 March 2005	Resident population (thousands)	Women with at least one adequate test result recorded			Women called but not tested		Women with no cytology record	
		Ceased for clinical reasons	less than 5 years since last adequate test	5 years or more since last adequate test	no adequate smear	never attended		
<b>All age groups</b>	<b>26,553.0</b>	<b>6.5</b>	<b>44.1</b>	<b>12.9</b>	<b>0.3</b>	<b>7.8</b>	<b>28.5</b>	
<b>25-64</b>	<b>14,027.4</b>	<b>8.1</b>	<b>73.8</b>	<b>10.8</b>	<b>0.3</b>	<b>6.9</b>	<b>0.2</b>	
Under 20	6,188.9	0.0	0.2	0.0	0.0	0.1	99.6	
20-24	1,722.1	0.0	44.6	0.9	1.2	35.3	18.0	
25-29	1,760.4	0.1	71.6	7.0	0.9	19.8	0.7	
30-34	1,932.5	0.3	78.9	10.8	0.4	9.2	0.3	
35-39	2,054.9	1.5	81.2	11.7	0.2	5.3	0.1	
40-44	1,992.8	4.1	80.0	11.8	0.1	3.9	0.1	
45-49	1,720.3	8.8	75.9	11.5	0.1	3.6	0.1	
50-54	1,568.7	14.7	70.6	10.9	0.1	3.5	0.1	
55-59	1,670.8	20.1	65.0	10.8	0.1	4.0	0.0	
60-64	1,327.0	22.9	60.1	11.8	0.1	5.0	0.1	
65-69	1,176.2	21.6	40.1	30.5	0.1	6.7	1.0	
70-74	1,048.2	17.9	7.6	61.3	0.2	10.5	2.5	
75-79	925.2	12.8	2.0	60.4	0.3	17.5	7.1	
80 and over	1,465.0	1.8	0.6	22.2	0.3	8.9	66.3	

Source: KC53 part A2 & A3

**Table 4** Cervical screening programme: number of women invited in the year by type of invitation and age, 2004-05

England							Number
Age at 31 March 2005	Type of Invitation						
	Total	Call	Routine Recall	Repeat in less than 3 years for reasons of			
				Surveillance	Abnormality	Inadequate Sample	
<b>All Age Groups</b>	<b>4,744,045</b>	<b>710,523</b>	<b>2,983,968</b>	<b>628,845</b>	<b>182,680</b>	<b>238,029</b>	
<b>25-64</b>	<b>4,148,711</b>	<b>416,024</b>	<b>2,804,326</b>	<b>576,983</b>	<b>145,990</b>	<b>205,388</b>	
Under 20	3,382	851	194	399	1,101	837	
20-24	485,697	275,417	110,181	38,945	33,614	27,540	
25-29	628,234	171,378	281,805	97,656	37,107	40,288	
30-34	663,659	83,304	392,001	117,172	30,716	40,466	
35-39	664,362	48,104	443,495	110,692	25,411	36,660	
40-44	604,967	31,179	434,449	88,795	20,278	30,266	
45-49	482,412	22,766	361,306	62,887	14,273	21,180	
50-54	407,224	19,495	318,282	45,484	9,154	14,809	
55-59	398,523	20,634	324,434	34,758	5,801	12,896	
60-64	299,330	19,164	248,554	19,539	3,250	8,823	
65-69	75,246	10,251	51,464	8,946	1,343	3,242	
70-74	19,701	4,695	11,400	2,504	398	704	
75 and over	11,308	3,285	6,403	1,068	234	318	

Source : Form KC53

**Table 5** Cervical screening programme: number of women tested in the year by type of invitation and age, 2004-05

England									Number
Age at 31 March 2005	Type of Invitation								
	Total	Call	Routine Recall	Repeat in less than 3 years for reasons of			While Recall Suspended	While Recall Ceased	Outside programme
				Surveillance	Abnormality	Inadequate Sample			
<b>All Age Groups</b>	<b>3,638,868</b>	<b>165,087</b>	<b>1,849,307</b>	<b>454,992</b>	<b>89,489</b>	<b>130,204</b>	<b>129,472</b>	<b>31,657</b>	<b>788,660</b>
<b>25-64</b>	<b>3,278,886</b>	<b>82,413</b>	<b>1,768,469</b>	<b>421,616</b>	<b>71,031</b>	<b>113,941</b>	<b>111,259</b>	<b>10,847</b>	<b>699,310</b>
Under 20	8,166	19	55	209	412	208	236	-	7,027
20-24	285,681	82,261	54,840	24,667	17,326	14,508	15,707	27	76,345
25-29	434,450	37,087	152,802	66,155	16,634	22,305	26,045	138	113,284
30-34	505,293	19,065	223,280	82,318	14,103	22,689	24,282	288	119,268
35-39	534,570	10,247	270,558	80,917	12,270	20,640	19,913	543	119,482
40-44	505,769	6,160	278,763	67,039	10,609	16,865	15,125	963	110,245
45-49	406,737	3,914	238,553	48,053	7,664	11,613	10,155	1,349	85,436
50-54	337,355	2,560	213,794	35,314	5,044	8,245	7,169	1,443	63,786
55-59	324,105	1,904	222,755	27,065	3,091	6,948	5,414	1,715	55,213
60-64	230,607	1,476	167,964	14,755	1,616	4,636	3,156	4,408	32,596
65-69	54,297	351	23,768	6,455	565	1,339	1,547	15,648	4,624
70-74	8,305	32	1,731	1,522	118	159	479	3,574	690
75 and over	3,533	11	444	523	37	49	244	1,561	664

Source : Form KC53 Part C1

Table 6 Cervical screening programme: number of women aged 20-64 tested in the year by type of invitation and result, 2004-05

England Number

Result of test	Type of Invitation									
	Total	Call	Repeat in less than 3 years for reasons of						While Recall Ceased	Outside programme
			Routine Recall	Surveillance	Abnormality	Inadequate Sample	While Recall Suspended			
<b>20-64</b>	<b>3,564,563</b>	<b>164,674</b>	<b>1,823,307</b>	<b>446,283</b>	<b>88,356</b>	<b>128,449</b>	<b>126,966</b>	<b>10,874</b>	<b>775,654</b>	
Inadequate	307,562	17,429	149,764	32,286	6,208	23,792	7,297	797	69,989	
Negative	3,034,479	131,709	1,605,153	383,170	53,771	97,544	93,779	9,773	659,580	
Borderline changes	117,198	7,292	38,885	18,547	13,212	3,995	11,149	147	23,971	
Mild Dyskaryosis	64,931	5,568	16,247	8,210	10,662	1,977	9,008	77	13,182	
Moderate Dyskaryosis	21,159	1,509	6,244	2,347	2,812	612	3,116	22	4,497	
Severe Dyskaryosis	16,861	1,073	6,034	1,519	1,588	459	2,368	35	3,785	
?Invasive Carcinoma	762	61	256	38	40	17	108	7	235	
?Glandular Neoplasia	1,611	33	724	166	63	53	141	16	415	

Source : Form KC53 Part C2

Table 7 Cervical screening programme: number and percentage of tests in the year by type of invitation and result, 2004-05

England

Result of test	Type of Invitation									
	Total	Call	Repeat in less than 3 years for reasons of						While Recall Ceased	Outside programme
			Routine Recall	Surveillance	Abnormality	Inadequate Sample	While Recall Suspended			
<b>Numbers</b>										
<b>Total</b>	<b>3,993,887</b>	<b>165,245</b>	<b>1,850,353</b>	<b>499,951</b>	<b>141,130</b>	<b>299,547</b>	<b>172,741</b>	<b>32,259</b>	<b>832,661</b>	
Inadequate	360,203	17,455	151,218	35,802	9,596	57,287	9,517	1,947	77,381	
Negative	3,358,452	132,217	1,630,379	428,391	85,534	228,029	119,910	29,515	704,477	
Borderline changes	142,524	7,305	39,109	21,673	21,713	8,423	17,441	386	26,474	
Mild Dyskaryosis	82,661	5,574	16,308	9,526	17,470	3,861	15,032	140	14,750	
Moderate Dyskaryosis	26,461	1,513	6,263	2,643	4,347	1,098	5,660	43	4,894	
Severe Dyskaryosis	20,532	1,080	6,064	1,684	2,312	731	4,645	68	3,948	
?Invasive Carcinoma	970	66	270	48	47	25	207	45	262	
?Glandular Neoplasia	2,084	35	742	184	111	93	329	115	475	
<b>Percentage of tests by result</b>										
<b>Total</b>	<b>100</b>	<b>4.1</b>	<b>46.3</b>	<b>12.5</b>	<b>3.5</b>	<b>7.5</b>	<b>4.3</b>	<b>0.8</b>	<b>20.8</b>	
Inadequate	100	4.8	42.0	9.9	2.7	15.9	2.6	0.5	21.5	
Negative	100	3.9	48.5	12.8	2.5	6.8	3.6	0.9	21.0	
Borderline changes	100	5.1	27.4	15.2	15.2	5.9	12.2	0.3	18.6	
Mild Dyskaryosis	100	6.7	19.7	11.5	21.1	4.7	18.2	0.2	17.8	
Moderate Dyskaryosis	100	5.7	23.7	10.0	16.4	4.1	21.4	0.2	18.5	
Severe Dyskaryosis	100	5.3	29.5	8.2	11.3	3.6	22.6	0.3	19.2	
?Invasive Carcinoma	100	6.8	27.8	4.9	4.8	2.6	21.3	4.6	27.0	
?Glandular Neoplasia	100	1.7	35.6	8.8	5.3	4.5	15.8	5.5	22.8	
<b>Percentage of tests by invitation</b>										
<b>Total</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	
Inadequate	9.0	10.6	8.2	7.2	6.8	19.1	5.5	6.0	9.3	
Negative	84.1	80.0	88.1	85.7	60.6	76.1	69.4	91.5	84.6	
Borderline changes	3.6	4.4	2.1	4.3	15.4	2.8	10.1	1.2	3.2	
Mild Dyskaryosis	2.1	3.4	0.9	1.9	12.4	1.3	8.7	0.4	1.8	
Moderate Dyskaryosis	0.7	0.9	0.3	0.5	3.1	0.4	3.3	0.1	0.6	
Severe Dyskaryosis	0.5	0.7	0.3	0.3	1.6	0.2	2.7	0.2	0.5	
?Invasive Carcinoma	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	
?Glandular Neoplasia	0.1	0.0	0.0	0.0	0.1	0.0	0.2	0.4	0.1	

Source : Form KC53 Part C3

Table 8 Cervical screening programme: results of adequate tests by age, 2004-05

England		Result <sup>(2)</sup>							Number
Age at 31 March 2005	Total <sup>(1)</sup>	Negative	Borderline Dyskaryosis	Mild Dyskaryosis	Moderate Dyskaryosis	Severe Dyskaryosis	Severe /? Invasive Carcinoma	?Glandular Neoplasia	
<b>Numbers</b>									
<b>All age groups</b>	<b>3,484,259</b>	<b>3,244,230</b>	<b>121,658</b>	<b>71,845</b>	<b>24,449</b>	<b>19,184</b>	<b>920</b>	<b>1,973</b>	
<b>25-64</b>	<b>3,143,241</b>	<b>2,949,697</b>	<b>101,482</b>	<b>53,939</b>	<b>19,038</b>	<b>16,547</b>	<b>793</b>	<b>1,745</b>	
under 20	7,710	6,160	654	692	158	43	-	3	
20-24	268,846	226,174	18,375	16,724	5,084	2,417	20	52	
25-29	406,989	360,537	19,648	15,890	6,008	4,602	120	184	
30-34	478,416	439,023	17,847	11,989	4,679	4,473	140	265	
35-39	510,555	476,933	17,576	9,188	3,285	3,147	146	280	
40-44	485,564	457,210	16,738	7,091	2,245	1,941	121	218	
45-49	393,128	373,175	12,818	4,628	1,222	1,012	79	194	
50-54	327,939	315,229	8,445	2,654	724	600	53	234	
55-59	315,571	307,165	5,466	1,600	562	495	67	216	
60-64	225,079	220,425	2,944	899	313	277	67	154	
65-69	53,073	51,540	821	352	121	96	56	87	
70-74	8,034	7,588	215	104	27	43	20	37	
75 and over	3,355	3,071	111	34	21	38	31	49	
<b>Percentages</b>									
<b>All age groups</b>	<b>100</b>	<b>93.1</b>	<b>3.5</b>	<b>2.1</b>	<b>0.7</b>	<b>0.6</b>	<b>0.0</b>	<b>0.1</b>	
<b>25-64</b>	<b>100</b>	<b>93.8</b>	<b>3.2</b>	<b>1.7</b>	<b>0.6</b>	<b>0.5</b>	<b>0.0</b>	<b>0.1</b>	
under 20	100	79.9	8.5	9.0	2.0	0.6	0.0	0.0	
20-24	100	84.1	6.8	6.2	1.9	0.9	0.0	0.0	
25-29	100	88.6	4.8	3.9	1.5	1.1	0.0	0.0	
30-34	100	91.8	3.7	2.5	1.0	0.9	0.0	0.1	
35-39	100	93.4	3.4	1.8	0.6	0.6	0.0	0.1	
40-44	100	94.2	3.4	1.5	0.5	0.4	0.0	0.0	
45-49	100	94.9	3.3	1.2	0.3	0.3	0.0	0.0	
50-54	100	96.1	2.6	0.8	0.2	0.2	0.0	0.1	
55-59	100	97.3	1.7	0.5	0.2	0.2	0.0	0.1	
60-64	100	97.9	1.3	0.4	0.1	0.1	0.0	0.1	
65-69	100	97.1	1.5	0.7	0.2	0.2	0.1	0.2	
70-74	100	94.4	2.7	1.3	0.3	0.5	0.2	0.5	
75 and over	100	91.5	3.3	1.0	0.6	1.1	0.9	1.5	

Table 9 Cervical Screening Programme: Time from screening to notification of result by region, 2004-05

	Percentages									
	England	North East	North West	Yorkshire & Humber	East Midlands	West Midlands	East	London	South East	South West
Up to 4 weeks	29	39	28	33	21	29	31	25	29	34
>4 weeks up to 6 weeks	28	36	18	27	39	26	28	30	31	22
>6 weeks up to 8 weeks	20	19	23	14	22	15	19	24	20	26
>8 weeks up to 10 weeks	13	5	18	11	12	16	16	13	12	13
>10 weeks up to 12 weeks	6	1	7	9	5	9	4	4	6	4
over 12 weeks	4	0	7	6	1	5	3	3	2	1
Total with letter sent by Primary Care Organisation = 100%	3,542,455	183,465	542,987	368,685	299,717	426,000	353,496	567,323	593,888	206,894
Letter not sent by Primary Care Organisation	454,871	30,508	10,418	16,683	56,876	11,963	46,121	82,969	57,255	142,078

Source : Form KC53 Part E

Table 10 Cervical Screening programme: Recall status by most severe screening result and region, 2004-05

England												Percentages
Result of Test	Recall Status	England	North East	North West	Yorkshire & Humber	East Midlands	West Midlands	East	London	South East	South West	
Inadequate (cat.1)	Total Smears(=100%)	<b>303,742</b>	11,738	49,680	25,793	29,626	38,218	27,890	53,192	44,761	22,844	
	Suspend	<b>4</b>	3	6	4	3	4	4	3	5	2	
	Repeat	<b>96</b>	97	94	96	97	96	96	97	95	98	
Negative (cat.2)	Total Smears(=100%)	<b>2,999,374</b>	166,506	397,683	303,875	269,838	319,343	300,795	468,719	501,551	271,064	
	Normal	<b>85</b>	85	83	86	87	87	80	85	86	85	
	Suspend	<b>1</b>	1	2	1	1	1	0	1	0	0	
	Repeat	<b>14</b>	14	15	13	12	12	19	13	13	15	
Borderline changes (cat.8)	Total Smears(=100%)	<b>119,856</b>	8,714	16,858	9,475	9,403	15,059	11,409	21,303	17,552	10,083	
	Suspend	<b>21</b>	25	30	19	14	20	16	19	20	19	
	Repeat	<b>79</b>	75	70	81	86	80	84	81	80	81	
Mild Dyskaryosis (cat.3)	Total Smears(=100%)	<b>70,663</b>	3,673	11,251	4,855	5,291	7,942	7,636	14,657	9,607	5,751	
	Suspend	<b>48</b>	48	59	51	39	51	43	48	43	47	
	Repeat	<b>52</b>	52	41	49	61	49	57	52	57	53	
Moderate Dyskaryosis (cat.7)	Total Smears(=100%)	<b>24,122</b>	1,500	3,406	2,130	2,014	2,534	2,339	4,163	3,782	2,254	
	Suspend	<b>100</b>	100	100	100	100	100	100	100	100	100	
	Repeat	-	-	-	-	-	-	-	-	-	-	
Severe Dyskaryosis (cat.4)	Total Smears(=100%)	<b>18,964</b>	1,219	2,734	1,952	1,704	1,955	1,949	2,723	2,874	1,854	
	Suspend	<b>100</b>	100	100	100	100	100	100	100	100	100	
	Repeat	-	-	-	-	-	-	-	-	-	-	
Severe/? invasive Carcinoma (cat.5)	Total Smears(=100%)	<b>813</b>	69	123	103	64	105	73	124	90	62	
	Suspend	<b>100</b>	100	100	100	100	100	100	100	100	100	
	Repeat	-	-	-	-	-	-	-	-	-	-	
?Glandular Neoplasia (cat.6)	Total Smears(=100%)	<b>1,797</b>	101	243	147	211	194	206	246	266	183	
	Suspend	<b>100</b>	100	100	100	100	100	100	100	100	100	
	Repeat	-	-	-	-	-	-	-	-	-	-	

Source : Form KC53 Part F

Table 11 Cervical screening programme: Summary of regional data for women aged 25-64, 2004-05

	England	North East	North West	Yorkshire & Humber	East Midlands	West Midlands	East	London	South East	South West
<b>Test status and coverage of target age group (25-64), 31 March 2005</b>										
Number of women resident	14,027.4	691.5	1,878.0	1,370.3	1,144.9	1,448.3	1,527.7	2,315.4	2,275.0	1,376.0
Number of women with recall ceased for clinical reasons	1,141.0	57.2	158.3	120.0	110.4	117.8	138.4	106.4	202.7	129.9
Number of women with recall ceased for age reasons	194.9	9.7	25.8	23.1	17.6	19.8	23.7	16.6	34.1	24.6
Number of women with recall ceased for other reasons	127.3	7.8	22.6	12.0	10.4	9.9	18.7	16.5	13.6	15.9
Number of eligible women	12,886.4	634.4	1,719.7	1,250.4	1,034.5	1,330.5	1,389.4	2,209.0	2,072.3	1,246.1
Number of women less than 5 years since last adequate test	10,346.5	518.3	1,376.0	1,022.3	866.7	1,068.7	1,120.1	1,667.0	1,693.7	1,013.7
Coverage (1) (less than 5 years since last adequate test )(%)	80.3	81.7	80.0	81.8	83.8	80.3	80.6	75.5	81.7	81.4
Number of women less than 3.5 years since last adequate test	8,980.7	468.1	1,208.7	887.2	783.3	955.6	923.8	1,448.5	1,481.5	824.1
<b>Number of women invited in the year by type of invitation (thousands)</b>										
<b>Total</b>	<b>4,148.7</b>	<b>224.6</b>	<b>546.6</b>	<b>349.1</b>	<b>335.2</b>	<b>472.4</b>	<b>394.9</b>	<b>783.2</b>	<b>661.6</b>	<b>381.1</b>
<b>Type of Invitation</b>										
Call	416.0	14.0	38.5	31.3	21.4	39.8	35.4	153.0	53.1	29.6
Routine Recall	2,804.3	161.8	363.4	233.0	246.0	334.6	253.3	470.4	472.9	269.0
<b>Repeat in less than 3 years for reasons of:</b>										
Surveillance	577.0	32.9	89.7	57.3	40.1	55.4	71.9	90.2	84.7	54.9
Abnormality	146.0	7.3	20.6	10.9	11.3	17.2	14.9	29.4	22.6	11.8
Inadequate Smear	205.4	8.5	34.4	16.6	16.4	25.4	19.5	40.3	28.4	15.9
<b>Number of women tested in the year by type of invitation (thousands)</b>										
<b>Total</b>	<b>3,278.9</b>	<b>175.0</b>	<b>443.0</b>	<b>316.0</b>	<b>287.6</b>	<b>355.1</b>	<b>333.1</b>	<b>525.7</b>	<b>545.4</b>	<b>298.1</b>
<b>Type of Invitation</b>										
Call	82.4	2.2	6.5	5.4	4.5	6.7	7.1	30.6	13.0	6.4
Routine Recall	1,768.5	108.1	225.1	156.9	177.3	212.2	163.5	243.7	309.8	171.8
<b>Repeat in less than 3 years for reasons of:</b>										
Surveillance	421.6	20.2	57.5	42.0	31.7	41.2	57.7	60.9	65.9	44.7
Abnormality	71.0	3.4	9.2	4.9	6.1	8.8	8.0	13.7	11.0	6.1
Inadequate Smear	113.9	4.9	19.0	9.4	10.3	15.9	10.2	19.9	15.4	9.0
While Recall Suspended	111.3	9.4	25.0	12.2	8.0	11.6	8.8	17.6	11.6	7.0
While Recall Ceased	10.8	0.5	1.6	1.2	0.7	1.0	1.3	1.9	1.7	0.9
Outside programme	699.3	26.4	99.0	83.9	49.0	57.6	76.7	137.5	117.0	52.2
<b>Test result of women</b>										
<b>Numbers</b>										
<b>Total (1)</b>	<b>3,143.2</b>	<b>170.0</b>	<b>418.7</b>	<b>305.4</b>	<b>275.3</b>	<b>338.1</b>	<b>320.9</b>	<b>500.1</b>	<b>527.1</b>	<b>287.5</b>
<b>Result (2)</b>										
Negative	2,949.7	158.0	391.0	291.1	260.6	315.0	301.0	463.7	499.0	270.3
Borderline Dyskaryosis	101.5	7.2	14.2	7.2	7.7	13.1	10.0	18.4	14.9	8.8
Mild Dyskaryosis	53.9	2.6	8.4	3.5	3.8	6.1	6.0	11.7	7.3	4.6
Moderate Dyskaryosis	19.0	1.1	2.5	1.7	1.5	2.0	1.9	3.5	3.0	1.9
Severe Dyskaryosis	16.5	1.0	2.3	1.7	1.4	1.7	1.7	2.5	2.5	1.7
Severe / ?Invasive Carcinoma	0.8	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
?Glandular Neoplasia	1.7	0.1	0.2	0.1	0.2	0.2	0.2	0.2	0.3	0.2
<b>Percentages</b>										
<b>Total (1)</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>
<b>Result (2)</b>										
Negative	93.8	92.9	93.4	95.3	94.7	93.2	93.8	92.7	94.7	94.0
Borderline Dyskaryosis	3.2	4.2	3.4	2.4	2.8	3.9	3.1	3.7	2.8	3.1
Mild Dyskaryosis	1.7	1.5	2.0	1.1	1.4	1.8	1.9	2.3	1.4	1.6
Moderate Dyskaryosis	0.6	0.6	0.6	0.5	0.6	0.6	0.6	0.7	0.6	0.7
Severe Dyskaryosis	0.5	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.6
Severe / ?Invasive Carcinoma	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
?Glandular Neoplasia	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.0	0.0	0.1

(1) The denominator used in calculating the percentage is the resident population less those women with recall ceased for clinical reasons

Source: KC53

(2) Excluding those women all of whose tests during the year were classified as 'inadequate'

(3) Most severe result in the year

Table 12 Cervical screening programme: Target Age Group (25-64), results of tests by Primary Care Organisation, 2004-05

Primary Care Organisation		Eligible <sup>(1)</sup> Population (000's)	Number of women screened <sup>(2)</sup> (000's)	Result of test				
				Negative (%)	Borderline Dyskaryosis (%)	Mild Dyskaryosis (%)	Moderate Dyskaryosis (%)	Severe Dyskaryosis or worse (%)
Code	Name							
<b>England</b>		<b>12,886.4</b>	<b>3,143.2</b>	<b>93.8</b>	<b>3.2</b>	<b>1.7</b>	<b>0.6</b>	<b>0.6</b>
<b>North East</b>		<b>634.4</b>	<b>170.0</b>	<b>92.9</b>	<b>4.2</b>	<b>1.5</b>	<b>0.6</b>	<b>0.7</b>
<b>County Durham &amp; Tees Valley</b>		<b>285.7</b>	<b>73.5</b>	<b>95.1</b>	<b>2.8</b>	<b>1.0</b>	<b>0.4</b>	<b>0.7</b>
5J9	Darlington	24.7	6.7	94.2	2.7	1.4	0.6	1.2
5KA	Derwentside	21.1	5.8	92.3	5.8	1.0	0.3	0.7
5KC	Durham and Chester-Le-Street	36.6	9.8	93.8	4.4	0.9	0.3	0.6
5J8	Durham Dales	22.3	6.1	95.6	2.2	1.1	0.4	0.7
5KD	Easington	23.3	5.9	95.2	2.8	1.0	0.3	0.7
5D9	Hartlepool	21.6	5.1	96.4	1.9	0.5	0.5	0.7
5KN	Langbaugh	24.2	6.4	96.8	1.6	0.9	0.3	0.4
5KM	Middlesbrough	42.4	10.5	95.4	2.1	1.5	0.5	0.5
5E1	North Tees	45.4	11.2	95.9	2.4	0.6	0.4	0.7
5KE	Sedgefield	24.0	6.2	95.2	2.6	1.2	0.4	0.6
<b>Northumberland, Tyne &amp; Wear</b>		<b>348.7</b>	<b>96.5</b>	<b>91.3</b>	<b>5.3</b>	<b>1.9</b>	<b>0.8</b>	<b>0.7</b>
5KF	Gateshead	49.7	13.7	94.6	3.2	0.9	0.5	0.8
5D7	Newcastle	62.8	18.2	88.4	6.8	2.9	1.0	0.8
5D8	North Tyneside	52.4	15.7	90.6	5.7	1.9	0.8	0.9
TAC	Northumberland Care Trust	77.4	23.2	90.1	6.3	2.1	0.9	0.6
5KG	South Tyneside	36.5	9.7	94.3	3.5	1.0	0.6	0.6
5KL	Sunderland Teaching	69.9	16.0	92.5	4.4	1.6	0.8	0.7
<b>North West</b>		<b>1,719.7</b>	<b>418.7</b>	<b>93.4</b>	<b>3.4</b>	<b>2.0</b>	<b>0.6</b>	<b>0.6</b>
<b>Cheshire &amp; Merseyside</b>		<b>598.6</b>	<b>150.1</b>	<b>93.7</b>	<b>3.0</b>	<b>2.0</b>	<b>0.6</b>	<b>0.7</b>
5F8	Bebington and West Wirral	26.1	7.1	94.4	3.2	1.7	0.4	0.4
5H2	Birkenhead and Wallasey	53.0	13.0	92.9	3.8	2.0	0.6	0.7
5H4	Central Cheshire	64.3	18.4	95.3	2.4	1.0	0.4	0.9
5HA	Central Liverpool	62.2	12.6	91.5	3.1	3.4	1.0	1.0
5H3	Cheshire West	40.0	10.8	94.3	2.7	2.0	0.7	0.3
5H5	Eastern Cheshire	49.1	13.2	93.0	3.5	2.6	0.6	0.4
5H6	Ellesmere Port and Neston	21.1	5.5	93.5	3.2	2.1	0.4	0.7
5J1	Halton	31.0	7.6	94.3	2.6	1.5	0.7	0.8
5J4	Knowsley	38.0	9.1	93.2	3.0	2.3	0.6	0.8
5G9	North Liverpool	27.7	5.8	92.6	3.6	2.6	0.6	0.7
5HC	South Liverpool	23.6	4.8	91.7	3.0	3.6	0.9	0.8
5M5	South Sefton	38.4	9.0	94.5	2.4	2.0	0.5	0.4
5F9	Southport and Formby	28.2	6.8	94.7	2.5	1.7	0.5	0.6
5J3	St Helens	46.3	12.8	93.6	3.4	1.8	0.5	0.6
5J2	Warrington	49.7	13.6	95.0	2.4	1.2	0.7	0.7
<b>Cumbria and Lancashire</b>		<b>474.1</b>	<b>112.1</b>	<b>93.5</b>	<b>3.3</b>	<b>1.9</b>	<b>0.6</b>	<b>0.7</b>
5CC	Blackburn With Darwen	36.9	9.0	94.0	3.3	1.9	0.5	0.3
5HP	Blackpool	35.3	7.6	93.4	3.1	1.9	0.8	0.8
5G8	Burnley, Pendle and Rossendale	59.8	15.2	92.5	4.3	2.0	0.6	0.5
5D4	Carlisle and District	29.7	7.5	92.1	4.4	2.0	0.6	0.9
5F2	Chorley and South Ribble	53.2	12.5	94.7	2.2	2.1	0.4	0.7
5D5	Eden Valley	18.7	5.0	93.6	3.7	1.5	0.4	0.8
5HE	Fylde	16.4	3.8	94.3	2.8	1.6	0.6	0.6
5G7	Hyndburn and Ribble Valley	27.0	6.6	93.8	3.5	1.8	0.6	0.4
5DD	Morecambe Bay	73.6	16.5	92.2	4.0	2.1	0.9	0.8
5HD	Preston	34.3	6.8	94.3	2.2	2.1	0.6	0.8
5D6	West Cumbria	33.2	8.5	93.8	3.0	1.8	0.5	0.8
5F3	West Lancashire	26.9	6.4	94.8	2.5	1.6	0.5	0.6
5HF	Wyre	29.1	6.7	94.4	2.8	1.7	0.4	0.7
<b>Greater Manchester</b>		<b>647.1</b>	<b>156.5</b>	<b>93.0</b>	<b>3.9</b>	<b>2.0</b>	<b>0.6</b>	<b>0.6</b>
5HG	Ashton, Leigh and Wigan	73.4	16.3	94.5	3.0	1.4	0.5	0.5
5HQ	Bolton	68.2	16.3	94.6	3.1	1.2	0.6	0.5
5JX	Bury	46.2	12.3	92.6	4.8	1.5	0.3	0.8
5CL	Central Manchester	42.7	9.4	92.0	4.2	2.7	0.6	0.5
5F4	Heywood and Middleton	18.1	4.6	91.6	4.2	2.6	0.7	0.9
5CR	North Manchester	37.5	8.3	91.9	4.1	2.3	0.9	0.8
5J5	Oldham	54.7	14.1	93.5	4.3	1.5	0.3	0.4
5JY	Rochdale	33.0	8.2	92.8	3.8	2.4	0.7	0.3
5F5	Salford	53.5	12.6	93.4	3.7	1.6	0.7	0.6
5AA	South Manchester	34.5	7.7	91.8	4.4	2.4	0.7	0.6
5F7	Stockport	73.2	18.3	91.1	3.8	3.8	0.7	0.6
5LH	Tameside and Glossop	57.2	15.0	92.7	4.1	2.1	0.7	0.5
5F6	Trafford North	22.7	5.3	92.9	4.3	1.6	0.6	0.6
5CX	Trafford South	32.2	7.9	94.2	3.4	1.5	0.5	0.4

Table 12 Cervical screening programme: Target Age Group (25-64), results of tests by Primary Care Organisation, 2004-05

			Result of test					
Primary Care Organisation		Eligible <sup>(1)</sup> Population (000's)	Number of women screened <sup>(2)</sup> (000's)	Negative (%)	Borderline Dyskaryosis (%)	Mild Dyskaryosis (%)	Moderate Dyskaryosis (%)	Severe Dyskaryosis or worse (%)
Code	Name							
<b>England</b>		<b>12,886.4</b>	<b>3,143.2</b>	<b>93.8</b>	<b>3.2</b>	<b>1.7</b>	<b>0.6</b>	<b>0.6</b>
<b>Yorkshire and Humber</b>		<b>1,250.4</b>	<b>305.4</b>	<b>95.3</b>	<b>2.4</b>	<b>1.1</b>	<b>0.5</b>	<b>0.6</b>
<b>North &amp; East Yorkshire &amp; Northern Lincolnshire</b>		<b>407.6</b>	<b>112.2</b>	<b>95.7</b>	<b>2.2</b>	<b>1.0</b>	<b>0.5</b>	<b>0.6</b>
5KJ	Craven, Harrogate and Rural District	52.5	14.9	96.6	1.7	0.8	0.4	0.5
5E3	East Yorkshire	38.0	11.3	96.0	2.2	0.7	0.5	0.6
5E5	Eastern Hull	29.0	8.2	95.2	2.5	0.7	0.9	0.7
5KH	Hambleton and Richmondshire	28.1	7.9	96.6	1.7	1.0	0.3	0.5
5AN	North East Lincolnshire	39.1	9.5	93.3	3.2	2.0	0.8	0.6
5EF	North Lincolnshire	39.1	9.5	95.4	2.4	1.4	0.5	0.4
5KK	Scarborough, Whitby and Ryedale	37.9	10.7	96.1	1.9	0.9	0.6	0.6
5E2	Selby and York	69.5	19.2	96.0	1.9	1.0	0.5	0.6
5E6	West Hull	37.4	10.2	95.5	2.5	0.6	0.6	0.8
5E4	Yorkshire Wolds and Coast	37.0	10.9	96.0	2.3	0.6	0.4	0.6
<b>South Yorkshire</b>		<b>314.9</b>	<b>77.2</b>	<b>94.7</b>	<b>2.5</b>	<b>1.6</b>	<b>0.5</b>	<b>0.7</b>
5JE	Barnsley	59.0	12.8	93.9	2.4	2.3	0.8	0.5
5CK	Doncaster Central	24.6	6.6	94.3	2.9	2.0	0.5	0.3
5EK	Doncaster East	20.9	5.5	95.4	2.5	1.6	0.4	0.1
5EL	Doncaster West	25.4	7.0	94.8	2.4	1.8	0.7	0.3
5EE	North Sheffield	28.5	7.4	93.9	3.0	1.5	0.6	1.1
5H8	Rotherham	60.7	13.3	94.8	2.2	1.6	0.6	0.9
5EP	Sheffield South West	28.8	7.6	95.8	1.9	1.2	0.4	0.7
5EN	Sheffield West	30.1	7.7	94.9	2.6	1.3	0.2	1.0
5EQ	South East Sheffield	36.9	9.4	94.7	2.8	1.1	0.5	0.8
<b>West Yorkshire</b>		<b>527.8</b>	<b>115.9</b>	<b>95.4</b>	<b>2.5</b>	<b>1.0</b>	<b>0.6</b>	<b>0.6</b>
5AW	Airedale	28.7	7.0	96.6	1.7	0.5	0.4	0.7
5CF	Bradford City	29.9	4.5	96.5	1.7	0.6	0.5	0.6
5CG	Bradford South and West	35.6	7.1	95.7	2.2	0.8	0.5	0.8
5J6	Calderdale	49.5	11.2	93.9	3.1	1.6	0.7	0.6
5HK	East Leeds	35.4	7.4	95.7	2.1	1.0	0.4	0.9
5E7	Eastern Wakefield	45.0	12.1	94.6	3.2	0.9	0.6	0.7
5LJ	Huddersfield Central	32.7	7.4	94.2	2.9	1.6	0.8	0.5
5HJ	Leeds North East	38.6	8.1	95.8	2.2	0.8	0.6	0.6
5HM	Leeds North West	43.9	8.8	95.5	2.5	0.8	0.6	0.6
5HH	Leeds West	27.1	5.7	94.9	2.8	0.7	0.7	0.9
5CH	North Bradford	22.7	5.3	96.3	1.8	0.5	0.6	0.7
5J7	North Kirklees	41.1	8.8	96.7	1.6	0.9	0.4	0.4
5LK	South Huddersfield	22.6	5.3	94.8	2.4	1.6	0.6	0.6
5HL	South Leeds	36.9	7.3	95.2	2.4	0.8	0.6	0.9
5E8	Wakefield West	38.2	9.8	95.1	3.1	1.0	0.3	0.5
<b>East Midlands</b>		<b>1,034.5</b>	<b>275.3</b>	<b>94.7</b>	<b>2.8</b>	<b>1.4</b>	<b>0.6</b>	<b>0.6</b>
<b>Leicestershire, Northamptonshire &amp; Rutland</b>		<b>381.7</b>	<b>101.1</b>	<b>95.0</b>	<b>2.5</b>	<b>1.3</b>	<b>0.6</b>	<b>0.6</b>
5JC	Charnwood & North West Leicestershire	57.6	15.3	95.3	2.4	0.9	0.7	0.7
5AC	Daventry and South Northamptonshire	26.6	7.8	95.7	1.1	2.0	0.6	0.6
5EY	Eastern Leicestershire	41.4	9.5	95.9	2.2	0.8	0.6	0.5
5JA	Hinckley and Bosworth	26.1	6.8	95.2	2.7	0.9	0.7	0.5
5EJ	Leicester City West	34.1	8.4	94.1	3.0	1.4	0.8	0.6
5EH	Melton, Rutland and Harborough	34.9	9.1	95.2	2.5	0.8	0.7	0.6
5LW	Northampton	52.2	14.4	95.2	1.1	2.5	0.6	0.7
5LV	Northamptonshire Heartlands	69.4	19.4	93.5	4.0	1.2	0.5	0.8
5JD	South Leicestershire	39.5	10.5	96.0	2.2	0.8	0.5	0.4
<b>Trent</b>		<b>652.8</b>	<b>174.2</b>	<b>94.5</b>	<b>3.0</b>	<b>1.4</b>	<b>0.5</b>	<b>0.6</b>
5ED	Amber Valley	32.9	9.3	95.2	2.3	1.5	0.6	0.5
5FA	Ashfield	20.4	5.5	95.3	2.3	1.5	0.4	0.6
5ET	Bassetlaw	25.9	7.6	94.5	2.7	2.0	0.6	0.2
5EV	Broxtowe and Hucknall	33.4	9.0	94.1	3.4	1.2	0.5	0.8
5AL	Central Derby	30.7	7.6	94.1	2.6	1.9	0.7	0.5
5EA	Chesterfield	28.0	7.8	92.3	4.6	1.4	0.8	1.1
5H7	Derbyshire Dales and South Derbyshire	22.8	6.4	95.1	2.3	1.6	0.4	0.6
5H9	East Lincolnshire	65.6	15.8	96.0	2.1	1.2	0.4	0.3
5ER	Erewash	22.4	6.2	94.2	3.1	1.5	0.5	0.7
5EC	Gedling	23.2	6.4	94.7	3.4	0.9	0.3	0.7
5EX	Greater Derby	36.8	10.3	94.5	2.6	1.6	0.8	0.5
5HN	High Peak and Dales	25.6	7.1	93.4	3.4	1.9	0.5	0.7
5D3	Lincolnshire South West Teaching	46.3	11.6	95.4	2.5	1.2	0.4	0.5
5AM	Mansfield District	22.3	6.1	94.7	2.5	1.6	0.4	0.8
5AP	Newark and Sherwood	30.2	8.3	95.4	2.5	1.3	0.4	0.5
5EG	North Eastern Derbyshire	36.2	10.2	93.1	4.2	1.3	0.5	0.9
5EM	Nottingham City	67.5	17.5	93.2	3.9	1.4	0.5	1.0
5FC	Rushcliffe	30.0	8.2	94.9	3.3	0.9	0.4	0.6
5D2	West Lincolnshire	52.6	13.3	94.7	2.7	1.6	0.7	0.3

Table 12 Cervical screening programme: Target Age Group (25-64), results of tests by Primary Care Organisation, 2004-05

Primary Care Organisation		Eligible <sup>(1)</sup> Population (000's)	Number of women screened <sup>(2)</sup> (000's)	Result of test				
				Negative (%)	Borderline Dyskaryosis (%)	Mild Dyskaryosis (%)	Moderate Dyskaryosis (%)	Severe Dyskaryosis or worse (%)
Code	Name							
<b>England</b>		<b>12,886.4</b>	<b>3,143.2</b>	<b>93.8</b>	<b>3.2</b>	<b>1.7</b>	<b>0.6</b>	<b>0.6</b>
<b>West Midlands</b>		<b>1,330.5</b>	<b>338.1</b>	<b>93.2</b>	<b>3.9</b>	<b>1.8</b>	<b>0.6</b>	<b>0.6</b>
<b>Birmingham &amp; the Black Country</b>		<b>576.5</b>	<b>146.2</b>	<b>93.1</b>	<b>3.8</b>	<b>2.0</b>	<b>0.6</b>	<b>0.6</b>
5HV	Dudley Beacon and Castle	25.4	6.4	93.5	4.1	1.2	0.6	0.5
5HT	Dudley South	50.3	13.0	94.0	3.9	1.2	0.5	0.4
5MY	Eastern Birmingham	55.8	13.9	92.9	3.5	2.3	0.7	0.6
5MX	Heart Of Birmingham Teaching	62.6	14.9	92.5	4.6	1.9	0.4	0.6
5MW	North Birmingham	45.6	12.0	92.4	3.8	2.9	0.5	0.4
5MG	Oldbury and Smethwick	26.2	6.0	92.6	4.4	1.9	0.6	0.6
5MH	Rowley Regis and Tipton	16.7	4.3	93.6	3.3	1.6	0.7	0.8
5D1	Solihull	51.9	13.9	94.4	3.0	1.7	0.5	0.5
5M1	South Birmingham	88.9	23.5	91.7	4.2	2.6	0.7	0.8
5M3	Walsall	61.3	14.9	92.5	3.7	2.7	0.7	0.4
5MJ	Wednesbury and West Bromwich	32.6	7.2	93.9	3.7	1.3	0.5	0.7
5MV	Wolverhampton City	59.4	16.1	94.8	3.0	1.1	0.6	0.5
<b>Shropshire &amp; Staffordshire</b>		<b>367.5</b>	<b>101.3</b>	<b>93.2</b>	<b>3.9</b>	<b>1.8</b>	<b>0.7</b>	<b>0.5</b>
5DQ	Burntwood, Lichfield and Tamworth	38.6	11.2	94.2	3.1	1.8	0.6	0.4
5MM	Cannock Chase	30.9	8.6	91.5	5.0	2.2	0.8	0.5
5ML	East Staffordshire	30.9	8.7	95.3	2.4	1.4	0.5	0.4
5HW	Newcastle-Under-Lyme	24.2	6.4	94.0	3.2	1.7	0.5	0.6
5ME	North Stoke	29.7	7.8	93.1	3.2	2.1	0.9	0.7
5M2	Shropshire County	67.5	18.7	92.6	4.6	1.7	0.6	0.5
5MF	South Stoke	33.2	8.9	93.7	3.2	1.8	0.7	0.6
5MN	South Western Staffordshire	46.6	12.8	93.2	4.2	1.6	0.6	0.4
5HR	Staffordshire Moorlands	26.2	7.3	94.2	3.4	1.4	0.5	0.5
5MK	Telford and Wrekin	39.7	10.9	91.6	5.0	1.9	0.9	0.6
<b>West Midlands South</b>		<b>386.5</b>	<b>90.6</b>	<b>93.2</b>	<b>4.0</b>	<b>1.6</b>	<b>0.5</b>	<b>0.7</b>
5MD	Coventry	77.1	17.1	90.5	6.5	1.6	0.4	1.1
5CN	Herefordshire	41.2	10.9	95.2	2.3	1.6	0.3	0.6
5MP	North Warwickshire	44.2	10.4	94.8	2.5	1.5	0.6	0.6
5MR	Redditch and Bromsgrove	41.0	9.2	92.1	4.8	1.9	0.6	0.7
5M9	Rugby	22.4	5.7	91.6	5.4	1.6	0.4	1.0
5MQ	South Warwickshire	65.6	16.3	93.7	3.9	1.3	0.6	0.6
5MT	South Worcestershire	67.7	14.1	94.3	2.5	1.8	0.7	0.6
5DR	Wyre Forest	27.3	6.9	93.3	3.9	1.5	0.6	0.6
<b>East</b>		<b>1,389.4</b>	<b>320.9</b>	<b>93.8</b>	<b>3.1</b>	<b>1.9</b>	<b>0.6</b>	<b>0.6</b>
<b>Bedfordshire &amp; Hertfordshire</b>		<b>431.6</b>	<b>94.7</b>	<b>94.3</b>	<b>2.5</b>	<b>1.9</b>	<b>0.7</b>	<b>0.6</b>
5GD	Bedford	37.5	8.0	91.9	3.1	3.2	0.9	0.9
5GE	Bedfordshire Heartlands	65.9	14.8	94.1	2.3	2.2	0.7	0.7
5GW	Dacorum	37.3	7.7	93.7	3.3	1.6	0.8	0.7
5CP	Hertsmere	23.1	5.7	95.3	2.4	1.4	0.5	0.4
5GC	Luton	46.8	9.4	94.8	1.8	1.8	0.9	0.7
5GH	North Hertfordshire and Stevenage	47.9	10.1	94.8	2.2	1.8	0.5	0.8
5GK	Royston, Buntingford and Bishop's Stortford	20.7	4.7	95.1	2.3	1.5	0.4	0.7
5GJ	South East Hertfordshire	47.1	10.7	95.1	2.1	1.6	0.5	0.6
5GX	St Albans and Harpenden	36.2	7.0	94.2	3.1	1.6	0.6	0.5
5GV	Watford and Three Rivers	44.8	11.6	94.2	2.9	1.8	0.7	0.4
5GG	Welwyn Hatfield	24.3	5.0	94.3	2.8	1.7	0.6	0.6
<b>Essex</b>		<b>409.7</b>	<b>91.8</b>	<b>92.8</b>	<b>3.6</b>	<b>2.3</b>	<b>0.7</b>	<b>0.6</b>
5GR	Basildon	25.7	5.4	92.5	4.0	2.2	0.8	0.5
5GP	Billericay, Brentwood and Wickford	37.5	7.7	93.5	3.9	1.6	0.5	0.4
5JP	Castle Point and Rochford	40.8	8.6	94.6	3.5	1.0	0.4	0.5
5JN	Chelmsford	31.5	7.3	89.2	5.3	4.1	0.9	0.5
5GM	Colchester	42.3	10.7	92.5	3.2	2.6	0.7	1.0
5AJ	Epping Forest	27.5	6.3	95.3	2.0	1.5	0.5	0.6
5DC	Harlow	20.8	4.4	93.6	2.3	2.4	0.8	0.9
5GL	Maldon and South Chelmsford	21.1	5.2	89.2	5.7	3.7	0.9	0.5
5AK	Southend On Sea	41.3	7.8	93.6	3.7	1.5	0.5	0.7
5AH	Tendring	29.1	7.2	92.9	2.9	2.6	0.7	0.8
5GQ	Thurrock	37.3	8.3	93.6	3.5	1.9	0.6	0.4
5GN	Uttlesford	19.3	4.4	94.7	2.5	2.0	0.5	0.3
TAG	Witham, Braintree and Halstead Care Trust	35.6	8.6	90.9	4.2	3.2	0.9	0.7
<b>Norfolk, Suffolk &amp; Cambridgeshire</b>		<b>548.0</b>	<b>134.4</b>	<b>94.1</b>	<b>3.2</b>	<b>1.6</b>	<b>0.5</b>	<b>0.6</b>
5JL	Broadland	29.9	6.2	93.9	3.2	1.8	0.5	0.7
5JH	Cambridge City	33.3	7.6	92.5	3.8	2.2	0.7	0.8
5JT	Central Suffolk	24.8	7.3	94.2	4.0	1.1	0.3	0.3
5JK	East Cambridgeshire and Fenland	35.9	9.3	95.6	2.4	1.0	0.5	0.5
5GT	Great Yarmouth	22.3	4.5	92.7	4.1	1.9	0.7	0.6
5GF	Huntingdonshire	38.8	9.6	96.1	1.7	1.0	0.6	0.6
5JQ	Ipswich	36.4	10.2	93.5	4.1	1.5	0.5	0.5
5JM	North Norfolk	22.7	5.2	93.7	2.9	2.0	0.4	1.0
5AF	North Peterborough	26.2	5.9	94.2	3.2	1.3	0.5	0.8
5A2	Norwich	32.2	6.6	91.6	3.6	3.1	0.7	1.0
5JJ	South Cambridgeshire	27.5	7.0	93.5	3.5	1.8	0.5	0.6
5AG	South Peterborough	24.3	5.9	95.0	3.0	1.1	0.4	0.5
5G1	Southern Norfolk	50.2	10.4	93.7	3.0	2.2	0.4	0.7
5JR	Suffolk Coastal	23.3	6.8	94.6	3.7	0.9	0.4	0.4
5JW	Suffolk West	58.0	15.9	93.9	3.2	1.6	0.6	0.7
5JV	Waveney	28.9	7.7	94.0	3.4	1.8	0.4	0.4
5CY	West Norfolk	33.3	8.4	96.5	1.7	0.7	0.4	0.6

Table 12 Cervical screening programme: Target Age Group (25-64), results of tests by Primary Care Organisation, 2004-05

Primary Care Organisation		Eligible <sup>(1)</sup> Population (000's)	Number of women screened <sup>(2)</sup> (000's)	Result of test				
				Negative (%)	Borderline Dyskaryosis (%)	Mild Dyskaryosis (%)	Moderate Dyskaryosis (%)	Severe Dyskaryosis or worse (%)
Code	Name							
<b>England</b>		<b>12,886.4</b>	<b>3,143.2</b>	<b>93.8</b>	<b>3.2</b>	<b>1.7</b>	<b>0.6</b>	<b>0.6</b>
<b>London</b>		<b>2,209.0</b>	<b>500.1</b>	<b>92.7</b>	<b>3.7</b>	<b>2.3</b>	<b>0.7</b>	<b>0.6</b>
<b>North Central London</b>		<b>377.1</b>	<b>81.8</b>	<b>92.5</b>	<b>3.9</b>	<b>2.4</b>	<b>0.7</b>	<b>0.5</b>
5A9	Barnet	95.0	21.4	95.0	2.5	1.6	0.5	0.4
5K7	Camden	68.8	14.7	90.8	3.4	4.0	0.8	0.9
5C1	Enfield	74.3	15.2	92.5	4.1	2.2	0.8	0.4
5C9	Haringey	75.2	16.2	90.4	5.7	2.7	0.7	0.4
5K8	Islington	63.8	14.3	92.5	4.3	2.1	0.7	0.5
<b>North East London</b>		<b>424.6</b>	<b>88.2</b>	<b>93.8</b>	<b>3.2</b>	<b>1.7</b>	<b>0.6</b>	<b>0.7</b>
5C2	Barking and Dagenham	40.8	8.0	92.3	4.0	2.4	0.7	0.6
5C3	City and Hackney	70.5	14.6	93.7	3.0	1.8	0.7	0.9
5A4	Havering	60.1	11.7	92.6	4.3	1.8	0.6	0.6
5C5	Newham	73.3	16.5	94.9	2.8	1.2	0.6	0.5
5NA	Redbridge	61.2	11.9	93.9	2.9	1.8	0.6	0.7
5C4	Tower Hamlets	53.6	11.4	94.1	2.9	1.5	0.8	0.7
5NC	Waltham Forest	65.2	14.1	93.9	3.0	1.9	0.4	0.8
<b>North West London</b>		<b>557.4</b>	<b>123.8</b>	<b>93.0</b>	<b>3.9</b>	<b>2.0</b>	<b>0.6</b>	<b>0.5</b>
5K5	Brent	89.1	19.7	93.4	2.8	2.7	0.6	0.6
5HX	Ealing	96.4	22.0	92.2	5.5	1.4	0.5	0.5
5H1	Hammersmith and Fulham	60.0	11.5	92.6	4.9	1.3	0.7	0.5
5K6	Harrow	57.3	13.8	94.1	2.8	2.1	0.5	0.5
5AT	Hillingdon	63.8	16.4	94.3	2.6	1.4	0.9	0.7
5HY	Hounslow	68.6	15.9	92.4	4.7	1.7	0.7	0.4
5LA	Kensington and Chelsea	55.4	11.2	92.3	4.0	2.7	0.6	0.4
5LC	Westminster	66.8	13.2	92.1	3.6	3.1	0.6	0.6
<b>South East London</b>		<b>455.7</b>	<b>112.4</b>	<b>91.6</b>	<b>4.2</b>	<b>2.8</b>	<b>0.9</b>	<b>0.6</b>
TAK	Bexley	54.5	15.5	93.5	3.4	2.0	0.6	0.6
5A7	Bromley	80.6	22.5	93.3	2.9	2.3	0.8	0.7
5A8	Greenwich	66.5	16.3	91.7	5.0	2.2	0.7	0.3
5LD	Lambeth	98.4	22.1	90.5	4.4	3.5	1.1	0.6
5LF	Lewisham	76.5	18.5	90.0	5.1	3.3	1.2	0.4
5LE	Southwark	79.2	17.5	90.6	4.4	3.4	1.0	0.7
<b>South West London</b>		<b>394.1</b>	<b>93.9</b>	<b>93.0</b>	<b>3.1</b>	<b>2.7</b>	<b>0.6</b>	<b>0.6</b>
5K9	Croydon	92.3	18.5	93.1	2.7	2.7	0.7	0.8
5A5	Kingston	46.0	11.7	94.8	2.8	1.5	0.5	0.4
5M6	Richmond and Twickenham	56.8	14.5	94.2	3.1	1.5	0.7	0.4
5M7	Sutton and Merton	104.8	26.1	93.9	2.8	2.1	0.5	0.6
5LG	Wandsworth	94.2	23.0	90.1	3.8	4.8	0.6	0.6
<b>South East</b>		<b>2,072.3</b>	<b>527.1</b>	<b>94.7</b>	<b>2.8</b>	<b>1.4</b>	<b>0.6</b>	<b>0.5</b>
<b>Hampshire &amp; Isle of Wight</b>		<b>442.7</b>	<b>102.9</b>	<b>93.2</b>	<b>4.0</b>	<b>1.5</b>	<b>0.7</b>	<b>0.6</b>
5G6	Blackwater Valley and Hart	46.3	10.8	95.2	2.5	1.1	0.6	0.7
5FD	East Hampshire	46.2	10.4	93.6	4.2	1.2	0.6	0.5
5LY	Eastleigh and Test Valley South	39.0	9.5	92.7	4.3	1.7	0.7	0.6
5LX	Fareham and Gosport	47.1	10.2	92.5	5.0	1.3	0.5	0.7
5DG	Isle Of Wight	31.7	9.3	94.6	2.8	1.4	0.5	0.6
5E9	Mid-Hampshire	42.8	9.6	93.9	3.6	1.5	0.5	0.5
5A1	New Forest	42.2	9.7	93.7	3.8	1.4	0.6	0.5
5DF	North Hampshire	49.5	11.6	93.7	3.9	1.4	0.6	0.4
5FE	Portsmouth City	43.1	8.9	91.5	5.0	1.8	0.9	0.9
5L1	Southampton City	54.7	12.8	91.4	4.6	2.2	1.0	0.8
<b>Kent &amp; Medway</b>		<b>397.6</b>	<b>108.8</b>	<b>95.0</b>	<b>2.5</b>	<b>1.5</b>	<b>0.6</b>	<b>0.4</b>
5LL	Ashford	26.3	7.1	93.3	3.5	2.1	0.7	0.4
5LM	Canterbury and Coastal	38.9	9.8	93.3	3.9	1.8	0.7	0.4
5CM	Dartford, Gravesham and Swanley	56.9	17.2	96.4	1.9	1.1	0.4	0.3
5LN	East Kent Coastal	53.0	13.9	92.9	4.0	1.9	0.8	0.4
5L2	Maidstone Weald	61.4	16.8	95.0	3.0	1.2	0.5	0.3
5L3	Medway	67.5	18.9	96.3	0.8	1.6	0.8	0.4
5LP	Shepway	22.9	5.8	93.5	3.6	1.7	0.8	0.4
5FF	South West Kent	47.0	13.0	95.9	1.9	1.3	0.6	0.3
5L4	Swale	23.5	6.4	96.4	0.8	1.5	0.7	0.6
<b>Surrey &amp; Sussex</b>		<b>659.4</b>	<b>177.4</b>	<b>95.2</b>	<b>2.4</b>	<b>1.3</b>	<b>0.5</b>	<b>0.6</b>
5L8	Adur, Arun and Worthing	52.1	12.5	94.7	2.9	1.3	0.4	0.6
5FH	Bexhill and Rother	18.1	5.5	94.8	2.6	1.7	0.5	0.4
5LQ	Brighton and Hove City	73.5	19.8	94.5	2.2	1.9	0.8	0.7
5MA	Crawley	28.9	7.1	95.9	1.5	0.9	0.8	0.9
5KP	East Elmbridge and Mid Surrey	69.1	18.6	95.5	2.2	1.2	0.5	0.7
5KQ	East Surrey	39.7	10.5	96.5	1.3	1.0	0.7	0.5
5LR	Eastbourne Downs	39.6	11.5	94.9	2.8	1.1	0.4	0.7
5L5	Guildford and Waverley	61.8	17.1	95.9	2.4	0.9	0.5	0.4
5FJ	Hastings and St Leonards	22.0	6.7	93.1	3.0	2.5	0.8	0.7
5MC	Horsham and Chantertonbury	31.2	7.5	96.6	1.9	0.9	0.3	0.4
5FK	Mid-Sussex	35.7	8.7	96.0	1.8	1.1	0.4	0.6
5L6	North Surrey	54.5	15.6	94.0	3.0	1.8	0.5	0.6
5LT	Sussex Downs and Weald	38.7	11.5	95.9	1.9	1.2	0.5	0.4
5L9	Western Sussex	42.8	10.2	94.8	3.2	1.0	0.5	0.5
5L7	Woking	51.8	14.5	95.5	2.6	1.1	0.5	0.4

Table 12 Cervical screening programme: Target Age Group (25-64), results of tests by Primary Care Organisation, 2004-05

Primary Care Organisation			Result of test						
			Negative (%)	Borderline Dyskaryosis (%)	Mild Dyskaryosis (%)	Moderate Dyskaryosis (%)	Severe Dyskaryosis or worse (%)		
Code	Name	Eligible <sup>(1)</sup> Population (000's)	Number of women screened <sup>(2)</sup> (000's)						
<b>England</b>			<b>12,886.4</b>	<b>3,143.2</b>	<b>93.8</b>	<b>3.2</b>	<b>1.7</b>	<b>0.6</b>	<b>0.6</b>
<b>South East continued</b>			<b>2072.3</b>	<b>527.1</b>	<b>94.7</b>	<b>2.8</b>	<b>1.4</b>	<b>0.6</b>	<b>0.5</b>
<b>Thames Valley</b>			<b>572.6</b>	<b>138.0</b>	<b>94.7</b>	<b>2.8</b>	<b>1.3</b>	<b>0.5</b>	<b>0.6</b>
5G2	Bracknell Forest	26.3	5.7	93.0	4.2	1.8	0.6	0.5	
5DV	Cherwell Vale	31.6	7.8	94.9	2.5	1.5	0.6	0.6	
5G4	Chiltern and South Bucks	42.5	11.4	95.4	2.4	1.3	0.4	0.5	
5CQ	Milton Keynes	60.7	15.9	94.1	2.7	1.7	0.7	0.8	
5DK	Newbury and Community	27.1	6.6	95.3	2.4	1.1	0.5	0.7	
5DT	North East Oxfordshire	19.6	5.1	94.4	2.9	1.1	0.8	0.9	
5DW	Oxford City	42.3	9.1	94.7	3.0	1.2	0.5	0.6	
5DL	Reading	53.1	11.4	94.8	2.9	1.1	0.6	0.6	
5DM	Slough	29.5	5.9	93.6	3.6	1.7	0.5	0.6	
5DX	South East Oxfordshire	20.5	5.3	95.5	2.5	1.1	0.3	0.7	
5DY	South West Oxfordshire	50.4	12.7	94.7	3.1	1.0	0.6	0.6	
5DP	Vale Of Aylesbury	50.7	13.2	95.2	2.5	1.2	0.5	0.6	
5G3	Windsor, Ascot and Maidenhead	43.1	9.4	94.4	3.3	1.4	0.5	0.4	
5DN	Wokingham	39.1	9.1	95.7	2.5	0.9	0.3	0.5	
5G5	Wycombe	35.9	9.2	94.9	2.7	1.4	0.3	0.7	
<b>South West</b>			<b>1,246.1</b>	<b>287.5</b>	<b>94.0</b>	<b>3.1</b>	<b>1.6</b>	<b>0.7</b>	<b>0.7</b>
<b>Avon, Gloucestershire &amp; Wiltshire</b>			<b>563.6</b>	<b>117.7</b>	<b>94.1</b>	<b>3.0</b>	<b>1.4</b>	<b>0.7</b>	<b>0.7</b>
5FL	Bath and North East Somerset	44.5	8.7	93.1	3.4	2.0	0.8	0.7	
5JF	Bristol North	55.9	10.4	93.2	3.3	1.6	0.9	1.0	
5JG	Bristol South and West	51.3	9.7	92.7	3.6	1.7	1.2	0.8	
5KW	Cheltenham and Tewkesbury	39.3	9.0	94.8	2.7	1.4	0.5	0.5	
5KY	Cotswold and Vale	48.1	10.8	94.6	2.9	1.2	0.7	0.6	
5K4	Kennet and North Wiltshire	50.9	11.2	94.2	3.1	1.4	0.7	0.6	
5M8	North Somerset	48.9	9.3	94.3	3.0	1.0	0.7	0.9	
5A3	South Gloucestershire	62.4	12.8	94.3	2.8	1.0	0.8	1.1	
5DJ	South Wiltshire	29.1	7.0	95.2	1.9	2.0	0.3	0.6	
5K3	Swindon	49.1	10.6	94.4	3.1	1.2	0.7	0.5	
5KX	West Gloucestershire	54.0	11.5	94.3	3.1	1.4	0.5	0.8	
5DH	West Wiltshire	30.0	6.8	93.5	3.1	2.0	0.6	0.8	
<b>Somerset &amp; Dorset</b>			<b>289.1</b>	<b>78.3</b>	<b>95.2</b>	<b>2.4</b>	<b>1.4</b>	<b>0.5</b>	<b>0.5</b>
5CE	Bournemouth	38.5	10.7	95.0	2.6	1.3	0.6	0.5	
5FX	Mendip	26.8	6.6	94.4	2.8	1.7	0.5	0.6	
5CD	North Dorset	21.7	5.7	95.2	2.1	1.8	0.4	0.5	
5KV	Poole	40.2	11.8	95.9	2.2	1.0	0.4	0.4	
5FW	Somerset Coast	33.1	8.8	95.3	2.2	1.4	0.5	0.6	
5FN	South and East Dorset	33.9	9.7	96.1	2.1	1.0	0.4	0.4	
5K1	South Somerset	36.0	9.4	95.1	2.2	1.6	0.5	0.6	
5FP	South West Dorset	33.0	8.7	94.4	2.8	1.7	0.5	0.5	
5K2	Taunton Deane	25.9	6.9	94.3	2.8	1.7	0.6	0.7	
<b>South West Peninsula</b>			<b>393.5</b>	<b>91.5</b>	<b>92.9</b>	<b>3.7</b>	<b>2.0</b>	<b>0.7</b>	<b>0.7</b>
5KT	Central Cornwall	49.6	12.4	92.7	4.2	1.8	0.7	0.7	
5FT	East Devon	26.2	5.4	93.0	3.5	2.3	0.6	0.6	
5FR	Exeter	31.3	6.4	91.2	4.0	3.1	0.9	0.8	
5FV	Mid Devon	26.3	5.8	93.2	3.1	2.5	0.5	0.7	
5KR	North and East Cornwall	39.7	9.3	93.9	3.6	1.3	0.6	0.6	
5FQ	North Devon	37.4	8.3	92.7	3.6	2.4	0.6	0.7	
5F1	Plymouth	61.3	13.6	93.0	3.8	1.7	0.7	0.7	
5CV	South Hams and West Devon	25.3	5.6	94.1	3.4	1.3	0.6	0.6	
5FY	Teignbridge	25.6	6.8	93.0	3.5	1.8	0.9	0.8	
5CW	Torbay	32.8	9.3	92.7	3.6	1.9	0.7	1.0	
5FM	West Of Cornwall	37.9	8.7	92.9	3.7	2.1	0.7	0.7	

(1) This is the number of women in the resident population less those with recall ceased for clinical reasons

(2) Excluding those women all of whose tests during the year were classified as 'inadequate'

Table 13 Cervical screening programme: coverage of the Target Age Group (25-64) by Primary Care Organisation, 2001-02 to 2004-05

		2001-02		2002-03			2003-04			2004-05		
Primary Care Organisation		Eligible <sup>(1)</sup>	Coverage (less than 5 yrs since last adequate test) (%)	Eligible <sup>(1)</sup>	Coverage (less than 3.5 yrs since last adequate test) (%)	Coverage (less than 5 yrs since last adequate test) (%)	Eligible <sup>(1)</sup>	Coverage (less than 3.5 yrs since last adequate test) (%)	Coverage (less than 5 yrs since last adequate test) (%)	Eligible <sup>(1)</sup>	Coverage (less than 3.5 yrs since last adequate test) (%)	Coverage (less than 5 yrs since last adequate test) (%)
Code	Name	Population (000's)		Population (000's)			Population (000's)			Population (000's)		
<b>England</b>		<b>12,714.8</b>	<b>81.6</b>	<b>12,686.4</b>	<b>70.8</b>	<b>81.2</b>	<b>12,804.4</b>	<b>70.3</b>	<b>80.6</b>	<b>12,886.4</b>	<b>69.7</b>	<b>80.3</b>
<b>North East</b>		<b>632.0</b>	<b>83.0</b>	<b>630.1</b>	<b>75.3</b>	<b>82.6</b>	<b>632.0</b>	<b>74.8</b>	<b>82.1</b>	<b>634.4</b>	<b>73.8</b>	<b>81.7</b>
<b>County Durham &amp; Tees Valley</b>		<b>285.9</b>	<b>82.8</b>	<b>285.1</b>	<b>75.9</b>	<b>82.1</b>	<b>285.4</b>	<b>75.0</b>	<b>81.5</b>	<b>285.7</b>	<b>73.9</b>	<b>80.8</b>
5J9	Darlington	24.5	84.3	24.5	77.6	83.6	24.5	76.3	82.6	24.7	75.1	81.8
5KA	Derwentside	20.3	83.6	20.6	76.9	83.3	20.9	75.7	82.1	21.1	75.1	81.6
5KC	Durham and Chester-Le-Street	37.3	83.5	37.0	77.9	83.2	36.7	76.8	82.6	36.6	75.3	81.7
5J8	Durham Dales	22.1	84.6	22.2	78.9	84.3	22.3	78.0	83.5	22.3	77.0	83.4
5KD	Easington	23.7	81.1	23.2	74.5	81.0	23.2	74.3	80.7	23.3	73.5	80.5
5D9	Hartlepool	21.5	81.3	21.5	73.9	80.8	21.6	73.4	80.2	21.6	71.4	79.3
5KN	Langbaugh	24.0	83.1	24.1	76.9	82.6	24.2	76.1	82.3	24.2	75.2	81.8
5KM	Middlesbrough	43.4	80.6	42.9	72.5	79.7	42.5	71.6	79.3	42.4	70.9	78.2
5E1	North Tees	45.2	83.2	45.4	75.1	81.6	45.4	74.2	81.1	45.4	73.5	80.7
5KE	Sedgefield	23.9	83.7	23.8	76.5	83.0	24.0	75.6	81.9	24.0	73.8	81.1
<b>Northumberland, Tyne &amp; Wear</b>		<b>346.1</b>	<b>83.1</b>	<b>345.0</b>	<b>74.8</b>	<b>82.9</b>	<b>346.6</b>	<b>74.7</b>	<b>82.6</b>	<b>348.7</b>	<b>73.7</b>	<b>82.4</b>
5KF	Gateshead	50.3	82.1	49.6	75.4	82.0	49.5	75.5	81.6	49.7	74.3	81.7
5D7	Newcastle	73.9	81.2	62.8	76.1	81.6	63.2	76.2	81.4	62.8	74.1	80.9
5D8	North Tyneside	40.2	84.8	50.7	77.0	84.0	51.0	76.7	83.1	52.4	75.8	82.8
TAC	Northumberland Care Trust	74.3	87.4	75.3	82.1	87.1	76.3	81.8	86.7	77.4	80.8	86.3
5KG	South Tyneside	36.8	82.1	36.6	75.0	81.7	36.6	74.1	81.2	36.5	72.6	80.4
5KL	Sunderland Teaching	70.5	80.8	70.0	63.5	80.3	70.1	63.9	80.1	69.9	64.0	80.6
<b>North West</b>		<b>1,700.9</b>	<b>82.0</b>	<b>1,703.8</b>	<b>72.3</b>	<b>81.3</b>	<b>1,711.5</b>	<b>71.7</b>	<b>80.6</b>	<b>1,719.7</b>	<b>70.3</b>	<b>80.0</b>
<b>Cheshire &amp; Merseyside</b>		<b>600.2</b>	<b>80.9</b>	<b>595.6</b>	<b>72.5</b>	<b>80.3</b>	<b>597.3</b>	<b>72.1</b>	<b>79.8</b>	<b>598.6</b>	<b>70.6</b>	<b>79.4</b>
5F8	Bebington and West Wirral	26.4	83.3	26.2	78.5	83.4	26.3	77.2	83.0	26.1	75.7	83.3
5H2	Birkenhead and Wallasey	53.1	79.8	52.6	73.0	79.5	53.2	71.0	78.2	53.0	69.4	78.4
5H4	Central Cheshire	63.6	85.3	63.3	79.4	84.9	63.9	78.7	84.3	64.3	77.2	83.7
5HA	Central Liverpool	64.1	74.3	62.6	61.6	73.2	62.6	63.2	73.9	62.2	61.9	73.5
5H3	Cheshire West	39.9	85.3	39.6	79.1	84.8	39.8	78.0	84.0	40.0	76.0	83.3
5H5	Eastern Cheshire	50.4	85.9	48.8	80.6	85.7	49.0	79.8	85.3	49.1	78.0	84.9
5H6	Ellesmere Port and Neston	21.2	84.4	21.1	77.7	83.7	21.2	76.6	82.6	21.1	73.8	81.7
5J1	Halton	32.6	77.3	30.7	71.3	78.9	30.9	70.4	78.2	31.0	68.9	77.2
5J4	Knowsley	38.4	76.9	38.8	65.5	75.9	38.4	65.5	75.6	38.0	65.1	75.3
5G9	North Liverpool	28.8	77.5	27.0	64.1	76.4	27.1	65.5	76.1	27.7	63.5	75.4
5HC	South Liverpool	21.5	76.9	23.3	62.9	75.7	23.3	63.7	75.8	23.6	62.0	74.6
5M5	South Sefton	37.3	78.9	37.7	69.8	77.8	37.6	68.8	76.4	38.4	65.7	75.1
5F9	Southport and Formby	28.3	80.3	28.2	71.7	78.8	28.0	70.9	77.9	28.2	68.9	77.2
5J3	St Helens	43.8	81.4	46.4	71.1	80.7	46.3	71.4	80.6	46.3	72.2	80.4
5J2	Warrington	50.9	84.3	49.4	77.6	83.7	49.6	76.8	83.0	49.7	75.5	82.9
<b>Cumbria and Lancashire</b>		<b>467.4</b>	<b>83.7</b>	<b>469.9</b>	<b>73.8</b>	<b>82.9</b>	<b>472.4</b>	<b>72.0</b>	<b>82.0</b>	<b>474.1</b>	<b>70.0</b>	<b>81.0</b>
5CC	Blackburn With Darwen	36.2	82.8	36.4	75.4	82.0	36.6	73.6	80.7	36.9	71.9	80.2
5HP	Blackpool	35.4	81.0	35.3	66.9	79.4	35.3	64.5	78.4	35.3	62.8	76.7
5G8	Burnley, Pendle and Rossendale	59.4	84.1	59.4	77.4	83.3	59.5	76.2	82.8	59.8	74.3	81.9
5D4	Carlisle and District	29.3	85.2	29.4	78.6	84.5	29.5	78.0	84.2	29.7	76.6	83.3
5F2	Chorley and South Ribble	51.7	85.6	52.2	78.9	84.8	52.8	77.3	84.1	53.2	75.0	82.9
5D5	Eden Valley	18.3	87.5	18.4	81.4	86.5	18.6	80.6	86.0	18.7	79.8	85.5
5HE	Fylde	16.3	84.0	16.3	72.2	83.4	16.4	69.7	82.7	16.4	67.2	81.9
5G7	Hyndburn and Ribble Valley	26.4	84.9	26.5	78.4	84.6	26.9	76.2	83.0	27.0	73.6	81.9
5DD	Morecambe Bay	72.7	82.2	72.8	66.0	81.3	73.3	63.2	79.8	73.6	60.9	78.7
5HD	Preston	34.1	82.3	34.0	68.8	81.4	34.0	66.6	80.3	34.3	63.9	78.1
5D6	West Cumbria	33.5	83.8	33.5	76.2	83.0	33.4	75.8	82.6	33.2	75.2	82.1
5F3	West Lancashire	25.6	83.6	26.7	76.6	83.0	26.9	74.2	81.7	26.9	71.9	81.5
5HF	Wyre	28.6	84.7	29.0	71.0	83.7	29.2	68.5	82.9	29.1	66.6	82.3
<b>Greater Manchester</b>		<b>633.3</b>	<b>81.9</b>	<b>638.2</b>	<b>71.1</b>	<b>81.1</b>	<b>641.8</b>	<b>71.2</b>	<b>80.3</b>	<b>647.1</b>	<b>70.2</b>	<b>79.9</b>
5HG	Ashton, Leigh and Wigan	76.9	82.2	73.0	75.4	81.6	73.4	74.4	80.9	73.4	72.8	80.6
5HQ	Bolton	68.1	84.5	67.2	77.3	84.0	67.7	76.4	82.3	68.2	74.5	81.2
5JX	Bury	45.0	83.5	45.7	71.1	82.8	45.8	76.0	82.5	46.2	76.5	82.9
5CL	Central Manchester	39.6	73.8	41.0	61.5	71.7	41.8	61.0	71.0	42.7	60.8	71.3
5F4	Heywood and Middleton	18.1	81.0	18.0	69.4	80.8	18.0	73.7	80.7	18.1	74.2	81.3
5CR	North Manchester	33.5	77.4	36.0	65.9	77.1	36.5	65.0	76.3	37.5	62.7	75.1
5J5	Oldham	52.9	84.1	54.2	76.5	83.3	54.3	75.5	82.3	54.7	73.2	81.0
5JY	Rochdale	32.5	82.1	32.8	72.3	81.7	32.9	74.9	81.3	33.0	74.0	81.0
5F5	Salford	51.0	80.6	53.0	65.6	79.3	53.2	66.3	78.7	53.5	66.1	78.8
5AA	South Manchester	33.0	78.0	33.2	65.8	77.6	33.7	65.2	77.2	34.5	63.7	76.4
5F7	Stockport	71.7	83.4	73.0	69.6	82.7	73.1	69.2	82.1	73.2	68.0	81.8
5LH	Tameside and Glossop	56.9	83.8	56.8	76.6	83.1	56.9	75.9	82.4	57.2	74.7	82.1
5F6	Trafford North	22.9	81.6	22.6	64.9	80.6	22.6	65.3	79.5	22.7	65.7	79.2
5CX	Trafford South	31.1	84.0	31.7	69.2	83.3	32.0	69.0	82.8	32.2	69.0	83.1

continued

Table 13 Cervical screening programme: coverage of the Target Age Group (25-64) by Primary Care Organisation, 2001-02 to 2004-05

		2001-02			2002-03			2003-04			2004-05		
Primary Care Organisation	Code	Eligible <sup>(1)</sup> Population (000's)	Coverage (less than 5 yrs since last adequate test)	Eligible <sup>(1)</sup> Population (000's)	Coverage (less than 3.5 yrs since last adequate test)	Eligible <sup>(1)</sup> Population (000's)	Coverage (less than 3.5 yrs since last adequate test)	Eligible <sup>(1)</sup> Population (000's)	Coverage (less than 3.5 yrs since last adequate test)	Eligible <sup>(1)</sup> Population (000's)	Coverage (less than 3.5 yrs since last adequate test)		
			(%)		(%)		(%)		(%)				
<b>England</b>		<b>12,714.8</b>	<b>81.6</b>	<b>12,686.4</b>	<b>70.8</b>	<b>81.2</b>	<b>70.3</b>	<b>80.6</b>	<b>12,886.4</b>	<b>69.7</b>	<b>80.3</b>		
<b>Yorkshire and Humber</b>		<b>1,229.3</b>	<b>83.6</b>	<b>1,232.0</b>	<b>72.6</b>	<b>82.8</b>	<b>72.2</b>	<b>82.3</b>	<b>1,250.4</b>	<b>71.0</b>	<b>81.8</b>		
<b>North &amp; East Yorkshire &amp; North Lincs</b>		<b>400.0</b>	<b>85.8</b>	<b>401.7</b>	<b>78.2</b>	<b>85.2</b>	<b>77.6</b>	<b>84.5</b>	<b>407.6</b>	<b>76.8</b>	<b>84.1</b>		
5KJ	Craven, Harrogate and Rural District	51.8	86.4	51.8	80.9	86.1	80.6	85.7	52.5	80.2	85.3		
5E3	East Yorkshire	37.2	87.7	37.4	82.0	87.9	83.0	87.4	38.0	81.7	87.1		
5E5	Eastern Hull	28.8	85.0	28.8	78.1	84.7	77.8	83.6	29.0	76.2	83.0		
5KH	Hambleton and Richmondshire	27.9	87.6	27.9	81.9	87.1	80.9	86.2	28.1	80.5	85.8		
5AN	North East Lincolnshire	38.2	82.3	38.3	66.7	81.3	66.0	80.7	39.1	66.6	81.5		
5EF	North Lincolnshire	37.2	85.0	38.2	71.7	83.5	70.2	82.8	39.1	69.9	82.9		
5KK	Scarborough, Whitby and Ryedale	37.9	86.8	38.0	81.8	86.2	81.1	86.2	37.9	80.6	86.0		
5E2	Selby and York	68.1	87.0	68.2	80.8	86.1	80.0	85.3	69.5	78.5	84.2		
5E6	West Hull	37.2	82.5	36.9	76.1	82.2	37.0	75.4	37.4	73.6	80.0		
5E4	Yorkshire Wolds and Coast	35.7	86.6	36.2	80.6	86.2	36.6	79.9	37.0	79.0	84.9		
<b>South Yorkshire</b>		<b>313.7</b>	<b>83.1</b>	<b>312.8</b>	<b>71.6</b>	<b>82.4</b>	<b>313.6</b>	<b>71.4</b>	<b>82.0</b>	<b>314.9</b>	<b>70.7</b>		
5JE	Barnsley	58.4	81.3	58.4	61.2	80.2	58.6	61.1	79.7	59.0	60.9		
5CK	Doncaster Central	24.4	84.0	24.6	76.7	82.8	24.6	75.9	24.6	75.2	81.6		
5EK	Doncaster East	21.0	86.0	20.9	80.4	86.1	21.0	79.0	20.9	77.7	84.6		
5EL	Doncaster West	25.4	84.8	25.1	77.1	84.1	25.3	75.8	25.4	75.5	82.6		
5EE	North Sheffield	28.4	84.5	28.3	77.7	84.1	28.4	77.0	28.5	75.5	82.5		
5H8	Rotherham	60.6	80.9	60.4	62.8	80.4	60.5	64.1	60.4	60.7	80.4		
5EP	Sheffield South West	29.0	86.8	28.9	80.5	86.2	28.9	80.1	28.8	78.8	85.5		
5EN	Sheffield West	29.3	81.4	29.1	75.3	81.1	29.5	75.3	30.1	73.9	80.3		
5EQ	South East Sheffield	37.2	83.1	37.0	75.9	82.5	36.9	75.3	36.9	74.3	81.4		
<b>West Yorkshire</b>		<b>515.6</b>	<b>82.2</b>	<b>517.5</b>	<b>68.9</b>	<b>81.2</b>	<b>522.0</b>	<b>68.3</b>	<b>80.7</b>	<b>527.8</b>	<b>66.6</b>		
5AW	Airedale	28.2	85.1	28.4	73.9	84.6	28.5	73.9	28.7	72.3	84.0		
5CF	Bradford City	28.4	67.9	28.8	47.8	65.4	29.3	46.4	29.9	45.3	61.5		
5CG	Bradford South and West	34.2	80.0	34.5	62.2	79.1	35.1	61.2	35.6	59.1	78.6		
5J6	Calderdale	48.7	86.1	48.8	73.3	85.1	49.1	72.3	48.4	49.5	70.2		
5HK	East Leeds	35.3	80.6	35.0	64.4	79.5	35.0	63.9	35.4	62.5	78.6		
5E7	Eastern Wakefield	44.3	84.3	44.5	78.1	83.7	44.7	78.8	45.0	77.3	83.7		
5LJ	Huddersfield Central	32.0	85.6	32.1	73.3	85.3	32.4	71.9	32.7	70.4	84.0		
5HJ	Leeds North East	37.0	80.2	37.8	66.3	78.7	38.1	66.4	38.6	65.2	78.9		
5HM	Leeds North West	42.1	78.2	42.7	65.4	76.8	43.3	64.4	43.9	62.4	74.5		
5HH	Leeds West	27.2	82.1	26.9	66.7	81.4	26.9	65.2	27.1	62.8	79.9		
5CH	North Bradford	22.0	82.3	21.9	66.4	82.1	22.2	66.7	22.7	67.2	82.0		
5J7	North Kirklees	40.8	84.0	40.7	71.0	83.5	40.7	69.8	41.1	67.1	81.8		
5LK	South Huddersfield	21.8	88.0	22.0	75.6	88.0	22.4	74.1	22.6	72.3	86.6		
5HL	South Leeds	35.9	82.4	35.7	65.5	81.2	36.2	66.5	36.9	63.4	80.2		
5E8	Wakefield West	37.6	84.1	37.8	78.1	83.7	38.0	77.5	38.2	76.6	82.9		
<b>East Midlands</b>		<b>1,012.9</b>	<b>85.3</b>	<b>1,017.2</b>	<b>75.9</b>	<b>84.6</b>	<b>1,029.3</b>	<b>75.4</b>	<b>83.7</b>	<b>1,034.5</b>	<b>75.7</b>		
<b>Leicestershire, Northamptonshire &amp; Rutland</b>		<b>376.9</b>	<b>84.0</b>	<b>374.4</b>	<b>73.3</b>	<b>83.2</b>	<b>378.1</b>	<b>72.8</b>	<b>82.4</b>	<b>381.7</b>	<b>73.3</b>		
5JC	Charnwood & North West Leicestershire	59.5	86.4	57.2	73.1	85.4	57.1	73.0	57.6	74.1	84.3		
5AC	Daventry and South Northamptonshire	24.7	87.4	25.6	81.4	87.0	25.9	81.5	26.6	80.8	86.3		
5EY	Eastern Leicester	40.1	77.7	40.4	64.8	76.1	41.2	63.7	41.4	64.5	74.9		
5JA	Hinckley and Bosworth	26.3	86.2	25.8	72.3	85.5	25.9	71.9	26.1	73.3	84.0		
5EJ	Leicester City West	32.7	80.2	33.6	67.1	78.9	33.7	67.1	34.1	67.8	78.4		
5EH	Melton, Rutland and Harborough	37.4	86.4	34.3	72.6	85.0	34.7	73.2	34.9	74.3	84.5		
5LW	Northampton	50.7	82.8	50.8	76.7	82.9	51.7	75.6	52.2	75.2	81.5		
5LV	Northamptonshire Heartlands	66.7	84.2	67.7	77.1	83.2	68.6	76.0	69.4	75.1	81.8		
5JD	South Leicestershire	38.8	85.9	39.1	72.8	85.3	39.3	72.4	39.5	74.2	84.4		
<b>Trent</b>		<b>636.1</b>	<b>86.1</b>	<b>642.8</b>	<b>77.4</b>	<b>85.4</b>	<b>651.2</b>	<b>76.9</b>	<b>84.5</b>	<b>652.8</b>	<b>77.1</b>		
5ED	Amber Valley	32.3	87.6	32.3	80.5	87.4	32.6	82.2	32.9	81.9	87.0		
5FA	Ashfield	19.6	86.6	19.8	81.6	86.7	20.0	81.1	20.4	80.1	85.7		
5ET	Bassetlaw	25.2	86.1	25.4	81.2	86.3	25.7	80.0	25.9	79.7	85.5		
5EV	Broxtowe and Hucknall	33.9	87.8	34.1	82.4	87.4	33.4	82.8	33.4	82.5	87.4		
5AL	Central Derby	30.5	82.8	30.6	72.9	81.5	30.5	75.2	30.7	74.3	80.6		
5EA	Chesterfield	27.9	86.4	28.0	81.0	85.8	28.2	80.2	28.0	79.8	85.8		
5H7	Derbyshire Dales and South Derbyshire	21.0	85.2	22.1	77.9	84.7	22.4	79.5	22.8	78.8	84.8		
5H9	East Lincolnshire	64.2	83.4	63.9	69.4	82.2	64.8	68.7	65.6	68.6	81.5		
5ER	Erewash	22.4	88.3	22.2	81.3	87.7	22.2	81.8	22.4	80.8	86.4		
5EC	Gedling	23.3	89.3	23.2	83.4	88.7	23.3	82.4	23.2	81.9	87.9		
5EX	Greater Derby	35.7	86.2	35.8	78.0	85.4	36.4	79.4	36.8	78.7	84.4		
5HN	High Peak and Dales	25.5	86.2	25.8	79.1	85.2	25.7	79.6	25.6	79.5	85.5		
5D3	Lincolnshire South West Teaching	42.0	86.6	45.1	72.0	85.8	45.7	70.9	46.3	71.4	85.2		
5AM	Mansfield District	21.6	87.1	21.8	81.8	86.7	22.0	81.0	22.3	80.0	86.0		
5AP	Newark and Sherwood	28.4	87.5	29.5	81.9	87.3	29.9	81.6	30.2	80.7	86.7		
5EG	North Eastern Derbyshire	35.9	87.6	36.0	82.1	86.9	36.2	81.0	36.2	80.5	86.1		
5EM	Nottingham City	65.3	83.8	65.7	78.4	83.4	66.7	78.2	67.5	76.9	83.0		
5FC	Rushcliffe	28.0	88.7	29.6	83.7	88.6	29.8	83.7	30.0	83.4	88.3		
5D2	West Lincolnshire	53.4	85.6	51.6	65.6	83.2	55.8	61.2	52.6	68.9	82.3		

continued

Table 13 Cervical screening programme: coverage of the Target Age Group (25-64) by Primary Care Organisation, 2001-02 to 2004-05

		2001-02		2002-03			2003-04			2004-05		
Primary Care Organisation		Eligible <sup>(1)</sup>	Coverage (less than 5 yrs since last adequate test) (%)	Eligible <sup>(1)</sup>	Coverage (less than 3.5 yrs since last adequate test) (%)	Coverage (less than 5 yrs since last adequate test) (%)	Eligible <sup>(1)</sup>	Coverage (less than 3.5 yrs since last adequate test) (%)	Coverage (less than 5 yrs since last adequate test) (%)	Eligible <sup>(1)</sup>	Coverage (less than 3.5 yrs since last adequate test) (%)	Coverage (less than 5 yrs since last adequate test) (%)
Code	Name	Population (000's)		Population (000's)			Population (000's)			Population (000's)		
<b>England</b>		<b>12,714.8</b>	<b>81.6</b>	<b>12,686.4</b>	<b>70.8</b>	<b>81.2</b>	<b>12,804.4</b>	<b>70.3</b>	<b>80.6</b>	<b>12,886.4</b>	<b>69.7</b>	<b>80.3</b>
<b>West Midlands</b>		<b>1,307.3</b>	<b>82.4</b>	<b>1,310.9</b>	<b>73.4</b>	<b>81.6</b>	<b>1,323.0</b>	<b>72.6</b>	<b>80.8</b>	<b>1,330.5</b>	<b>71.8</b>	<b>80.3</b>
<b>Birmingham &amp; the Black Country</b>		<b>568.8</b>	<b>80.6</b>	<b>568.5</b>	<b>71.8</b>	<b>79.7</b>	<b>574.0</b>	<b>70.8</b>	<b>78.8</b>	<b>576.5</b>	<b>70.3</b>	<b>78.5</b>
5HV	Dudley Beacon and Castle	25.3	81.2	25.3	74.0	80.4	25.2	72.7	79.4	25.4	71.3	78.7
5HT	Dudley South	50.5	84.6	50.3	77.7	83.9	50.2	77.0	83.0	50.3	75.7	82.5
5MY	Eastern Birmingham	58.9	79.6	56.8	71.5	79.1	55.2	69.8	78.0	55.8	68.6	77.5
5MX	Heart Of Birmingham Teaching	63.3	73.4	63.0	63.0	72.5	63.9	62.2	70.9	62.6	65.0	72.8
5MW	North Birmingham	39.3	81.4	43.3	73.8	80.9	45.2	73.6	80.5	45.6	73.0	80.3
5MG	Oldbury and Smethwick	23.1	80.8	25.6	67.4	79.7	25.9	67.0	79.3	26.2	66.6	78.3
5MH	Rowley Regis and Tipton	16.1	82.4	16.3	67.7	81.3	16.5	65.9	80.4	16.7	67.0	79.5
5D1	Solihull	51.7	85.3	50.1	78.3	84.2	51.7	77.1	83.5	51.9	75.6	82.8
5M1	South Birmingham	90.1	79.4	85.3	70.7	78.2	87.4	69.6	77.0	88.9	69.2	76.6
5M3	Walsall	60.8	81.8	61.1	74.4	81.0	61.0	73.3	80.0	61.3	72.0	79.5
5MJ	Wednesbury and West Bromwich	31.2	80.0	32.7	66.9	79.2	32.8	66.6	78.8	32.6	65.9	77.8
5MV	Wolverhampton City	58.5	81.2	58.8	72.9	80.3	59.0	71.6	79.4	59.4	70.9	78.7
<b>Shropshire &amp; Staffordshire</b>		<b>364.0</b>	<b>84.7</b>	<b>364.9</b>	<b>78.4</b>	<b>84.2</b>	<b>366.5</b>	<b>77.6</b>	<b>83.5</b>	<b>367.5</b>	<b>76.6</b>	<b>83.0</b>
5DQ	Burntwood, Lichfield and Tamworth	38.7	85.9	38.5	80.0	85.6	38.4	80.1	85.4	38.6	79.5	85.1
5MM	Cannock Chase	31.1	85.2	30.7	78.2	84.4	30.8	76.8	83.5	30.9	76.6	82.8
5ML	East Staffordshire	30.4	84.5	30.7	78.0	84.1	30.8	77.8	83.5	30.9	77.5	83.3
5HW	Newcastle-Under-Lyme	24.1	84.0	24.3	78.3	83.9	24.3	76.9	83.0	24.2	75.9	82.4
5ME	North Stoke	28.3	84.2	28.4	78.0	83.6	29.4	77.0	82.8	29.7	75.3	81.8
5M2	Shropshire County	66.8	85.3	66.9	78.4	84.4	67.5	77.6	83.8	67.5	75.9	83.3
5MF	South Stoke	33.8	84.2	33.7	77.8	83.5	33.1	76.8	82.5	33.2	76.2	82.5
5MN	South Western Staffordshire	45.9	84.4	46.2	78.7	84.2	46.4	78.0	83.6	46.6	77.0	82.8
5HR	Staffordshire Moorlands	25.9	86.8	26.5	81.6	86.4	26.2	80.8	86.0	26.2	79.9	85.6
5MK	Telford and Wrekin	39.0	82.5	39.2	75.2	81.8	39.5	74.2	81.0	39.7	73.1	80.8
<b>West Midlands South</b>		<b>374.4</b>	<b>82.9</b>	<b>377.5</b>	<b>71.1</b>	<b>82.0</b>	<b>382.5</b>	<b>70.7</b>	<b>81.3</b>	<b>386.5</b>	<b>69.5</b>	<b>80.5</b>
5MD	Coventry	74.8	81.9	75.4	65.2	80.2	76.0	64.1	78.8	77.1	63.6	77.2
5CN	Herefordshire	40.2	84.4	40.5	77.1	83.6	41.0	76.7	82.7	41.2	75.4	82.2
5MP	North Warwickshire	42.7	83.3	43.3	77.0	82.8	43.8	76.8	82.9	44.2	74.2	82.0
5MR	Redditch and Bromsgrove	38.7	84.6	39.5	77.1	83.5	40.5	76.3	82.8	41.0	72.7	81.9
5M9	Rugby	21.4	84.0	21.6	75.3	83.0	22.0	75.0	82.0	22.4	73.4	80.8
5MQ	South Warwickshire	62.7	84.7	63.2	78.5	84.2	64.5	77.8	83.5	65.6	76.0	82.4
5MT	South Worcestershire	66.9	80.2	67.0	61.0	79.5	67.4	62.4	79.3	67.7	62.4	79.4
5DR	Wyre Forest	27.2	82.5	27.0	64.2	81.4	27.4	61.9	80.4	27.3	64.1	80.5
<b>East</b>		<b>1,352.3</b>	<b>82.8</b>	<b>1,362.5</b>	<b>67.6</b>	<b>81.9</b>	<b>1,376.2</b>	<b>67.3</b>	<b>81.2</b>	<b>1,389.4</b>	<b>66.5</b>	<b>80.6</b>
<b>Bedfordshire &amp; Hertfordshire</b>		<b>421.2</b>	<b>82.5</b>	<b>425.2</b>	<b>66.1</b>	<b>81.3</b>	<b>427.4</b>	<b>66.5</b>	<b>81.1</b>	<b>431.6</b>	<b>65.4</b>	<b>80.8</b>
5GD	Bedford	36.2	80.7	36.5	62.7	79.4	36.9	61.9	79.3	37.5	60.5	78.8
5GE	Bedfordshire Heartlands	63.8	84.9	64.4	66.1	83.5	65.0	65.1	82.3	65.9	64.3	81.9
5GW	Dacorum	36.7	83.5	36.9	72.3	82.9	37.1	72.5	83.4	37.3	67.6	83.1
5CP	Hertsmere	22.8	82.2	22.8	73.4	81.2	22.9	73.9	81.0	23.1	73.1	80.7
5GC	Luton	45.5	81.0	45.8	60.7	79.8	46.0	61.2	79.0	46.8	60.1	78.1
5GH	North Hertfordshire and Stevenage	46.9	81.6	47.4	60.2	80.7	47.7	61.4	80.4	47.9	62.1	80.5
5GK	Royston, Buntingford & Bishop's Stortford	20.2	83.4	20.8	61.3	81.5	20.8	61.6	81.5	20.7	63.9	81.9
5GJ	South East Hertfordshire	46.1	83.1	47.2	62.4	81.0	47.0	61.9	81.0	47.1	63.3	81.0
5GX	St Albans and Harpenden	35.4	82.9	35.5	75.2	82.5	35.8	77.4	83.9	36.2	70.8	84.1
5GV	Watford and Three Rivers	44.2	81.9	44.2	73.3	81.2	44.5	74.3	80.9	44.8	73.9	80.8
5GG	Welwyn Hatfield	23.5	80.9	23.7	61.5	78.5	23.9	63.2	78.6	24.3	62.9	77.8
<b>Essex</b>		<b>402.0</b>	<b>80.9</b>	<b>402.9</b>	<b>64.1</b>	<b>80.1</b>	<b>407.2</b>	<b>62.3</b>	<b>79.0</b>	<b>409.7</b>	<b>62.1</b>	<b>78.3</b>
5GR	Basilidon	25.4	78.2	25.4	58.4	77.0	25.5	57.7	74.9	25.7	57.8	73.5
5GP	Billericay, Brentwood and Wickford	36.9	81.4	37.0	67.0	81.0	37.3	64.4	80.6	37.5	61.8	79.4
5JP	Castle Point and Rochford	41.1	81.0	40.7	64.3	80.7	40.8	61.7	79.3	40.8	60.3	78.7
5JN	Chelmsford	30.4	84.1	30.5	75.4	83.9	31.2	71.6	82.8	31.5	66.9	81.6
5GM	Colchester	41.2	83.5	41.5	66.2	82.6	42.0	64.4	81.4	42.3	66.2	80.9
5AJ	Epping Forest	28.2	78.8	27.2	59.3	77.8	27.5	58.4	76.7	27.5	60.9	78.2
5DC	Harlow	20.7	79.2	20.5	57.4	78.0	20.6	57.0	76.7	20.8	58.2	75.9
5GL	Maldon and South Chelmsford	20.9	84.1	21.0	69.6	83.3	21.1	67.9	82.6	21.1	67.4	81.7
5AK	Southend On Sea	39.7	77.4	40.5	59.6	75.8	41.1	56.9	73.8	41.3	54.8	72.6
5AH	Tendring	28.3	83.3	28.7	65.0	82.7	29.0	63.8	81.6	29.1	66.0	81.2
5GQ	Thurrock	35.5	78.3	36.2	60.3	76.5	36.7	59.3	75.8	37.3	59.8	75.0
5GN	Uttlesford	19.3	82.5	19.1	62.8	81.6	19.3	61.4	80.6	19.3	63.3	80.5
TAG	Witham, Braintree & Halstead C.Trust	34.5	80.8	34.7	65.5	81.0	35.2	64.4	81.1	35.6	65.1	80.2
<b>Norfolk, Suffolk &amp; Cambridgeshire</b>		<b>529.1</b>	<b>84.5</b>	<b>534.4</b>	<b>71.3</b>	<b>83.7</b>	<b>541.7</b>	<b>71.6</b>	<b>82.8</b>	<b>548.0</b>	<b>70.7</b>	<b>82.2</b>
5JL	Broadland	29.2	86.2	29.4	64.5	85.3	29.8	68.6	84.5	29.9	67.4	84.4
5JH	Cambridge City	31.4	81.5	32.1	67.6	80.3	32.8	66.5	79.0	33.3	66.2	77.3
5JT	Central Suffolk	23.8	87.7	24.3	81.0	86.7	24.5	80.4	85.8	24.8	78.2	85.2
5JK	East Cambridgeshire and Fenland	33.2	84.2	34.3	72.3	84.0	35.2	71.7	83.3	35.9	71.9	82.9
5GT	Great Yarmouth	21.2	81.6	21.6	60.1	79.9	21.8	61.8	77.8	22.3	60.6	76.9
5GF	Huntingdonshire	38.6	86.3	38.3	72.3	85.9	38.7	71.9	85.2	38.8	71.4	84.7
5JQ	Ipswich	34.8	85.4	35.2	79.9	84.7	35.8	78.3	83.7	36.4	76.1	82.9
5JM	North Norfolk	22.6	83.0	22.6	62.6	82.3	22.7	64.4	81.4	22.7	65.2	81.1
5AF	North Peterborough	25.4	81.2	25.6	66.1	80.4	25.9	64.2	79.8	26.2	63.6	78.1
5A2	Norwich	31.3	79.2	31.5	59.3	78.7	31.8	63.8	77.9	32.2	63.2	77.5
5JJ	South Cambridgeshire	26.4	86.7	26.5	71.7	86.2	27.1	70.6	85.2	27.5	71.8	84.9
5AG	South Peterborough	22.6	84.7	23.1	71.3	84.2	23.7	69.2	83.8	24.3	69.2	83.1
5G1	Southern Norfolk	48.3	85.6	48.7	65.0	84.5	49.5	68.7	83.6	50.2	66.7	83.5
5JR	Suffolk Coastal	22.9	86.0	23.0	80.6	85.5	23.1	80.1	85.1	23.3	78.1	84.4
5JW	Suffolk West	56.7	85.2	57.1	78.3	84.3	57.4	77.9	84.0	58.0	76.2	83.3
5JV	Waveney	28.2	87.0	28.4	78.9	85.6	28.7	77.5	84.5	28.9	75.8	83.1
5CY	West Norfolk	32.5	83.0	32.7	75.9	82.1	33.0	75.3	81.1	33.3	74.3	80.9

continued

Table 13 Cervical screening programme: coverage of the Target Age Group (25-64) by Primary Care Organisation, 2001-02 to 2004-05

		2001-02		2002-03			2003-04			2004-05		
Primary Care Organisation		Eligible <sup>(1)</sup>	Coverage (less than 5 yrs since last adequate test) (%)	Eligible <sup>(1)</sup>	Coverage (less than 3.5 yrs since last adequate test) (%)	Coverage (less than 5 yrs since last adequate test) (%)	Eligible <sup>(1)</sup>	Coverage (less than 3.5 yrs since last adequate test) (%)	Coverage (less than 5 yrs since last adequate test) (%)	Eligible <sup>(1)</sup>	Coverage (less than 3.5 yrs since last adequate test) (%)	Coverage (less than 5 yrs since last adequate test) (%)
Code	Name	Population (000's)		Population (000's)			Population (000's)			Population (000's)		
<b>England</b>		<b>12,714.8</b>	<b>81.6</b>	<b>12,686.4</b>	<b>70.8</b>	<b>81.2</b>	<b>12,804.4</b>	<b>70.3</b>	<b>80.6</b>	<b>12,886.4</b>	<b>69.7</b>	<b>80.3</b>
<b>London</b>		<b>2,157.7</b>	<b>76.8</b>	<b>2,165.7</b>	<b>66.2</b>	<b>75.7</b>	<b>2,196.0</b>	<b>66.2</b>	<b>75.7</b>	<b>2,209.0</b>	<b>65.6</b>	<b>75.5</b>
<b>North Central London</b>		<b>372.4</b>	<b>75.4</b>	<b>373.1</b>	<b>63.3</b>	<b>74.6</b>	<b>374.8</b>	<b>63.5</b>	<b>74.3</b>	<b>377.1</b>	<b>63.4</b>	<b>74.3</b>
5A9	Barnet	91.4	78.0	91.3	68.5	77.0	93.1	67.1	75.9	95.0	65.7	74.8
5K7	Camden	67.2	74.7	68.3	62.9	73.0	68.0	64.2	73.7	68.8	64.8	74.0
5C1	Enfield	72.7	77.8	73.6	61.4	76.5	74.0	61.1	75.0	74.3	60.1	74.5
5C9	Haringey	81.0	71.1	78.5	57.6	70.8	77.7	58.5	71.3	75.2	60.9	73.7
5K8	Islington	60.1	75.3	61.5	65.5	75.3	61.9	66.4	75.7	63.8	65.3	74.7
<b>North East London</b>		<b>406.4</b>	<b>77.3</b>	<b>412.6</b>	<b>62.8</b>	<b>74.2</b>	<b>418.3</b>	<b>63.4</b>	<b>75.9</b>	<b>424.6</b>	<b>61.4</b>	<b>75.2</b>
5C2	Barking and Dagenham	39.1	78.4	39.2	63.7	77.7	39.8	61.4	76.9	40.8	57.7	75.6
5C3	City and Hackney	66.3	71.9	68.4	61.9	69.9	70.0	62.5	70.7	70.5	61.7	70.6
5A4	Havering	59.5	83.3	59.5	67.5	82.5	59.8	62.6	81.4	60.1	57.8	80.8
5C5	Newham	68.8	77.4	69.7	62.4	69.3	71.0	68.3	76.1	73.3	66.8	75.0
5NA	Redbridge	<sup>(2)</sup> ..	..	..	..	..	<b>60.1</b>	<b>59.9</b>	<b>75.7</b>	<b>61.2</b>	<b>57.8</b>	<b>74.9</b>
5C4	Tower Hamlets	49.4	77.0	51.4	61.4	68.9	52.3	66.4	75.2	53.6	64.3	73.7
5NC	Waltham Forest	<sup>(2)</sup> ..	..	..	..	..	<b>65.3</b>	<b>61.7</b>	<b>76.1</b>	<b>65.2</b>	<b>61.5</b>	<b>76.3</b>
<b>North West London</b>		<b>551.0</b>	<b>74.7</b>	<b>549.3</b>	<b>65.8</b>	<b>74.3</b>	<b>556.0</b>	<b>65.6</b>	<b>74.1</b>	<b>557.4</b>	<b>65.3</b>	<b>73.9</b>
5K5	Brent	89.6	73.4	88.3	63.4	72.8	88.8	63.4	72.4	89.1	63.9	72.5
5HX	Ealing	94.8	77.5	92.2	69.9	77.2	96.1	68.5	75.9	96.4	66.9	74.7
5H1	Hammersmith and Fulham	58.0	68.6	57.9	60.8	69.0	59.7	60.1	68.6	60.0	59.3	68.5
5K6	Harrow	54.8	79.5	55.4	69.2	78.5	56.2	69.9	78.1	57.3	70.1	77.7
5AT	Hillingdon	62.8	80.0	62.6	71.4	79.0	63.1	70.7	78.5	63.8	69.7	77.9
5HY	Hounslow	65.9	77.8	67.8	69.5	76.9	67.6	68.1	75.6	68.6	66.7	74.5
5LA	Kensington and Chelsea	58.0	70.5	58.2	59.9	69.9	57.9	61.9	72.1	55.4	63.6	74.3
5LC	Westminster	67.1	69.7	67.0	60.9	70.4	66.6	61.5	71.1	66.8	61.5	71.2
<b>South East London</b>		<b>448.1</b>	<b>78.0</b>	<b>446.7</b>	<b>69.9</b>	<b>77.4</b>	<b>457.0</b>	<b>69.8</b>	<b>76.8</b>	<b>455.7</b>	<b>69.7</b>	<b>76.9</b>
TAK	Bexley	53.9	85.2	54.1	78.6	84.7	54.1	78.6	84.3	54.5	78.0	83.8
5A7	Bromley	80.0	84.4	79.7	78.7	84.4	80.0	77.9	83.7	80.6	76.9	83.1
5A8	Greenwich	61.7	76.6	63.0	68.0	75.6	64.8	68.0	74.9	66.5	67.2	74.3
5LD	Lambeth	98.6	75.0	98.2	65.5	74.1	101.1	66.0	73.8	98.4	66.0	74.3
5LF	Lewisham	75.8	77.0	74.9	68.4	76.3	77.3	68.3	75.5	76.5	68.6	76.1
5LE	Southwark	78.0	72.3	76.7	62.9	71.7	79.8	63.2	71.3	79.2	64.2	72.0
<b>South West London</b>		<b>379.7</b>	<b>79.1</b>	<b>384.1</b>	<b>68.9</b>	<b>78.3</b>	<b>389.9</b>	<b>68.8</b>	<b>77.8</b>	<b>394.1</b>	<b>67.9</b>	<b>77.5</b>
5K9	Croydon	90.3	78.3	91.2	62.2	77.2	92.1	62.2	77.4	92.3	61.6	77.7
5A5	Kingston	44.4	81.1	44.9	72.4	79.7	45.4	71.9	78.8	46.0	71.6	78.6
5M6	Richmond and Twickenham	54.8	81.8	55.9	73.2	80.5	56.6	72.6	79.9	56.8	71.9	79.4
5M7	Sutton and Merton	100.7	80.4	101.4	72.4	79.8	103.0	72.1	79.1	104.8	70.8	78.4
5LG	Wandsworth	89.6	76.0	90.8	67.4	75.7	92.8	67.7	75.3	94.2	66.4	74.5
<b>South East</b>		<b>2,032.3</b>	<b>83.5</b>	<b>2,044.7</b>	<b>72.2</b>	<b>82.7</b>	<b>2,057.5</b>	<b>71.7</b>	<b>82.1</b>	<b>2,072.3</b>	<b>71.5</b>	<b>81.7</b>
<b>Hampshire &amp; Isle of Wight</b>		<b>437.2</b>	<b>83.3</b>	<b>437.0</b>	<b>68.0</b>	<b>82.3</b>	<b>439.6</b>	<b>67.1</b>	<b>81.4</b>	<b>442.7</b>	<b>66.7</b>	<b>81.2</b>
5G6	Blackwater Valley and Hart	46.5	83.7	45.8	69.6	82.7	45.9	70.9	82.6	46.3	70.9	82.9
5FD	East Hampshire	46.1	82.9	46.1	63.8	81.9	46.0	62.2	80.9	46.2	63.3	80.5
5LY	Eastleigh and Test Valley South	38.6	86.0	38.6	71.4	85.0	38.8	70.0	84.2	39.0	69.7	84.2
5LX	Fareham and Gosport	46.6	83.1	46.6	63.6	82.1	46.9	61.3	81.0	47.1	61.3	80.6
5DG	Isle Of Wight	30.8	86.5	31.0	80.0	85.6	31.5	78.4	84.7	31.7	77.5	84.0
5E9	Mid-Hampshire	41.9	82.5	42.1	66.9	81.8	42.5	66.6	81.2	42.8	66.0	81.7
5A1	New Forest	41.9	84.9	41.7	72.9	84.4	42.0	72.6	83.6	42.2	71.2	83.1
5DF	North Hampshire	48.6	83.9	48.6	69.2	83.0	48.9	68.0	82.1	49.5	66.4	81.8
5FE	Portsmouth City	43.0	81.0	42.9	60.0	79.4	43.0	58.2	77.9	43.1	58.1	76.9
5L1	Southampton City	53.2	80.3	53.6	66.9	78.8	54.2	66.5	77.8	54.7	66.3	78.0
<b>Kent &amp; Medway</b>		<b>387.4</b>	<b>84.7</b>	<b>389.6</b>	<b>75.1</b>	<b>84.1</b>	<b>393.6</b>	<b>74.6</b>	<b>83.7</b>	<b>397.6</b>	<b>75.3</b>	<b>83.1</b>
5LL	Ashford	24.6	85.0	25.2	78.5	84.6	25.7	78.7	84.2	26.3	78.2	84.1
5LM	Canterbury and Coastal	37.1	84.3	38.0	78.0	83.6	38.3	77.3	83.0	38.9	76.2	82.5
5CM	Dartford, Gravesham and Swanley	56.1	83.7	56.2	72.7	83.3	56.5	71.4	83.0	56.9	75.2	82.6
5LN	East Kent Coastal	51.7	84.6	51.8	78.0	84.1	52.3	77.4	83.4	53.0	76.3	82.9
5L2	Maidstone Weald	59.8	85.5	59.3	77.4	84.9	60.9	77.5	84.7	61.4	77.0	84.2
5L3	Medway	66.8	84.6	67.2	71.0	83.8	67.1	69.7	83.2	67.5	71.6	82.1
5LP	Shepway	22.0	83.8	22.4	76.7	82.9	22.7	76.1	82.3	22.9	74.7	81.6
5FF	South West Kent	46.4	86.0	46.6	74.4	85.4	46.8	75.1	85.4	47.0	76.4	84.9
5L4	Swale	22.8	83.6	23.1	72.1	83.6	23.3	71.9	83.2	23.5	72.6	82.2
<b>Surrey &amp; Sussex</b>		<b>645.0</b>	<b>83.8</b>	<b>651.2</b>	<b>73.6</b>	<b>82.9</b>	<b>655.2</b>	<b>73.2</b>	<b>82.3</b>	<b>659.4</b>	<b>73.1</b>	<b>81.8</b>
5L8	Adur, Arun and Worthing	50.7	82.8	51.3	65.9	81.9	51.8	65.6	80.8	52.1	67.9	81.0
5FH	Bexhill and Rother	17.7	86.5	17.9	79.0	85.9	18.0	78.9	85.6	18.1	77.5	84.8
5LQ	Brighton and Hove City	71.2	82.8	72.1	72.8	81.7	72.2	72.7	81.4	73.5	70.6	79.4
5MA	Crawley	28.7	79.2	28.9	63.7	77.6	28.9	63.8	77.5	28.9	67.1	78.8
5KP	East Elmbridge and Mid Surrey	67.7	84.8	68.4	77.5	83.7	68.7	77.4	83.3	69.1	76.6	82.8
5KQ	East Surrey	38.8	83.8	39.1	76.2	82.9	39.5	75.9	82.5	39.7	75.8	82.1
5LR	Eastbourne Downs	37.8	85.7	38.5	77.1	85.1	39.0	76.4	84.1	39.6	74.5	82.5
5L5	Guildford and Waverley	60.5	84.0	61.2	76.8	83.1	61.6	76.4	82.2	61.8	75.9	82.0
5FJ	Hastings and St Leonards	21.2	85.0	21.5	75.8	84.1	21.7	75.2	83.6	22.0	74.3	82.3
5MC	Horsham and Chancotbury	24.0	85.7	24.2	70.3	84.2	24.3	69.0	83.5	24.2	69.4	82.9
5FK	Mid-Sussex	35.4	82.6	35.5	67.9	82.2	35.6	67.3	81.9	35.7	69.7	82.4
5L6	North Surrey	54.0	82.8	54.3	76.6	82.4	54.5	76.3	81.9	54.5	76.1	82.1
5LT	Sussex Downs and Weald	38.1	87.2	38.2	79.0	87.0	38.6	78.4	86.0	38.7	77.9	85.2
5L9	Western Sussex	48.0	82.0	48.8	65.5	81.2	49.2	64.7	79.8	42.8	65.3	79.7
5L7	Woking	51.2	84.1	51.3	77.7	83.4	51.6	77.1	82.8	51.8	76.6	82.5

continued

Table 13 Cervical screening programme: coverage of the Target Age Group (25-64) by Primary Care Organisation, 2001-02 to 2004-05

		2001-02		2002-03			2003-04			2004-05		
Primary Care Organisation		Eligible <sup>(1)</sup>	Coverage	Eligible <sup>(1)</sup>	Coverage	Coverage	Eligible <sup>(1)</sup>	Coverage	Coverage	Eligible <sup>(1)</sup>	Coverage	Coverage
Code	Name	Population	(less than	Population	(less than	(less than	Population	(less than	(less than	Population	(less than	(less than
		(000's)	5 yrs since	(000's)	3.5 yrs since	5 yrs since	(000's)	3.5 yrs since	5 yrs since	(000's)	3.5 yrs since	5 yrs since
			adequate test		adequate test	adequate test		adequate test	adequate test		adequate test	adequate test
			(%)		(%)	(%)		(%)	(%)		(%)	(%)
<b>England</b>		<b>12,714.8</b>	<b>81.6</b>	<b>12,686.4</b>	<b>70.8</b>	<b>81.2</b>	<b>12,804.4</b>	<b>70.3</b>	<b>80.6</b>	<b>12,886.4</b>	<b>69.7</b>	<b>80.3</b>
<b>South East continued</b>		<b>2,032.3</b>	<b>83.5</b>	<b>2,044.7</b>	<b>72.2</b>	<b>82.7</b>	<b>2,057.5</b>	<b>71.7</b>	<b>82.1</b>	<b>2,072.3</b>	<b>71.5</b>	<b>81.7</b>
<b>Thames Valley</b>		<b>562.7</b>	<b>82.7</b>	<b>566.8</b>	<b>71.7</b>	<b>81.7</b>	<b>569.0</b>	<b>71.4</b>	<b>81.4</b>	<b>572.6</b>	<b>70.7</b>	<b>81.1</b>
5G2	Bracknell Forest	25.8	81.7	26.2	64.9	80.6	26.3	65.2	80.9	26.3	63.6	81.3
5DV	Cherwell Vale	31.1	84.1	31.3	76.7	83.5	31.4	76.4	83.0	31.6	75.1	82.4
5G4	Chiltern and South Bucks	42.4	85.5	42.3	78.6	84.9	42.4	77.1	84.4	42.5	76.3	83.8
5CQ	Milton Keynes	56.9	84.1	58.4	75.6	82.7	59.6	74.2	81.3	60.7	72.9	80.7
5DK	Newbury and Community	26.1	82.8	26.8	69.3	81.8	26.9	69.4	82.2	27.1	70.9	83.1
5DT	North East Oxfordshire	19.0	85.3	19.3	78.5	84.3	19.6	78.1	83.8	19.6	77.4	83.7
5DW	Oxford City	42.1	76.9	43.0	66.8	74.5	42.5	68.1	75.4	42.3	67.3	74.9
5DL	Reading	52.5	78.4	52.5	62.6	78.3	52.6	63.1	78.2	53.1	63.8	78.3
5DM	Slough	28.5	78.3	28.8	61.4	76.9	29.0	59.6	76.3	29.5	56.9	75.4
5DX	South East Oxfordshire	20.5	83.0	20.5	76.3	82.7	20.5	75.9	82.7	20.5	75.8	83.0
5DY	South West Oxfordshire	49.4	85.6	49.3	79.2	84.8	49.8	78.6	84.3	50.4	76.3	83.1
5DP	Vale Of Aylesbury	49.8	86.3	49.8	80.1	86.2	50.4	79.1	85.4	50.7	77.8	84.9
5G3	Windsor, Ascot and Maidenhead	43.2	81.1	43.2	63.6	79.5	42.9	64.3	79.4	43.1	63.3	79.4
5DN	Wokingham	39.7	81.8	39.4	63.9	80.8	39.2	64.2	80.5	39.1	66.9	81.3
5G5	Wycombe	35.8	84.9	36.0	77.7	83.7	35.9	77.0	83.4	35.9	75.8	82.8
<b>South West</b>		<b>1,211.4</b>	<b>83.1</b>	<b>1,219.7</b>	<b>67.1</b>	<b>82.3</b>	<b>1,237.8</b>	<b>66.2</b>	<b>81.3</b>	<b>1,246.1</b>	<b>66.1</b>	<b>81.4</b>
<b>Avon, Gloucestershire &amp; Wiltshire</b>		<b>547.6</b>	<b>81.5</b>	<b>549.9</b>	<b>62.6</b>	<b>80.6</b>	<b>560.3</b>	<b>61.4</b>	<b>79.3</b>	<b>563.6</b>	<b>61.5</b>	<b>79.3</b>
5FL	Bath and North East Somerset	43.5	80.6	43.8	60.3	79.4	44.4	59.6	78.2	44.5	59.2	77.8
5JF	Bristol North	53.7	77.6	54.1	57.7	75.8	54.6	55.8	74.3	55.9	54.4	73.4
5JG	Bristol South and West	48.3	78.9	48.8	59.9	78.0	50.5	57.7	76.2	51.3	56.4	75.2
5KW	Cheltenham and Tewkesbury	38.1	84.8	38.4	67.9	84.0	38.9	67.4	83.1	39.3	66.8	82.9
5KY	Cotswold and Vale	46.2	85.6	47.3	68.2	84.7	47.9	67.2	84.0	48.1	67.4	83.9
5K4	Kennet and North Wiltshire	51.1	78.8	49.5	61.5	79.9	51.7	60.3	77.5	50.9	63.2	79.8
5M8	North Somerset	46.5	82.8	47.4	62.2	81.3	48.2	60.8	80.6	48.9	58.9	79.4
5A3	South Gloucestershire	60.1	83.2	61.1	62.2	82.2	61.9	59.8	80.8	62.4	59.5	80.5
5DJ	South Wiltshire	29.2	80.6	29.1	60.2	80.6	29.8	59.8	78.1	29.1	65.2	80.1
5K3	Swindon	48.2	81.1	48.2	64.6	80.0	48.6	63.5	79.0	49.1	62.4	79.3
5KX	West Gloucestershire	53.3	83.5	52.9	66.1	82.6	53.6	66.0	81.9	54.0	66.0	81.8
5DH	West Wiltshire	29.3	80.1	29.3	59.8	79.5	30.0	59.9	78.0	30.0	63.7	79.1
<b>Somerset &amp; Dorset</b>		<b>279.9</b>	<b>86.2</b>	<b>283.0</b>	<b>73.8</b>	<b>85.5</b>	<b>286.5</b>	<b>73.3</b>	<b>84.6</b>	<b>289.1</b>	<b>74.2</b>	<b>84.6</b>
5CE	Bournemouth	37.1	85.8	37.4	79.8	85.5	38.0	79.1	84.5	38.5	78.0	83.9
5FX	Mendip	25.9	84.0	26.2	62.6	83.1	26.5	63.0	82.3	26.8	66.4	83.1
5CD	North Dorset	19.7	88.1	20.9	82.1	88.0	21.3	80.9	87.3	21.7	79.2	86.4
5KV	Poole	39.8	89.4	39.6	83.9	89.0	39.7	83.2	88.5	40.2	82.3	87.9
5FW	Somerset Coast	32.2	85.3	32.5	62.6	83.7	32.9	61.8	82.2	33.1	66.1	82.9
5FN	South and East Dorset	33.7	88.6	33.6	83.2	88.6	33.9	83.3	88.1	33.9	82.5	87.6
5K1	South Somerset	35.0	84.1	35.3	63.7	83.0	35.9	63.2	81.6	36.0	66.9	82.9
5FP	South West Dorset	31.5	86.0	32.0	79.5	85.6	32.5	78.8	85.0	33.0	77.0	84.1
5K2	Taunton Deane	25.1	83.5	25.5	63.0	82.0	25.7	62.4	81.0	25.9	66.3	81.9
<b>South West Peninsula</b>		<b>383.9</b>	<b>83.2</b>	<b>386.7</b>	<b>68.4</b>	<b>82.4</b>	<b>391.0</b>	<b>67.7</b>	<b>81.7</b>	<b>393.5</b>	<b>66.8</b>	<b>81.9</b>
5KT	Central Cornwall	47.8	83.5	48.5	68.2	82.4	49.3	66.5	81.4	49.6	66.8	81.5
5FT	East Devon	25.5	82.5	25.6	63.9	82.3	26.0	62.8	81.3	26.2	61.6	81.7
5FR	Exeter	30.5	81.2	30.7	63.3	81.0	30.9	62.5	80.4	31.3	60.8	80.2
5FV	Mid Devon	25.0	81.4	25.3	62.5	80.6	25.8	62.1	80.6	26.3	62.4	81.8
5KR	North and East Cornwall	38.1	84.1	38.5	68.3	83.2	39.2	68.0	82.4	39.7	67.6	82.6
5FQ	North Devon	36.9	81.3	37.4	62.1	80.4	37.8	61.7	80.0	37.4	62.5	81.3
5F1	Plymouth	60.8	83.9	60.7	70.7	83.0	61.1	70.0	81.9	61.3	67.1	81.9
5CV	South Hams and West Devon	25.1	84.8	25.1	72.1	84.2	25.2	72.1	83.7	25.3	69.0	83.8
5FY	Teignbridge	25.1	85.7	25.2	79.2	85.4	25.5	77.9	84.2	25.6	76.9	83.5
5CW	Torbay	32.0	84.1	32.3	76.5	83.3	32.6	76.5	82.5	32.8	75.7	82.3
5FM	West Of Cornwall	37.1	82.1	37.3	66.3	81.5	37.7	65.6	80.7	37.9	64.8	80.8

(1) This is the number of women in the resident population less those with recall ceased for clinical reasons  
(2) not available due to reconfiguration of PCO boundaries

Table 14 Samples examined by pathology laboratories, by source of sample and result of test, 2004-05

England

	Source						
	Total all ages	GP	NHSCC	GUM	NHS Hospital	Private	Other
<b>Numbers</b>							
Total	4,022,269	3,570,697	171,843	23,837	226,260	17,276	12,356
Inadequate	366,959	326,705	18,196	2,268	17,621	988	1,181
Negative	3,373,610	3,028,400	140,554	16,884	163,354	14,462	9,956
Borderline changes	144,779	115,411	6,599	2,060	19,138	1,050	511
Mild Dyskaryosis	85,515	63,153	4,227	1,825	15,412	493	405
Moderate Dyskaryosis	27,276	19,679	1,270	515	5,556	124	132
Severe Dyskaryosis	21,025	15,198	886	269	4,402	115	155
?Invasive Carcinoma	1,004	685	37	12	254	6	10
?Glandular Neoplasia	2,101	1,466	74	4	523	28	6
<b>Percentages by result</b>							
Total	100	100	100	100	100	100	100
Inadequate	9.1	9.1	10.6	9.5	7.8	5.7	9.6
Negative	83.9	84.8	81.8	70.8	72.2	83.7	80.6
Borderline changes	3.6	3.2	3.8	8.6	8.5	6.1	4.1
Mild Dyskaryosis	2.1	1.8	2.5	7.7	6.8	2.9	3.3
Moderate Dyskaryosis	0.7	0.6	0.7	2.2	2.5	0.7	1.1
Severe Dyskaryosis	0.5	0.4	0.5	1.1	1.9	0.7	1.3
?Invasive Carcinoma	0.0	0.0	0.0	0.1	0.1	0.0	0.1
?Glandular Neoplasia	0.1	0.0	0.0	0.0	0.2	0.2	0.0
<b>Percentages by source</b>							
Total	100	88.8	4.3	0.6	5.6	0.4	0.3
Inadequate	100	89.0	5.0	0.6	4.8	0.3	0.3
Negative	100	89.8	4.2	0.5	4.8	0.4	0.3
Borderline changes	100	79.7	4.6	1.4	13.2	0.7	0.4
Mild Dyskaryosis	100	73.9	4.9	2.1	18.0	0.6	0.5
Moderate Dyskaryosis	100	72.1	4.7	1.9	20.4	0.5	0.5
Severe Dyskaryosis	100	72.3	4.2	1.3	20.9	0.5	0.7
?Invasive Carcinoma	100	68.2	3.7	1.2	25.3	0.6	1.0
?Glandular Neoplasia	100	69.8	3.5	0.2	24.9	1.3	0.3

Source : Form KC61 Part A

Table 15 GP & NHS Community Clinic samples examined by pathology laboratories, by result and age of women, 2004-05

England

Age Groups	Total	Result of Test							
		Inadequate	Negative	Borderline changes	Mild Dyskaryosis	Moderate Dyskaryosis	Severe Dyskaryosis	?Invasive Carcinoma	?Glandular Neoplasia
<b>Numbers</b>									
<b>All ages</b>	3,742,540	344,901	3,168,954	122,010	67,380	20,949	16,084	722	1,540
<b>25 - 64</b>	<b>3,347,878</b>	<b>299,652</b>	<b>2,868,573</b>	<b>99,417</b>	<b>48,612</b>	<b>15,824</b>	<b>13,623</b>	<b>652</b>	<b>1,405</b>
Under 20	19,579	2,223	14,217	1,428	1,311	309	87	1	3
20 - 24	328,038	40,274	243,212	20,252	17,207	4,721	2,295	21	56
25 - 29	451,960	53,091	355,650	19,360	14,566	5,040	3,972	102	179
30 - 34	525,109	55,122	433,340	17,753	10,885	3,984	3,694	127	204
35 - 39	551,801	52,722	467,257	17,531	8,509	2,735	2,571	129	227
40 - 44	513,462	46,175	441,015	16,385	6,320	1,788	1,527	84	168
45 - 49	408,027	31,689	357,951	12,324	4,056	981	799	63	164
50 - 54	342,661	24,040	306,888	8,156	2,249	616	475	45	192
55 - 59	328,569	22,581	298,436	5,191	1,338	447	371	50	155
60 - 64	226,289	14,232	208,036	2,717	689	233	214	52	116
65 - 69	38,841	2,258	35,603	592	192	77	43	32	44
70 - 74	6,196	373	5,580	134	39	12	26	13	19
75 and over	2,008	121	1,769	67	19	6	9	4	13
<b>Percentages</b>									
<b>All ages</b>	<b>100.0</b>	<b>9.2</b>	<b>84.7</b>	<b>3.3</b>	<b>1.8</b>	<b>0.6</b>	<b>0.4</b>	<b>0.0</b>	<b>0.0</b>
<b>25 - 64</b>	<b>100.0</b>	<b>9.0</b>	<b>85.7</b>	<b>3.0</b>	<b>1.5</b>	<b>0.5</b>	<b>0.4</b>	<b>0.0</b>	<b>0.0</b>
Under 20	100.0	11.4	72.6	7.3	6.7	1.6	0.4	0.0	0.0
20 - 24	100.0	12.3	74.1	6.2	5.2	1.4	0.7	0.0	0.0
25 - 29	100.0	11.7	78.7	4.3	3.2	1.1	0.9	0.0	0.0
30 - 34	100.0	10.5	82.5	3.4	2.1	0.8	0.7	0.0	0.0
35 - 39	100.0	9.6	84.7	3.2	1.5	0.5	0.5	0.0	0.0
40 - 44	100.0	9.0	85.9	3.2	1.2	0.3	0.3	0.0	0.0
45 - 49	100.0	7.8	87.7	3.0	1.0	0.2	0.2	0.0	0.0
50 - 54	100.0	7.0	89.6	2.4	0.7	0.2	0.1	0.0	0.1
55 - 59	100.0	6.9	90.8	1.6	0.4	0.1	0.1	0.0	0.0
60 - 64	100.0	6.3	91.9	1.2	0.3	0.1	0.1	0.0	0.1
65 - 69	100.0	5.8	91.7	1.5	0.5	0.2	0.1	0.1	0.1
70 - 74	100.0	6.0	90.1	2.2	0.6	0.2	0.4	0.2	0.3
75 and over	100.0	6.0	88.1	3.3	0.9	0.3	0.4	0.2	0.6

Source : Form KC61 Part B

Table 16 Samples examined by pathology laboratories: Time from receipt of samples to authorisation of report by region, 2004-05

	<i>Percentages</i>									
	<b>England</b>	North East	North West	Yorkshire & Humber	East Midlands	West Midlands	East	London	South East	South West
Up to 2 weeks	<b>29</b>	44	25	25	28	32	27	31	30	28
> 2 weeks up to 4 weeks	<b>32</b>	34	22	33	46	28	37	33	31	27
> 4 weeks up to 6 weeks	<b>21</b>	16	23	19	18	13	17	24	21	29
> 6 weeks up to 8 weeks	<b>11</b>	5	19	9	7	13	14	10	9	12
> 8 weeks up to 10 weeks	<b>5</b>	0	9	5	2	10	3	2	7	3
Over 10 weeks	<b>2</b>	0	3	9	0	4	3	1	1	1

Source : Form KC61 Part A2

Table 17

Samples examined by pathology laboratories, by source of sample, result of test and region, 2004-05

	Total smears	Result of test					Number	Result of test					Percentages				
		Inadequate	Negative	Borderline/ Mild	Moderate Dyskaryosis	Severe or worse		Inadequate	Negative	Borderline/ Mild	Moderate Dyskaryosis	Severe or worse					
<b>North East</b>																	
All Sources	213,401	13,573	182,512	14,336	1,559	1,421	6.4	85.5	6.7	0.7	0.7						
GP	190,656	11,827	164,651	11,734	1,265	1,179	6.2	86.4	6.2	0.7	0.6						
NHSCC	9,018	806	7,539	541	76	56	8.9	83.6	6.0	0.8	0.6						
GUM	343	34	240	62	4	3	9.9	70.0	18.1	1.2	0.9						
NHS Hosp.	12,542	806	9,407	1,944	210	175	6.4	75.0	15.5	1.7	1.4						
Private	137	11	117	7	-	2	8.0	85.4	5.1	-	1.5						
Other	705	89	558	48	4	6	12.6	79.1	6.8	0.6	0.9						
<b>North West</b>																	
All Sources	564,299	61,754	458,973	35,862	4,065	3,645	10.9	81.3	6.4	0.7	0.6						
GP	479,335	53,399	396,449	24,732	2,565	2,190	11.1	82.7	5.2	0.5	0.5						
NHSCC	35,671	4,633	28,430	2,152	241	215	13.0	79.7	6.0	0.7	0.6						
GUM	3,258	189	2,256	684	89	40	5.8	69.2	21.0	2.7	1.2						
NHS Hosp.	42,693	3,237	29,242	7,909	1,140	1,165	7.6	68.5	18.5	2.7	2.7						
Private	2,562	205	2,017	300	15	25	8.0	78.7	11.7	0.6	1.0						
Other	780	91	579	85	15	10	11.7	74.2	10.9	1.9	1.3						
<b>Yorkshire &amp; Humber</b>																	
All Sources	439,098	34,344	379,879	19,583	2,631	2,661	7.8	86.5	4.5	0.6	0.6						
GP	394,327	30,875	343,965	15,603	1,962	1,922	7.8	87.2	4.0	0.5	0.5						
NHSCC	18,036	1,469	15,367	978	108	114	8.1	85.2	5.4	0.6	0.6						
GUM	2,825	253	2,061	432	46	33	9.0	73.0	15.3	1.6	1.2						
NHS Hosp.	22,064	1,639	16,923	2,434	500	568	7.4	76.7	11.0	2.3	2.6						
Private	903	54	761	75	5	8	6.0	84.3	8.3	0.6	0.9						
Other	943	54	802	61	10	16	5.7	85.0	6.5	1.1	1.7						
<b>East Midlands</b>																	
All Sources	319,632	32,364	267,781	15,378	2,061	2,048	10.1	83.8	4.8	0.6	0.6						
GP	295,130	29,814	249,137	12,864	1,668	1,647	10.1	84.4	4.4	0.6	0.6						
NHSCC	7,809	953	6,266	476	55	59	12.2	80.2	6.1	0.7	0.8						
GUM	1,629	209	1,122	233	39	26	12.8	68.9	14.3	2.4	1.6						
NHS Hosp.	14,141	1,306	10,517	1,719	295	304	9.2	74.4	12.2	2.1	2.1						
Private	810	69	644	82	4	11	8.5	79.5	10.1	0.5	1.4						
Other	113	13	95	4	-	1	11.5	84.1	3.5	-	0.9						
<b>West Midlands</b>																	
All Sources	422,468	45,762	346,099	25,663	2,599	2,345	10.8	81.9	6.1	0.6	0.6						
GP	379,675	41,335	313,723	20,776	2,024	1,817	10.9	82.6	5.5	0.5	0.5						
NHSCC	13,392	1,515	10,904	809	87	77	11.3	81.4	6.0	0.6	0.6						
GUM	1,285	142	873	218	39	13	11.1	67.9	17.0	3.0	1.0						
NHS Hosp.	20,035	1,999	14,056	3,284	370	326	10.0	70.2	16.4	1.8	1.6						
Private	282	26	228	21	2	5	9.2	80.9	7.4	0.7	1.8						
Other	7,799	745	6,315	555	77	107	9.6	81.0	7.1	1.0	1.4						
<b>East</b>																	
All Sources	404,620	34,584	341,393	23,325	2,782	2,536	8.5	84.4	5.8	0.7	0.6						
GP	370,606	31,492	316,217	18,926	2,055	1,916	8.5	85.3	5.1	0.6	0.5						
NHSCC	8,971	1,070	7,247	527	75	52	11.9	80.8	5.9	0.8	0.6						
GUM	2,239	204	1,613	333	65	24	9.1	72.0	14.9	2.9	1.1						
NHS Hosp.	20,399	1,675	14,342	3,291	561	530	8.2	70.3	16.1	2.8	2.6						
Private	2,064	114	1,687	229	22	12	5.5	81.7	11.1	1.1	0.6						
Other	341	29	287	19	4	2	8.5	84.2	5.6	1.2	0.6						
<b>London</b>																	
All Sources	656,357	64,792	537,870	45,044	5,012	3,639	9.9	81.9	6.9	0.8	0.6						
GP	540,413	54,571	449,270	31,454	2,953	2,165	10.1	83.1	5.8	0.5	0.4						
NHSCC	51,989	5,301	42,223	3,785	421	259	10.2	81.2	7.3	0.8	0.5						
GUM	6,962	771	4,840	1,129	133	89	11.1	69.5	16.2	1.9	1.3						
NHS Hosp.	50,627	3,826	36,106	8,179	1,445	1,071	7.6	71.3	16.2	2.9	2.1						
Private	6,033	287	5,205	445	52	44	4.8	86.3	7.4	0.9	0.7						
Other	333	36	226	52	8	11	10.8	67.9	15.6	2.4	3.3						
<b>South East</b>																	
All Sources	652,297	52,756	559,130	32,720	4,137	3,554	8.1	85.7	5.0	0.6	0.5						
GP	595,969	48,462	514,601	26,921	3,257	2,728	8.1	86.3	4.5	0.5	0.5						
NHSCC	20,265	1,766	17,096	1,129	153	121	8.7	84.4	5.6	0.8	0.6						
GUM	4,435	400	3,237	667	81	50	9.0	73.0	15.0	1.8	1.1						
NHS Hosp.	27,384	1,910	20,597	3,647	620	610	7.0	75.2	13.3	2.3	2.2						
Private	3,763	182	3,191	333	19	38	4.8	84.8	8.8	0.5	1.0						
Other	481	36	408	23	7	7	7.5	84.8	4.8	1.5	1.5						
<b>South West</b>																	
All Sources	350,097	27,030	299,973	18,383	2,430	2,281	7.7	85.7	5.3	0.7	0.7						
GP	324,586	24,930	280,387	15,554	1,930	1,785	7.7	86.4	4.8	0.6	0.5						
NHSCC	6,692	683	5,482	429	54	44	10.2	81.9	6.4	0.8	0.7						
GUM	861	66	642	127	19	7	7.7	74.6	14.8	2.2	0.8						
NHS Hosp.	16,375	1,223	12,164	2,143	415	430	7.5	74.3	13.1	2.5	2.6						
Private	722	40	612	51	5	4	5.5	84.8	7.1	0.7	0.6						
Other	861	88	686	69	7	11	10.2	79.7	8.0	0.8	1.3						

Table 18

Outcome of referrals for smears registered at the laboratory between April 2003 - March 2004, by Government Office Region

**Women referred after persistent non-negative smear (i.e. category 1/8/3 result)**

Based on 140 laboratories	Women referred after persistent non-negative smear (i.e. category 1/8/3 result)											
	Total	Total with known result	Cervical Cancer	CIN3 & Adenocarcinoma in situ	CIN2	CIN1	HPV only	No CIN/ No HPV	Non-Cervical Cancer	Seen in Colposcopy result n/k	Inadequate biopsy	Colposcopy NAD
<b>Numbers</b>												
<b>England</b>	<b>61,228</b>	<b>55,561</b>	<b>74</b>	<b>3,609</b>	<b>5,982</b>	<b>13,934</b>	<b>6,158</b>	<b>8,839</b>	<b>47</b>	<b>373</b>	<b>934</b>	<b>15,611</b>
North East	3,651	3,460	4	265	422	1,020	288	710	1	1	51	698
North West	10,810	9,821	13	554	1,037	2,698	1,245	1,775	2	86	186	2,225
Yorkshire & Humber	4,904	4,573	9	439	535	902	615	886	3	9	31	1,144
East Midlands	3,605	3,405	2	263	377	697	253	428	0	9	32	1,344
West Midlands	7,911	6,879	6	359	546	1,152	674	818	13	11	129	3,171
East	6,017	5,630	6	350	656	1,473	663	1,003	5	47	89	1,338
London	11,199	9,612	10	506	1,026	2,739	1,053	1,208	9	122	175	2,764
South East	8,357	7,701	13	576	887	2,167	927	1,270	10	66	133	1,652
South West	4,774	4,480	11	297	496	1,086	440	741	4	22	108	1,275
<b>Percentage of cases with known result</b>												
<b>England</b>		<b>100</b>	<b>0.1</b>	<b>6.5</b>	<b>10.8</b>	<b>25.1</b>	<b>11.1</b>	<b>15.9</b>	<b>0.1</b>	<b>0.7</b>	<b>1.7</b>	<b>28.1</b>
North East		100	0.1	7.7	12.2	29.5	8.3	20.5	0.0	0.0	1.5	20.2
North West		100	0.1	5.6	10.6	27.5	12.7	18.1	0.0	0.9	1.9	22.7
Yorkshire & Humber		100	0.2	9.6	11.7	19.7	13.4	19.4	0.1	0.2	0.7	25.0
East Midlands		100	0.1	7.7	11.1	20.5	7.4	12.6	0.0	0.3	0.9	39.5
West Midlands		100	0.1	5.2	7.9	16.7	9.8	11.9	0.2	0.2	1.9	46.1
East		100	0.1	6.2	11.7	26.2	11.8	17.8	0.1	0.8	1.6	23.8
London		100	0.1	5.3	10.7	28.5	11.0	12.6	0.1	1.3	1.8	28.8
South East		100	0.2	7.5	11.5	28.1	12.0	16.5	0.1	0.9	1.7	21.5
South West		100	0.2	6.6	11.1	24.2	9.8	16.5	0.1	0.5	2.4	28.5

**Women referred after single occurrence of potentially significant abnormality (i.e. category 7/4/5/6 result)**

Based on 140 laboratories	Women referred after single occurrence of potentially significant abnormality (i.e. category 7/4/5/6 result)											
	Total	Total with known result	Cervical Cancer	CIN3 & Adenocarcinoma in situ	CIN2	CIN1	HPV only	No CIN/ No HPV	Non-Cervical Cancer	Seen in Colposcopy result n/k	Inadequate biopsy	Colposcopy NAD
<b>Numbers</b>												
<b>England</b>	<b>42,738</b>	<b>40,396</b>	<b>826</b>	<b>19,709</b>	<b>10,030</b>	<b>4,442</b>	<b>1,289</b>	<b>2,207</b>	<b>240</b>	<b>195</b>	<b>308</b>	<b>1,150</b>
North East	2,423	2,359	55	1,230	659	201	54	111	7	0	10	32
North West	6,151	5,832	98	2,740	1,514	729	237	320	27	34	25	108
Yorkshire & Humber	4,025	3,851	107	2,045	870	318	123	260	15	7	8	98
East Midlands	3,457	3,262	79	1,726	745	303	87	149	12	18	20	123
West Midlands	4,861	4,621	88	2,363	1,061	387	188	234	32	14	52	202
East	4,831	4,623	77	2,119	1,137	577	105	369	48	16	36	139
London	6,877	6,142	108	2,665	1,508	918	249	289	42	53	67	243
South East	6,502	6,211	134	3,071	1,638	677	156	285	35	48	51	116
South West	3,611	3,495	80	1,750	898	332	90	190	22	5	39	89
<b>Percentage of cases with known result</b>												
<b>England</b>		<b>100</b>	<b>2.0</b>	<b>48.8</b>	<b>24.8</b>	<b>11.0</b>	<b>3.2</b>	<b>5.5</b>	<b>0.6</b>	<b>0.5</b>	<b>0.8</b>	<b>2.8</b>
North East		100	2.3	52.1	27.9	8.5	2.3	4.7	0.3	0.0	0.4	1.4
North West		100	1.7	47.0	26.0	12.5	4.1	5.5	0.5	0.6	0.4	1.9
Yorkshire & Humber		100	2.8	53.1	22.6	8.3	3.2	6.8	0.4	0.2	0.2	2.5
East Midlands		100	2.4	52.9	22.8	9.3	2.7	4.6	0.4	0.6	0.6	3.8
West Midlands		100	1.9	51.1	23.0	8.4	4.1	5.1	0.7	0.3	1.1	4.4
East		100	1.7	45.8	24.6	12.5	2.3	8.0	1.0	0.3	0.8	3.0
London		100	1.8	43.4	24.6	14.9	4.1	4.7	0.7	0.9	1.1	4.0
South East		100	2.2	49.4	26.4	10.9	2.5	4.6	0.6	0.8	0.8	1.9
South West		100	2.3	50.1	25.7	9.5	2.6	5.4	0.6	0.1	1.1	2.5

Source : Form KC61 Part C2

Table 18a

Outcome of referrals for smears registered at the laboratory between April - June 2004, by Government Office Region

**Women referred after persistent non-negative smear (i.e. category 1/8/3 result)**

	Total	Total with known result	Cervical Cancer	CIN3 & Adenocarcinoma in situ	CIN2	CIN1	HPV only	No CIN/ No HPV	Non-Cervical Cancer	Seen in Colposcopy result n/k	Inadequate biopsy	Colposcopy NAD
<b>Numbers</b>												
<b>England</b>	<b>15,305</b>	<b>13,702</b>	<b>14</b>	<b>850</b>	<b>1,400</b>	<b>3,316</b>	<b>1,559</b>	<b>2,047</b>	<b>10</b>	<b>167</b>	<b>225</b>	<b>4,114</b>
North East	889	822	0	56	97	267	72	183	1	0	12	134
North West	2,573	2,278	2	141	227	554	344	380	1	13	38	578
Yorkshire & Humber	1,287	1,183	0	97	141	234	149	234	1	8	6	313
East Midlands	917	844	1	77	89	183	74	85	0	10	17	308
West Midlands	1,893	1,634	2	71	119	281	144	186	3	3	22	803
East	1,469	1,340	0	85	134	392	164	199	0	11	21	334
London	3,118	2,676	4	117	261	650	279	331	3	90	49	892
South East	1,974	1,823	3	141	200	506	219	303	0	25	37	389
South West	1,185	1,102	2	65	132	249	114	146	1	7	23	363
<b>Percentage of cases with known result</b>												
<b>England</b>		<b>100</b>	<b>0.1</b>	<b>6.2</b>	<b>10.2</b>	<b>24.2</b>	<b>11.4</b>	<b>14.9</b>	<b>0.1</b>	<b>1.2</b>	<b>1.6</b>	<b>30.0</b>
North East		100	0.0	6.8	11.8	32.5	8.8	22.3	0.1	0.0	1.5	16.3
North West		100	0.1	6.2	10.0	24.3	15.1	16.7	0.0	0.6	1.7	25.4
Yorkshire & Humber		100	0.0	8.2	11.9	19.8	12.6	19.8	0.1	0.7	0.5	26.5
East Midlands		100	0.1	9.1	10.5	21.7	8.8	10.1	0.0	1.2	2.0	36.5
West Midlands		100	0.1	4.3	7.3	17.2	8.8	11.4	0.2	0.2	1.3	49.1
East		100	0.0	6.3	10.0	29.3	12.2	14.9	0.0	0.8	1.6	24.9
London		100	0.1	4.4	9.8	24.3	10.4	12.4	0.1	3.4	1.8	33.3
South East		100	0.2	7.7	11.0	27.8	12.0	16.6	0.0	1.4	2.0	21.3
South West		100	0.2	5.9	12.0	22.6	10.3	13.2	0.1	0.6	2.1	32.9

**Women referred after single occurrence of potentially significant abnormality (i.e. category 7/4/5/6 result)**

	Total	Total with known result	Cervical Cancer	CIN3 & Adenocarcinoma in situ	CIN2	CIN1	HPV only	No CIN/ No HPV	Non-Cervical Cancer	Seen in Colposcopy result n/k	Inadequate biopsy	Colposcopy NAD
<b>Numbers</b>												
<b>England</b>	<b>10,993</b>	<b>10,309</b>	<b>208</b>	<b>5,039</b>	<b>2,473</b>	<b>1,110</b>	<b>338</b>	<b>546</b>	<b>54</b>	<b>84</b>	<b>120</b>	<b>337</b>
North East	634	610	10	317	172	63	9	23	2	0	5	9
North West	1,450	1,363	35	688	318	128	63	74	6	5	13	33
Yorkshire & Humber	1,087	1,032	24	580	214	80	30	66	2	5	10	21
East Midlands	939	882	25	518	173	68	21	33	2	8	8	26
West Midlands	1,165	1,094	25	563	244	91	30	57	6	1	14	63
East	1,131	1,066	15	520	242	136	37	63	3	10	19	21
London	1,846	1,643	27	661	421	238	61	82	11	40	19	83
South East	1,789	1,708	25	764	457	220	55	89	17	11	20	50
South West	952	911	22	428	232	86	32	59	5	4	12	31
<b>Percentage of cases with known result</b>												
<b>England</b>		<b>100</b>	<b>2.0</b>	<b>48.9</b>	<b>24.0</b>	<b>10.8</b>	<b>3.3</b>	<b>5.3</b>	<b>0.5</b>	<b>0.8</b>	<b>1.2</b>	<b>3.3</b>
North East		100	1.6	52.0	28.2	10.3	1.5	3.8	0.3	0.0	0.8	1.5
North West		100	2.6	50.5	23.3	9.4	4.6	5.4	0.4	0.4	1.0	2.4
Yorkshire & Humber		100	2.3	56.2	20.7	7.8	2.9	6.4	0.2	0.5	1.0	2.0
East Midlands		100	2.8	58.7	19.6	7.7	2.4	3.7	0.2	0.9	0.9	2.9
West Midlands		100	2.3	51.5	22.3	8.3	2.7	5.2	0.5	0.1	1.3	5.8
East		100	1.4	48.8	22.7	12.8	3.5	5.9	0.3	0.9	1.8	2.0
London		100	1.6	40.2	25.6	14.5	3.7	5.0	0.7	2.4	1.2	5.1
South East		100	1.5	44.7	26.8	12.9	3.2	5.2	1.0	0.6	1.2	2.9
South West		100	2.4	47.0	25.5	9.4	3.5	6.5	0.5	0.4	1.3	3.4

Source : Form KC61 Part C1

Table 19 GP and NHS Community Clinics smears from women aged 25-64 examined by pathology laboratories, by laboratory and result, 2004-0

	Samples from GP and NHS Community Clinics - women aged 25 - 64										
	Total samples examined		Result (as a percentage of total adequate)							PPV %	
	All sources all ages	GP & NHS CC (25 - 64)	Inadequate % (cat.1)	Total adequate smears	Negative % (cat.2)	Borderline % (cat.8)	Mild % (cat.3)	Moderate % (cat.7)	Severe % (cat.4,5 & 6)	Apr-04 to Jun-04	Apr-03 to Mar-04
<b>England - 140 laboratories</b>	<b>4,022,269</b>	<b>3,347,877</b>	<b>9.0</b>	<b>3,048,225</b>	<b>94.1</b>	<b>3.3</b>	<b>1.6</b>	<b>0.5</b>	<b>0.5</b>	-	-
<b>North East - 8 laboratories</b>	<b>213,401</b>	<b>175,742</b>	<b>6.1</b>	<b>164,970</b>	<b>93.2</b>	<b>4.2</b>	<b>1.4</b>	<b>0.6</b>	<b>0.6</b>	-	-
<b>County Durham &amp; Tees Valley</b>	<b>93,398</b>	<b>77,520</b>	<b>8.4</b>	<b>70,971</b>	<b>95.2</b>	<b>2.9</b>	<b>1.0</b>	<b>0.3</b>	<b>0.6</b>	-	-
Darlington Memorial Hospital	23,953	19,959	9.4	18,088	95.1	2.6	1.2	0.4	0.7	84.1	76.0
James Cook University Hospital	22,626	19,191	6.8	17,884	96.0	2.1	1.2	0.4	0.4	95.1	87.6
University Hospital of North Durham	23,611	19,233	8.4	17,627	93.7	4.7	0.8	0.2	0.5	74.1	78.0
University Hospital of North Tees	23,208	19,137	9.2	17,372	96.0	2.2	0.7	0.4	0.7	92.3	90.0
<b>Northumberland, Tyne &amp; Wear</b>	<b>120,003</b>	<b>98,222</b>	<b>4.3</b>	<b>93,999</b>	<b>91.7</b>	<b>5.3</b>	<b>1.7</b>	<b>0.7</b>	<b>0.6</b>	-	-
(1) North Tyneside General Hospital	6,908	5,640	9.5	5,104	93.2	4.8	1.0	0.5	0.6	94.4	86.5
Queen Elizabeth Hospital	29,435	24,766	10.2	22,234	94.5	3.3	1.0	0.5	0.7	83.8	83.5
Royal Victoria Infirmary	63,094	50,686	0.4	50,485	90.0	6.4	2.1	0.8	0.6	75.9	82.7
Sunderland Royal Hosp.	20,566	17,130	5.6	16,176	92.6	4.5	1.5	0.8	0.6	84.1	85.2
<b>North West - 22 laboratories</b>	<b>564,299</b>	<b>457,391</b>	<b>11.0</b>	<b>407,190</b>	<b>94.0</b>	<b>3.3</b>	<b>1.8</b>	<b>0.5</b>	<b>0.5</b>	-	-
<b>Cheshire &amp; Merseyside</b>	<b>194,461</b>	<b>157,555</b>	<b>13.6</b>	<b>136,062</b>	<b>94.3</b>	<b>2.9</b>	<b>1.8</b>	<b>0.5</b>	<b>0.6</b>	-	-
Arrowe Park Hospital	28,482	23,635	12.9	20,591	94.2	3.3	1.6	0.4	0.5	84.2	76.7
Countess of Chester Hospital	23,962	20,296	12.4	17,777	93.8	3.1	2.1	0.6	0.4	74.5	69.5
Leighton Hospital	24,025	19,748	10.3	17,720	96.1	2.3	0.7	0.3	0.7	82.9	79.7
Macclesfield District Hospital	17,762	15,403	14.9	13,108	93.1	3.6	2.5	0.5	0.3	76.7	70.7
Royal Liverpool Hospital	29,443	20,478	15.0	17,409	93.4	2.6	2.6	0.7	0.8	84.0	85.3
University Hospital Aintree	21,745	18,729	12.2	16,437	94.3	2.9	1.9	0.5	0.4	85.7	79.9
Warrington Hospital	26,215	21,371	14.3	18,322	95.3	2.3	1.2	0.5	0.7	85.5	79.5
Whiston Hospital	22,827	17,895	17.9	14,698	94.3	3.0	1.7	0.4	0.6	76.6	77.1
<b>Cumbria and Lancashire</b>	<b>153,040</b>	<b>126,664</b>	<b>9.7</b>	<b>114,398</b>	<b>94.1</b>	<b>3.2</b>	<b>1.7</b>	<b>0.5</b>	<b>0.5</b>	-	-
Blackburn Royal Infirmary	20,419	17,318	7.9	15,946	94.4	3.3	1.6	0.4	0.3	74.2	71.0
Burnley General Hospital	18,747	15,447	9.6	13,967	93.7	4.0	1.8	0.3	0.2	83.3	72.7
Chorley & District Hospital	25,926	20,609	13.1	17,906	95.2	2.1	1.9	0.3	0.5	69.2	74.6
Cumberland Infirmary (Carlisle)	25,798	22,378	5.7	21,096	93.2	3.9	1.7	0.5	0.7	82.1	85.4
Royal Lancaster Infirmary	22,079	18,141	11.5	16,063	92.5	4.2	1.9	0.8	0.6	63.8	67.9
Southport General Infirmary	17,720	14,568	10.2	13,078	95.2	2.1	1.6	0.6	0.5	75.0	65.9
Victoria Hospital (Blackpool)	22,351	18,203	10.2	16,342	94.7	2.7	1.5	0.5	0.6	92.1	77.6
<b>Greater Manchester</b>	<b>216,798</b>	<b>173,172</b>	<b>9.5</b>	<b>156,730</b>	<b>93.7</b>	<b>3.7</b>	<b>1.8</b>	<b>0.4</b>	<b>0.4</b>	-	-
Birch Hill Hospital (Rochdale)	15,944	12,855	9.0	11,695	92.8	3.8	2.4	0.6	0.4	67.7	70.1
Bury General Hospital	16,242	12,933	10.0	11,634	93.1	4.9	1.2	0.2	0.6	76.2	72.2
Manchester Cytology Centre	101,699	80,327	8.9	73,213	94.0	3.6	1.6	0.4	0.4	84.9	77.7
Royal Bolton Hospital	20,628	17,063	8.1	15,675	94.7	3.2	1.1	0.5	0.4	64.0	74.2
Royal Oldham Hospital	15,916	11,842	14.9	10,083	94.2	4.1	1.0	0.3	0.4	69.0	65.8
Stepping Hill Hospital (Stockport)	29,830	24,627	10.8	21,968	92.4	3.4	3.3	0.6	0.5	62.2	70.4
Tameside General Hospital	16,539	13,525	7.9	12,462	93.2	4.0	1.9	0.5	0.3	64.5	85.9
<b>Yorkshire &amp; Humber - 11 laboratories</b>	<b>439,098</b>	<b>364,968</b>	<b>7.6</b>	<b>337,273</b>	<b>95.5</b>	<b>2.4</b>	<b>1.1</b>	<b>0.5</b>	<b>0.5</b>	-	-
(2) <b>North &amp; East Yorkshire and North Lincolnshire</b>	<b>176,392</b>	<b>151,511</b>	<b>7.0</b>	<b>140,920</b>	<b>95.7</b>	<b>2.3</b>	<b>1.1</b>	<b>0.5</b>	<b>0.5</b>	-	-
Hull Royal Infirmary	41,106	33,997	5.7	32,073	95.9	2.4	0.5	0.5	0.6	85.1	84.1
(2) Pathlinks	71,171	62,387	7.5	57,725	95.0	2.6	1.5	0.5	0.4	78.7	71.9
(3) York Hospital	64,115	55,127	7.3	51,122	96.4	1.8	0.9	0.4	0.5	90.8	84.6
<b>South Yorkshire</b>	<b>112,781</b>	<b>89,693</b>	<b>9.0</b>	<b>81,608</b>	<b>95.1</b>	<b>2.5</b>	<b>1.5</b>	<b>0.4</b>	<b>0.5</b>	-	-
Barnsley District General Hospital	15,991	12,656	7.4	11,720	94.5	2.4	2.1	0.6	0.4	78.0	79.1
Doncaster Royal Infirmary	36,864	29,014	11.5	25,664	95.0	2.6	1.7	0.4	0.2	74.0	79.2
Rotherham District General Hospital	17,756	14,542	10.3	13,047	95.2	2.1	1.4	0.5	0.8	70.7	78.4
Royal Hallamshire Hospital	42,170	33,481	6.9	31,177	95.3	2.7	1.0	0.3	0.7	80.4	81.2
<b>West Yorkshire</b>	<b>149,925</b>	<b>123,764</b>	<b>7.3</b>	<b>114,745</b>	<b>95.5</b>	<b>2.6</b>	<b>0.9</b>	<b>0.5</b>	<b>0.5</b>	-	-
(4) Calderdale Royal	30,720	25,913	6.0	24,347	93.9	3.2	1.7	0.7	0.5	82.0	82.2
Dewsbury District Hospital	11,581	9,829	5.8	9,263	96.8	1.7	0.7	0.4	0.4	71.4	81.1
Leeds Teaching Hospitals	79,610	64,070	7.4	59,347	96.2	2.2	0.6	0.4	0.6	80.2	-
Pontefract General Infirmary	28,014	23,952	9.0	21,788	94.8	3.4	0.9	0.5	0.5	74.5	71.4

continued

Table 19 GP and NHS Community Clinics smears from women aged 25-64 examined by pathology laboratories, by laboratory and result, 2004-0

	Samples from GP and NHS Community Clinics - women aged 25 - 64										
	Total samples examined		Result (as a percentage of total adequate)							PPV %	
	All sources all ages	GP & NHS CC (25 - 64)	Inadequate % (cat.1)	Total adequate smears	Negative % (cat.2)	Borderline % (cat.8)	Mild % (cat.3)	Moderate % (cat.7)	Severe % (cat.4,5 & 6)	Apr-04 to Jun-04	Apr-03 to Mar-04
<b>England - 140 laboratories</b>	<b>4,022,269</b>	<b>3,347,877</b>	<b>9.0</b>	<b>3,048,225</b>	<b>94.1</b>	<b>3.3</b>	<b>1.6</b>	<b>0.5</b>	<b>0.5</b>	-	-
<b>East Midlands - 7 laboratories</b>	<b>319,632</b>	<b>264,843</b>	<b>9.6</b>	<b>239,367</b>	<b>94.7</b>	<b>3.0</b>	<b>1.3</b>	<b>0.5</b>	<b>0.6</b>	-	-
<b>Leicester Northampton &amp; Rutland</b>	<b>132,436</b>	<b>110,819</b>	<b>8.9</b>	<b>100,938</b>	<b>95.2</b>	<b>2.5</b>	<b>1.2</b>	<b>0.5</b>	<b>0.5</b>	-	-
Kettering General Hospital	26,424	22,737	11.2	20,184	93.8	4.1	1.1	0.4	0.7	75.4	73.5
Leicester Royal Infirmary	76,330	63,548	9.3	57,643	95.5	2.5	0.9	0.6	0.5	88.8	84.5
Northampton General Hospital	29,682	24,534	5.8	23,111	95.7	1.1	2.2	0.5	0.5	80.6	77.3
<b>Trent</b>	<b>187,196</b>	<b>154,024</b>	<b>10.1</b>	<b>138,429</b>	<b>94.3</b>	<b>3.3</b>	<b>1.3</b>	<b>0.5</b>	<b>0.6</b>	-	-
Chesterfield Royal Hospital	27,603	23,475	13.2	20,368	92.8	4.7	1.2	0.5	0.8	80.5	84.8
Derbyshire Royal Infirmary	69,661	59,396	9.0	54,050	95.0	2.5	1.5	0.5	0.4	79.8	74.3
Kings Mill Hospital	24,385	20,290	9.1	18,436	95.4	2.3	1.4	0.4	0.5	84.7	84.8
Nottingham City Hospital	65,547	50,863	10.4	45,575	93.5	4.1	1.1	0.5	0.8	85.1	79.3
<b>West Midlands - 17 laboratories</b>	<b>422,468</b>	<b>350,640</b>	<b>10.6</b>	<b>313,549</b>	<b>93.5</b>	<b>3.9</b>	<b>1.6</b>	<b>0.5</b>	<b>0.5</b>	-	-
<b>Birmingham &amp; the Black Country</b>	<b>192,416</b>	<b>160,815</b>	<b>10.8</b>	<b>143,410</b>	<b>93.7</b>	<b>3.6</b>	<b>1.7</b>	<b>0.5</b>	<b>0.5</b>	-	-
Birmingham Heartlands Hospital	33,672	28,824	11.7	25,446	94.1	3.1	1.8	0.6	0.4	75.3	76.0
Birmingham Women's Health Care	20,959	16,793	14.5	14,351	94.2	3.3	1.5	0.4	0.7	76.3	73.4
City Hospital Birmingham	18,409	15,102	12.4	13,236	91.5	5.7	1.9	0.3	0.6	82.8	80.1
Good Hope Hospital	24,124	20,287	11.5	17,949	92.6	3.8	2.8	0.5	0.4	83.6	79.9
New Cross Hospital (Wolverhampton)	26,315	22,457	5.8	21,155	95.2	2.9	1.0	0.5	0.4	93.8	80.7
Russells Hall Hospital (Dudley)	29,155	24,267	11.9	21,387	94.2	3.9	1.0	0.5	0.4	82.3	78.5
Sandwell Hospital	19,371	16,390	7.2	15,206	94.0	3.6	1.4	0.5	0.5	80.0	77.7
Walsall Manor Hospital	20,411	16,695	12.1	14,680	92.9	3.7	2.5	0.6	0.3	79.7	85.5
<b>Shropshire &amp; Staffordshire</b>	<b>102,643</b>	<b>88,096</b>	<b>10.8</b>	<b>78,620</b>	<b>93.0</b>	<b>4.2</b>	<b>1.7</b>	<b>0.6</b>	<b>0.5</b>	-	-
University Hospital of North Staffordshire	39,043	34,114	11.0	30,347	93.7	3.4	1.8	0.6	0.5	73.9	72.8
Princess Royal Hospital (Telford)	41,848	35,788	11.2	31,791	92.7	4.7	1.6	0.6	0.4	67.2	69.7
Staffordshire General Hospital	21,752	18,194	9.4	16,482	92.2	4.7	2.0	0.7	0.4	67.9	78.5
<b>West Midlands South</b>	<b>127,409</b>	<b>101,729</b>	<b>10.0</b>	<b>91,519</b>	<b>93.5</b>	<b>4.0</b>	<b>1.5</b>	<b>0.4</b>	<b>0.6</b>	-	-
Alexandra Hospital (Redditch)	20,966	17,558	9.7	15,861	93.2	4.2	1.6	0.5	0.5	77.8	78.8
County Hospital Hereford	15,929	14,106	13.1	12,263	95.3	2.5	1.5	0.3	0.5	81.8	73.3
George Eliot Hospital (Nuneaton)	21,940	12,438	10.0	11,200	94.6	2.8	1.6	0.6	0.5	87.1	84.2
Walsgrave Hospital	30,888	25,339	11.8	22,340	91.1	6.2	1.4	0.2	1.0	86.5	79.3
Warwick Hospital	20,853	18,371	9.1	16,705	93.8	4.0	1.3	0.5	0.5	78.0	86.3
Worcestershire Royal Hospital	16,833	13,917	5.5	13,150	95.0	2.2	1.6	0.6	0.6	71.2	79.5
<b>East - 17 laboratories</b>	<b>404,620</b>	<b>344,835</b>	<b>8.4</b>	<b>315,938</b>	<b>94.0</b>	<b>3.1</b>	<b>1.9</b>	<b>0.5</b>	<b>0.5</b>	-	-
<b>Bedfordshire &amp; Hertfordshire</b>	<b>119,760</b>	<b>102,665</b>	<b>8.9</b>	<b>93,487</b>	<b>94.2</b>	<b>2.5</b>	<b>2.1</b>	<b>0.6</b>	<b>0.5</b>	-	-
Bedford General Hospital	16,267	14,267	6.4	13,349	89.7	3.2	5.5	0.7	0.9	83.3	78.1
Luton and Dunstable Hospital	18,250	15,414	6.1	14,472	95.7	1.7	1.5	0.7	0.4	66.0	76.0
Queen Elizabeth II Hospital	30,918	27,176	10.0	24,450	95.1	2.2	1.7	0.4	0.6	78.3	73.7
Watford General Hospital	54,325	45,808	10.0	41,216	94.6	2.8	1.4	0.7	0.4	64.0	61.6
<b>Essex</b>	<b>110,374</b>	<b>92,353</b>	<b>9.5</b>	<b>83,620</b>	<b>93.3</b>	<b>3.4</b>	<b>2.1</b>	<b>0.6</b>	<b>0.5</b>	-	-
Basilidon Hospital	22,546	18,817	10.0	16,944	94.4	3.0	1.6	0.5	0.4	87.8	79.8
Broomfield Hospital	24,282	19,916	9.9	17,950	90.1	5.3	3.6	0.7	0.4	66.0	71.2
Colchester Hospital (Severalls)	25,137	20,623	4.8	19,638	93.2	3.0	2.4	0.6	0.8	75.0	71.9
Southend Hospital	20,488	17,784	11.9	15,672	94.2	3.8	1.1	0.4	0.5	73.9	84.7
St Margaret's Hospital	17,921	15,213	11.8	13,416	95.4	1.8	1.6	0.6	0.7	91.8	82.3
<b>Norfolk, Suffolk &amp; Cambs</b>	<b>174,486</b>	<b>149,817</b>	<b>7.3</b>	<b>138,831</b>	<b>94.2</b>	<b>3.3</b>	<b>1.5</b>	<b>0.5</b>	<b>0.5</b>	-	-
Hinchingbrooke Hospital	12,237	10,459	7.3	9,695	96.4	1.6	0.9	0.6	0.5	69.0	60.2
Ipswich Hospital	28,844	24,918	6.3	23,346	94.2	4.0	1.0	0.4	0.3	67.7	64.1
James Paget Hospital	17,196	14,486	9.5	13,111	93.8	3.8	1.7	0.4	0.3	70.7	75.8
Norfolk & Norwich Hospital	31,667	27,488	1.5	27,066	93.0	3.3	2.5	0.4	0.8	85.0	83.3
Peterborough District Hospital	21,789	18,515	11.9	16,308	95.1	2.8	1.0	0.4	0.6	94.7	73.5
Queen Elizabeth Hospital	14,280	12,408	7.4	11,486	96.6	1.8	0.7	0.4	0.5	55.2	68.2
(5) West Anglia Laboratories	48,473	41,543	9.0	37,819	93.4	3.7	1.7	0.5	0.6	73.7	80.2

continued

Table 19 GP and NHS Community Clinics smears from women aged 25-64 examined by pathology laboratories, by laboratory and result, 2004-0

	Samples from GP and NHS Community Clinics - women aged 25 - 64										
	Total samples examined		Result (as a percentage of total adequate)							PPV %	
	All sources all ages	GP & NHS CC (25 - 64)	Inadequate % (cat.1)	Total adequate smears	Negative % (cat.2)	Borderline % (cat.8)	Mild % (cat.3)	Moderate % (cat.7)	Severe % (cat.4,5 & 6)	Apr-04 to Jun-04	Apr-03 to Mar-04
<b>England - 140 laboratories</b>	<b>4,022,269</b>	<b>3,347,877</b>	<b>9.0</b>	<b>3,048,225</b>	<b>94.1</b>	<b>3.3</b>	<b>1.6</b>	<b>0.5</b>	<b>0.5</b>	-	-
<b>London - 24 laboratories</b>	<b>656,357</b>	<b>526,182</b>	<b>9.9</b>	<b>474,001</b>	<b>93.0</b>	<b>3.8</b>	<b>2.2</b>	<b>0.6</b>	<b>0.5</b>	-	-
<b>North Central London</b>	<b>122,894</b>	<b>97,368</b>	<b>10.9</b>	<b>86,765</b>	<b>92.8</b>	<b>4.0</b>	<b>2.3</b>	<b>0.6</b>	<b>0.4</b>	-	-
Chase Farm Hospital	44,517	36,983	11.3	32,812	95.3	2.6	1.3	0.5	0.3	81.8	69.7
North Middlesex University Hospital	17,260	14,026	11.2	12,457	87.8	7.7	3.4	0.8	0.3	51.9	60.1
Royal Free Hospital	15,420	11,430	10.3	10,255	91.4	3.3	3.9	0.6	0.7	82.9	65.4
University College Hospital	17,618	11,209	9.2	10,183	91.8	2.9	3.7	0.8	0.7	75.0	76.0
Whittington Hospital	28,079	23,720	11.2	21,058	93.0	4.7	1.6	0.4	0.3	65.7	61.3
<b>North East London</b>	<b>126,096</b>	<b>98,156</b>	<b>10.7</b>	<b>87,675</b>	<b>94.0</b>	<b>3.3</b>	<b>1.6</b>	<b>0.6</b>	<b>0.6</b>	-	-
Barts and the London NHS Trust	61,022	45,003	12.8	39,253	95.0	2.7	1.2	0.6	0.5	70.4	73.1
Harold Wood Hospital	25,318	19,467	9.2	17,672	92.1	4.9	1.8	0.6	0.6	75.3	82.1
King George Hospital	17,289	14,238	11.4	12,615	93.2	3.3	2.2	0.8	0.6	67.4	76.2
Whipps Cross University Hospital	22,467	19,448	6.8	18,135	94.2	2.8	1.9	0.3	0.7	72.2	77.6
<b>North West London</b>	<b>133,457</b>	<b>105,402</b>	<b>9.4</b>	<b>95,484</b>	<b>92.9</b>	<b>4.3</b>	<b>1.9</b>	<b>0.5</b>	<b>0.4</b>	-	-
Ealing Hospital	22,047	19,723	13.0	17,150	91.3	6.4	1.3	0.5	0.5	64.7	-
Hammersmith Hospitals	32,665	23,210	12.4	20,342	93.3	4.9	0.9	0.5	0.3	72.7	73.8
Northwick Park Hospital	40,447	33,587	4.6	32,049	94.5	2.7	2.0	0.4	0.4	68.1	68.5
St Mary's Hospital	21,958	15,706	8.2	14,418	91.2	3.5	4.3	0.6	0.4	54.7	52.2
West Middlesex	16,340	13,176	12.5	11,525	92.0	5.6	1.6	0.5	0.2	71.7	63.4
<b>South East London</b>	<b>157,420</b>	<b>129,069</b>	<b>10.0</b>	<b>116,213</b>	<b>92.0</b>	<b>4.2</b>	<b>2.6</b>	<b>0.7</b>	<b>0.5</b>	-	-
Kings College Hospital	24,669	19,814	8.0	18,234	91.2	4.8	2.8	0.8	0.4	69.6	73.5
Princess Royal University Hospital	27,834	23,836	10.9	21,237	93.7	2.7	2.2	0.7	0.7	69.5	75.9
Queen Elizabeth Hospital (Greenwich)	19,909	16,055	10.9	14,298	92.7	5.0	1.8	0.4	0.2	63.0	65.5
Queen Mary's Hospital (Sidcup)	22,762	18,387	10.6	16,442	93.6	3.4	1.9	0.5	0.5	60.4	71.2
St Thomas's Hospital	38,591	30,893	9.2	28,037	91.5	4.1	3.1	0.8	0.5	80.5	63.1
University Hospital Lewisham	23,655	20,084	10.6	17,965	89.7	5.4	3.5	1.0	0.4	68.3	72.6
<b>South West London</b>	<b>116,490</b>	<b>96,187</b>	<b>8.7</b>	<b>87,864</b>	<b>93.7</b>	<b>3.0</b>	<b>2.4</b>	<b>0.5</b>	<b>0.5</b>	-	-
Kingston Hospital	39,147	33,028	11.5	29,223	95.0	2.7	1.4	0.5	0.3	75.3	76.4
Mayday University Hospital	21,800	18,280	4.9	17,378	93.7	2.6	2.4	0.6	0.7	75.4	83.0
St George's Hospital	27,132	21,130	8.2	19,388	89.9	4.0	4.9	0.4	0.7	64.5	68.9
St Helier Hospital	28,411	23,749	7.9	21,875	95.1	2.9	1.3	0.3	0.3	68.8	73.0

continued

Table 19 GP and NHS Community Clinics smears from women aged 25-64 examined by pathology laboratories, by laboratory and result, 2004-0

	Samples from GP and NHS Community Clinics - women aged 25 - 64										
	Total samples examined		Result (as a percentage of total adequate)							PPV %	
	All sources all ages	GP & NHS CC (25 - 64)	Inadequate % (cat.1)	Total adequate smears	Negative % (cat.2)	Borderline % (cat.8)	Mild % (cat.3)	Moderate % (cat.7)	Severe % (cat.4,5 & 6)	Apr-04 to Jun-04	Apr-03 to Mar-04
<b>England - 140 laboratories</b>	<b>4,022,269</b>	<b>3,347,877</b>	<b>9.0</b>	<b>3,048,225</b>	<b>94.1</b>	<b>3.3</b>	<b>1.6</b>	<b>0.5</b>	<b>0.5</b>	-	-
<b>South East - 23 laboratories</b>	<b>652,297</b>	<b>558,733</b>	<b>8.0</b>	<b>514,312</b>	<b>94.7</b>	<b>2.9</b>	<b>1.3</b>	<b>0.5</b>	<b>0.5</b>	-	-
<b>Hants &amp; IOW</b>	<b>116,514</b>	<b>98,067</b>	<b>10.9</b>	<b>87,396</b>	<b>93.0</b>	<b>4.4</b>	<b>1.5</b>	<b>0.6</b>	<b>0.5</b>	-	-
Queen Alexandra Hospital	37,099	30,859	11.5	27,303	92.5	5.0	1.3	0.6	0.6	63.8	73.5
Royal Hampshire County Hospital	35,551	30,260	10.1	27,190	93.8	3.9	1.4	0.5	0.3	68.2	79.4
Southampton General Hospital	32,480	27,229	12.3	23,879	92.1	4.9	1.8	0.8	0.5	77.6	84.7
St Mary's Hospital	11,384	9,719	7.2	9,024	94.4	3.1	1.5	0.5	0.5	80.8	80.3
<b>Kent &amp; Medway</b>	<b>133,826</b>	<b>115,845</b>	<b>6.4</b>	<b>108,412</b>	<b>95.3</b>	<b>2.5</b>	<b>1.4</b>	<b>0.5</b>	<b>0.3</b>	-	-
Darent Valley Hospital	20,186	17,748	4.3	16,993	96.6	1.9	1.1	0.2	0.2	82.6	81.2
Medway Maritime	29,960	25,801	7.8	23,797	96.5	0.8	1.6	0.7	0.4	73.2	72.8
Pembury Hospital	22,513	20,412	5.0	19,401	96.2	1.9	1.2	0.4	0.2	74.3	76.8
Preston Hall (Maidstone)	16,585	14,008	7.5	12,952	94.4	3.5	1.3	0.5	0.3	81.3	80.8
William Harvey Hospital	44,582	37,876	6.9	35,269	93.6	3.8	1.7	0.6	0.3	80.2	87.9
<b>Surrey &amp; Sussex</b>	<b>230,910</b>	<b>198,836</b>	<b>7.5</b>	<b>183,870</b>	<b>95.3</b>	<b>2.5</b>	<b>1.2</b>	<b>0.5</b>	<b>0.5</b>	-	-
Conquest Hospital	15,092	12,962	6.6	12,108	93.9	3.0	2.1	0.5	0.5	91.4	83.8
East Surrey Hospital	30,778	27,415	4.7	26,116	96.6	1.3	0.9	0.6	0.6	74.4	79.5
Eastbourne District General Hospital	18,126	15,447	8.7	14,104	95.0	2.9	1.1	0.4	0.6	70.5	84.8
Epsom General Hospital	14,421	12,290	9.9	11,072	95.6	2.1	1.4	0.4	0.6	91.7	86.7
Partnership Pathology Services (Guildford)	43,732	37,175	6.3	34,843	96.0	2.4	0.8	0.4	0.4	71.0	74.8
Royal Sussex County Hospital (Brighton)	36,446	32,498	7.7	30,003	95.1	2.2	1.6	0.6	0.6	83.2	83.3
St Peter's Hospital	39,316	33,348	9.3	30,230	94.3	3.2	1.6	0.5	0.4	74.7	71.3
St Richard's Hospital	15,137	12,656	7.9	11,653	94.7	3.6	0.9	0.5	0.3	92.9	82.6
Worthing Hospital	17,862	15,045	8.7	13,741	95.2	2.9	1.1	0.3	0.5	63.0	82.6
<b>Thames Valley</b>	<b>171,047</b>	<b>145,985</b>	<b>7.8</b>	<b>134,634</b>	<b>94.7</b>	<b>2.9</b>	<b>1.2</b>	<b>0.5</b>	<b>0.6</b>	-	-
John Radcliffe Hospital	46,193	39,072	6.5	36,551	94.7	3.0	1.1	0.6	0.6	68.5	74.3
Royal Berkshire Hospital	34,385	30,343	7.6	28,024	95.1	2.8	1.1	0.4	0.6	78.1	78.7
Stoke Mandeville Hospital	40,886	34,914	8.6	31,912	94.7	2.7	1.4	0.6	0.7	76.5	86.0
Wexham Park Hospital	26,047	21,599	7.4	20,008	94.0	3.7	1.5	0.4	0.4	72.0	79.6
Wycombe General Hospital	23,536	20,057	9.6	18,139	95.2	2.5	1.3	0.3	0.6	85.7	88.0
<b>South West - 12 laboratories</b>	<b>350,097</b>	<b>304,543</b>	<b>7.5</b>	<b>281,625</b>	<b>94.2</b>	<b>3.1</b>	<b>1.5</b>	<b>0.6</b>	<b>0.6</b>	-	-
<b>Avon Gloucestershire &amp; Wiltshire</b>	<b>148,185</b>	<b>129,443</b>	<b>6.2</b>	<b>121,381</b>	<b>94.3</b>	<b>3.1</b>	<b>1.4</b>	<b>0.6</b>	<b>0.6</b>	-	-
Gloucestershire Royal Hospital	41,075	34,850	9.6	31,489	94.6	3.0	1.3	0.5	0.6	86.3	86.7
Great Western Hospital (Swindon)	18,016	15,675	8.8	14,299	94.9	3.0	1.1	0.6	0.4	82.4	71.9
Royal United Hospital	29,476	26,667	8.3	24,443	93.7	3.3	1.8	0.6	0.6	75.8	78.4
Salisbury District Hospital	13,279	11,562	6.5	10,807	95.4	2.0	1.9	0.3	0.5	72.2	69.7
Southmead Hospital	46,339	40,689	0.9	40,343	94.0	3.3	1.2	0.8	0.7	69.2	82.0
<b>Somerset &amp; Dorset</b>	<b>90,281</b>	<b>78,202</b>	<b>7.7</b>	<b>72,201</b>	<b>95.5</b>	<b>2.3</b>	<b>1.2</b>	<b>0.4</b>	<b>0.4</b>	-	-
Musgrove Park Hospital	34,730	29,790	9.3	27,008	95.5	2.1	1.4	0.4	0.5	77.8	79.9
Royal Bournemouth General Hospital	39,732	34,490	6.4	32,266	95.8	2.4	1.0	0.4	0.3	78.2	73.9
West Dorset General Hospital	15,819	13,922	7.1	12,927	94.8	2.7	1.6	0.4	0.4	-	-
<b>South West Peninsula</b>	<b>111,631</b>	<b>96,898</b>	<b>9.1</b>	<b>88,043</b>	<b>92.9</b>	<b>3.9</b>	<b>1.9</b>	<b>0.6</b>	<b>0.6</b>	-	-
Derriford Hospital	28,815	24,863	10.3	22,308	93.5	3.9	1.5	0.6	0.5	83.9	77.6
Royal Cornwall Hospital (Treliske)	29,136	25,390	6.1	23,836	92.8	4.2	1.8	0.6	0.6	70.0	77.4
Royal Devon & Exeter Hospital	31,229	26,749	9.6	24,188	92.6	3.7	2.5	0.6	0.6	69.0	80.2
Torbay Hospital	22,451	19,896	11.0	17,711	92.7	3.9	1.9	0.7	0.8	82.7	83.7

(1) Work moved to Royal Victoria Infirmary in September 2004

(2) Includes data from Scarborough Hospital for 2004-05

(3) Includes data from Diana, Princess of Wales, Scunthorpe, Pilgrim and Lincoln Hospitals.

The data for Pathlinks have been included in the data for North & East Yorkshire and North Lincolnshire SHA, although two of the laboratories reside within Trent SHA

(4) Includes data from Huddersfield Hospital for 2004-05 - (Huddersfield ceased screening in September 2004)

(5) Was Addenbrookes Hospital

Source : Form KC61

Table 20 Women referred to colposcopy: referral indication of first offered appointment, by region 2004-05

England (222 returns)		Percentage								
Referral indication	England	Government Office Region								
		North East	North West	Yorkshire & Humber	East Midlands	West Midlands	East	London	South East	South West
<b>Total number of referrals = 100%</b>	<b>124,238</b>	<b>7,724</b>	<b>19,398</b>	<b>10,348</b>	<b>9,195</b>	<b>14,653</b>	<b>12,307</b>	<b>24,254</b>	<b>17,344</b>	<b>9,015</b>
Screening smear - Total	<b>78</b>	84	75	76	76	82	83	74	79	84
Inadequate	<b>9</b>	6	12	7	13	12	9	9	7	8
Borderline changes	<b>16</b>	25	16	15	12	17	15	15	17	15
Mild dyskaryosis	<b>23</b>	20	23	21	18	23	26	26	22	24
Moderate dyskaryosis	<b>16</b>	18	13	16	17	15	16	15	18	20
Severe dyskaryosis	<b>12</b>	14	10	15	14	12	15	9	14	16
Severe/?invasive carcinoma	<b>0</b>	1	0	0	0	0	1	0	0	0
?Glandular Neoplasia	<b>1</b>	1	1	1	1	1	1	1	1	1
Clinical indication - urgent	<b>4</b>	4	4	4	4	3	5	4	3	3
Clinical indication - non urgent	<b>14</b>	11	11	16	16	15	12	16	15	8
Other	<b>4</b>	1	10	4	4	1	1	6	2	5

Source: KC65 Part A

Table 21 Women referred to colposcopy: time from referral to first offered appointment, by referral indication and region 2004-05

England (222 returns)		Percentage								
Referral indication	England	Government Office Region								
		North East	North West	Yorkshire & Humber	East Midlands	West Midlands	East	London	South East	South West
<b>All referrals</b>										
less than or equal to 2 weeks	<b>15</b>	19	18	15	12	12	12	12	17	15
less than or equal to 4 weeks	<b>43</b>	62	47	51	38	38	39	34	46	44
less than or equal to 8 weeks	<b>82</b>	96	86	90	78	83	82	73	82	77
less than or equal to 12 weeks	<b>94</b>	100	96	97	96	94	97	89	94	88
<b>Moderate or severe dyskaryosis</b>										
less than or equal to 4 weeks	<b>68</b>	93	68	79	57	66	63	63	68	61
<b>Severe / ?invasive carcinoma</b>										
less than or equal to 2 weeks	<b>77</b>	96	67	75	52	77	85	75	70	79
<b>?Glandular neoplasia</b>										
less than or equal to 2 weeks	<b>49</b>	70	48	62	27	48	54	48	45	46

Source: KC65 Part A

Table 22 Appointments for colposcopy: attendance status and appointment type, by region 2004-05

England (222 returns)

Percentage

Appointment type	Government Office Region									
	England	North East	North West	Yorkshire & Humber	East Midlands	West Midlands	East	London	South East	South West
<b>Total Appointments</b>	<b>354,552</b>	<b>22,932</b>	<b>59,892</b>	<b>30,702</b>	<b>23,840</b>	<b>40,354</b>	<b>29,872</b>	<b>72,859</b>	<b>48,025</b>	<b>26,076</b>
<b>New</b>										
<b>Total number = 100%</b>	<b>148,342</b>	<b>9,065</b>	<b>23,639</b>	<b>12,867</b>	<b>10,715</b>	<b>17,873</b>	<b>13,723</b>	<b>28,273</b>	<b>21,259</b>	<b>10,928</b>
attended	78	80	79	78	80	81	85	70	80	78
cancelled by patient - in advance	9	9	8	8	7	7	6	10	10	11
cancelled by patient - on the day	2	3	2	2	3	2	1	2	1	2
cancelled by clinic	2	1	2	3	1	1	1	4	2	2
DNA - no advance warning	9	7	9	9	8	9	6	14	8	7
DNA - arrived late	0	0	0	0	0	0	0	0	0	0
DNA - left without being seen	0	0	0	0	0	0	0	0	0	0
<b>Return for treatment</b>										
<b>Total number = 100%</b>	<b>27,570</b>	<b>2,113</b>	<b>5,210</b>	<b>2,153</b>	<b>3,065</b>	<b>2,327</b>	<b>2,281</b>	<b>4,949</b>	<b>3,462</b>	<b>2,010</b>
attended	80	85	76	87	72	83	82	75	91	82
cancelled by patient - in advance	7	6	9	5	7	6	7	11	3	10
cancelled by patient - on the day	2	3	3	2	7	2	1	2	1	2
cancelled by clinic	3	1	4	1	6	2	2	3	1	1
DNA - no advance warning	7	5	9	6	7	8	8	9	4	3
DNA - arrived late	0	0	0	0	1	0	0	0	0	0
DNA - left without being seen	0	0	0	0	0	0	0	0	0	1
<b>Follow up</b>										
<b>Total number = 100%</b>	<b>178,640</b>	<b>11,754</b>	<b>31,043</b>	<b>15,682</b>	<b>10,060</b>	<b>20,154</b>	<b>13,868</b>	<b>39,637</b>	<b>23,304</b>	<b>13,138</b>
attended	67	67	69	67	71	71	71	60	69	67
cancelled by patient - in advance	9	7	9	7	6	5	8	10	11	12
cancelled by patient - on the day	3	5	3	3	4	4	2	3	1	3
cancelled by clinic	5	6	3	5	4	4	4	8	2	5
DNA - no advance warning	17	15	16	19	15	17	15	19	17	13
DNA - arrived late	0	0	0	0	0	0	0	0	0	0
DNA - left without being seen	0	0	0	0	0	0	0	0	0	0

Source: KC65 Part B

Table 23 Women referred to colposcopy: first attendance by result of referral, type of procedure and region 2004-05

England (222 returns)

Percentage

Referral indication	Government Office Region									
	England	North East	North West	Yorkshire & Humber	East Midlands	West Midlands	East of England	London	South East	South West
<b>Total number of referrals = 100%</b>	<b>117,862</b>	<b>6,743</b>	<b>19,919</b>	<b>9,947</b>	<b>8,792</b>	<b>14,414</b>	<b>11,419</b>	<b>20,965</b>	<b>16,894</b>	<b>8,769</b>
<b>All referrals</b>										
No procedure	37	25	39	34	33	49	26	43	34	35
Procedure used	63	75	61	66	67	51	74	57	66	65
Diagnostic biopsy	43	54	48	45	42	25	45	48	38	44
Excision	17	20	10	18	21	22	25	8	24	18
Ablation without biopsy	1	1	1	1	2	1	3	1	1	1
Ablation with biopsy	1	0	1	0	1	0	1	0	1	1
Other	1	0	1	1	1	2	0	0	1	1
<b>Inadequate</b>										
No procedure	67	70	61	64	59	79	65	65	73	73
Procedure used	33	30	39	36	41	21	35	35	27	27
Diagnostic biopsy	29	28	36	33	37	15	32	33	22	23
Excision	2	1	1	1	2	3	1	1	3	2
Ablation without biopsy	1	1	1	1	1	1	2	1	1	1
Ablation with biopsy	0	0	0	0	0	0	0	0	1	1
Other	1	0	1	1	0	2	0	0	1	1
<b>Low Grade</b>										
No procedure	33	20	34	29	26	52	18	40	30	32
Procedure used	67	80	66	71	74	48	82	60	70	68
Diagnostic biopsy	58	77	61	62	60	34	70	57	56	59
Excision	7	3	3	8	12	13	9	3	13	6
Ablation without biopsy	1	0	1	1	0	0	2	0	0	0
Ablation with biopsy	1	0	1	1	1	0	1	0	1	2
Other	0	0	0	0	0	1	0	0	1	0
<b>High Grade</b>										
No procedure	18	9	22	16	14	25	11	23	17	18
Procedure used	82	91	78	84	86	75	89	77	83	82
Diagnostic biopsy	37	39	44	41	39	22	24	52	29	40
Excision	44	53	32	42	46	52	63	24	52	41
Ablation without biopsy	0	0	0	0	0	0	1	0	0	0
Ablation with biopsy	0	0	2	0	0	0	0	0	0	1
Other	0	0	0	0	0	1	0	0	1	1
<b>Clinical Indication - Urgent</b>										
No procedure	54	46	48	52	61	55	50	56	58	66
Procedure used	46	54	52	48	39	45	50	44	42	34
Diagnostic biopsy	35	43	43	39	22	20	37	40	29	28
Excision	5	4	3	5	7	15	6	2	9	3
Ablation without biopsy	3	2	3	2	6	2	5	0	2	2
Ablation with biopsy	1	0	1	0	2	1	2	0	1	0
Other	2	5	2	3	2	7	1	1	2	1
<b>Clinical Indication - Non urgent</b>										
No procedure	57	61	48	60	54	64	54	58	57	61
Procedure used	43	39	52	40	46	36	46	42	43	39
Diagnostic biopsy	28	26	36	25	23	16	29	37	26	27
Excision	5	8	6	5	6	8	4	2	7	3
Ablation without biopsy	4	5	5	4	10	5	7	1	4	6
Ablation with biopsy	1	0	1	0	3	1	3	0	2	2
Other	4	1	4	6	4	7	2	1	5	2

Source: KC65 Part C1

Table 24 Biopsies taken at colposcopy: time from biopsy until patient informed of result, by region (4 month sample) 2004-05

England (222 returns)		Percentage								
Waiting time	England	Government Office Region								
		North East	North West	Yorkshire & Humber	East Midlands	West Midlands	East	London	South East	South West
<b>All Referrals</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>	<b>100</b>
less than or equal 2 weeks	28	39	23	33	34	34	38	12	28	38
more than 2 weeks up to 4 weeks	36	52	38	32	42	32	34	30	36	37
more than 4 weeks up to 8 weeks	24	7	26	21	20	21	19	38	25	18
more than 8 weeks up to 12 weeks	5	0	5	5	1	4	4	13	5	3
over 12 weeks	6	2	8	9	3	9	5	7	7	4
<b>All informed within 8 weeks</b>	<b>88</b>	<b>98</b>	<b>86</b>	<b>86</b>	<b>96</b>	<b>87</b>	<b>91</b>	<b>80</b>	<b>89</b>	<b>93</b>

Source: KC65 Part D

Table 25 Non diagnostic biopsies taken at colposcopy: by type, outcome and region (4 month sample) 2004-05

England (222 returns)		Percentage								
Outcome	England	Government Office Region								
		North East	North West	Yorkshire & Humber	East Midlands	West Midlands	East	London	South East	South West
Number of biopsies reported	<b>15,250</b>	982	2,087	1,360	1,638	1,853	1,628	2,205	2,330	1,167
Biopsies with unknown result	<b>689</b>	5	91	111	77	82	29	69	202	23
<b>Biopsies with known result = 100%</b>	<b>14,561</b>	<b>977</b>	<b>1,996</b>	<b>1,249</b>	<b>1,561</b>	<b>1,771</b>	<b>1,599</b>	<b>2,136</b>	<b>2,128</b>	<b>1,144</b>
Cancer	<b>1.1</b>	1.1	1.0	1.1	1.2	1.1	1.0	1.0	1.0	1.3
Adenocarcinoma in situ	<b>1.4</b>	2.1	0.7	1.8	2.1	1.3	1.1	0.4	2.7	1.2
CIN 3	<b>39.9</b>	42.6	39.8	47.8	41.8	38.8	40.4	33.7	38.6	41.1
CIN 2	<b>25.2</b>	25.7	26.4	23.9	24.0	23.2	24.6	26.2	24.5	29.2
CIN 1	<b>17.8</b>	14.3	17.0	9.8	13.8	17.7	19.9	23.9	20.4	17.3
HPV / Cervicitis only	<b>5.5</b>	3.9	7.6	4.3	5.1	9.0	3.6	5.0	5.1	3.7
No Cin / No HPV	<b>8.7</b>	9.8	7.1	11.0	10.8	8.8	9.4	9.4	7.3	5.7
Inadequate/unsatisfactory biopsy	<b>0.4</b>	0.4	0.4	0.3	1.2	0.2	0.0	0.5	0.3	0.5
<b>Total showing CIN or worse</b>	<b>85.4</b>	<b>85.9</b>	<b>84.9</b>	<b>84.4</b>	<b>83.0</b>	<b>82.0</b>	<b>87.0</b>	<b>85.2</b>	<b>87.3</b>	<b>90.1</b>

Source: KC65 Part E

Table 26a Summary statistics by colposcopy clinic, England 2004-05

Government Office Region		KC65 Part A : 1st appointment						KC65 Part B			
Strategic Health Authority		All referrals		Moderate or severe dyskariosis		Severe dyskariosis/ ?Invasive carcinoma		? Glandular neoplasia		Appointments for colposcopy	
Trust code and name	Name of unit	Total referrals	Clinical indication (%)	Number of cases	Less than 4 weeks wait (%)	Number of cases	Less than 2 weeks wait (%)	Number of cases	Less than 2 weeks wait (%)	Attendance (%)	DNA (%)
		<b>ENGLAND</b>		<b>124,238</b>	<b>17</b>	<b>35,479</b>	<b>68</b>	<b>495</b>	<b>77</b>	<b>1101</b>	<b>49</b>
<b>NORTH EAST</b>		<b>7,724</b>	<b>14</b>	<b>2,469</b>	<b>93</b>	<b>45</b>	<b>96</b>	<b>82</b>	<b>70</b>	<b>74</b>	<b>11</b>
<b>County Durham &amp; Tees Valley</b>		<b>2,560</b>	<b>16</b>	<b>787</b>	<b>95</b>	<b>18</b>	<b>100</b>	<b>35</b>	<b>80</b>	<b>76</b>	<b>12</b>
RXP County Durham & Darlington Acute Hospitals (N)	Bishop Auckland	417	13	126	100	4	100	4	100	72	8
	Darlington	246	5	112	100	2	100	4	50	86	5
	Shotley Bridge	233	9	52	98	1	100	4	75	76	12
	Uni Hosp of North Durham	429	11	90	93	2	100	10	80	72	14
RVW North Tees & Hartlepool (N)	Hartlepool	158	38	50	96	0	.	0	.	80	9
	North Tees	364	28	121	81	2	100	4	75	66	21
RTR South Tees Hospitals (N)	Friarage Hospital	220	11	69	94	4	100	0	.	72	12
	James Cook	493	20	167	96	3	100	9	89	88	12
<b>Northumberland, Tyne &amp; Wear</b>		<b>5,164</b>	<b>13</b>	<b>1,682</b>	<b>92</b>	<b>27</b>	<b>93</b>	<b>47</b>	<b>62</b>	<b>73</b>	<b>10</b>
RLN City Hospitals Sunderland (F)	Sunderland	714	6	262	98	4	100	13	69	79	10
RR7 Gateshead Health (N)	Queen Elizabeth, NIOC	683	23	229	100	4	50	11	27	73	13
RTD Newcastle Upon Tyne Hospitals (N)	RVI	1,779	12	567	88	17	100	9	56	67	10
RTF Northumbria Healthcare (N)	Ashington	794	7	229	95	1	100	5	100	74	13
	Hexham	193	1	70	37	0	.	2	50	94	5
	North Tyneside	726	12	266	97	1	100	6	100	76	6
RE9 South Tyneside Healthcare (N)	South Tyneside District	275	51	59	100	0	.	1	0	71	7
<b>NORTH WEST</b>		<b>19,398</b>	<b>15</b>	<b>4,574</b>	<b>68</b>	<b>51</b>	<b>67</b>	<b>130</b>	<b>48</b>	<b>73</b>	<b>13</b>
<b>Cheshire &amp; Merseyside</b>		<b>8,408</b>	<b>21</b>	<b>1,739</b>	<b>73</b>	<b>18</b>	<b>61</b>	<b>50</b>	<b>52</b>	<b>75</b>	<b>13</b>
REM Aintree Hospitals (N)	University Hospital Aintree	1,022	17	205	66	1	100	7	14	62	8
RJR Countess of Chester Hospital (F)	Countess of Chester Hospital	788	7	198	52	1	100	7	71	61	12
RJN East Cheshire (N)	Macclesfield District Gen Hospital	235	4	55	44	0	.	0	.	32	8
5H5 Eastern Cheshire PCT	Cumberland House	83	4	37	81	0	.	0	.	84	10
REP Liverpool Women's Hospital (N)	Liverpool Womens Hospital	1,609	18	264	98	3	100	4	0	84	14
RBT Mid Cheshire Hospitals (N)	Leighton Hospital	624	65	59	86	2	100	4	75	69	10
RWW North Cheshire Hospitals (N)	Warrington	1,097	23	211	52	1	100	3	100	87	8
RQ6 Royal Liverpool & Broadgreen Uni. Hospitals (N)	Royal Liverpool University Hospital	234	8	104	99	0	.	0	.	69	31
RBN St Helens & Knowsley Hospitals (N)	Whiston Hospital	1,146	21	226	81	0	.	16	44	82	18
RVY Southport & Ormskirk Hospital (N)	Southport & Formby	335	16	110	39	0	.	0	.	76	6
	Southport & Ormskirk	129	9	45	49	0	.	1	100	72	13
RBL Wirral Hospital (N)	Arrowe Park Hospital	1,106	23	225	96	10	30	8	75	82	13
<b>Cumbria and Lancashire</b>		<b>4,394</b>	<b>10</b>	<b>1,212</b>	<b>64</b>	<b>12</b>	<b>67</b>	<b>55</b>	<b>36</b>	<b>76</b>	<b>11</b>
RXL Blackpool, Fylde & Wyre Hospitals (N)	Blackpool Victoria Hospital	601	15	192	66	0	.	2	0	..	..
	Fleetwood & GUM	62	8	20	55	0	.	0	.	..	..
RXR East Lancashire Hospitals (N)	Burnley Hospital	665	11	152	49	1	100	18	11	83	12
	Queens Park Hospital (Blackburn)	700	2	117	32	1	100	3	67	76	18
RXN Lancashire Teaching Hospital (N)	Sharoe Green Hospital & Chorley	816	14	206	95	2	50	12	75	70	9
RTX Morecambe Bay Hospitals (N)	Furness	228	6	74	95	0	.	3	33	68	7
	Royal Lancaster Infirmary	354	3	109	94	3	33	3	33	80	10
	Westmorland	168	7	50	44	0	.	5	40	91	6
RNL North Cumbria Acute Hospital (N)	Cumberland Infirmary	520	12	185	70	3	100	7	29	72	13
	West Cumberland	280	16	107	9	2	50	2	50	91	8
<b>Greater Manchester</b>		<b>6,596</b>	<b>10</b>	<b>1,623</b>	<b>65</b>	<b>21</b>	<b>71</b>	<b>25</b>	<b>68</b>	<b>69</b>	<b>13</b>
RMC Bolton Hospitals (N)	Royal Bolton Hospital	410	4	158	43	2	50	0	.	73	14
5JX Bury PCT	Monarch Medical Centre	13	0	2	100	0	.	0	.	50	30
RW3 Central Man. & Man. Children's Uni Hosp (N)	Central Manchester & Man. Children's Hosp	932	14	131	89	2	100	5	80	53	16
5CL Central Manchester PCT	The Palatine Centre	71	4	16	100	0	.	0	.	80	11
RW6 Pennine Acute Hospitals (N)	Fairfield General Hospital	406	3	122	48	1	0	3	0	90	6
	North Manchester	664	7	197	71	2	50	2	100	66	15
	Rochdale Infirmary	88	17	24	46	0	.	1	100	98	0
	The Royal Oldham Hospital	730	14	150	92	2	50	5	40	66	9
5JY Rochdale PCT	The Dawes Family Practice	143	10	51	80	0	.	0	.	73	14
RM3 Salford Royal Hospitals (N)	Hope Hospital	434	15	126	63	3	100	3	67	74	17
RM2 South Manchester University Hospitals (N)	Withington	186	13	43	84	1	100	1	100	57	20
	Wythenshawe	423	16	97	91	0	.	0	.	77	16
RWJ Stockport (F)	Stepping Hill	694	3	199	23	4	50	1	100	..	..
RMP Tameside & Glossop Acute Services (N)	Tameside General Hospital	619	9	152	97	2	100	2	100	91	2
RM4 Trafford Healthcare (N)	Trafford General Hospital	282	17	48	48	1	100	0	.	93	7
RRF Wrightington, Wigan & Leigh (N)	Billinge Hospital	501	8	107	49	1	100	2	100	67	14

continued

Table 26a Summary statistics by colposcopy clinic, England 2004-05

Government Office Region		KC65 Part A : 1st appointment						KC65 Part B			
Strategic Health Authority		All referrals		Moderate or severe dyskariosis	Severe dyskariosis/? Invasive carcinoma	? Glandular neoplasia	Appointments for colposcopy				
Trust code and name	Name of unit	Total referrals	Clinical indication (%)	Number of cases	Less than 4 weeks wait (%)	Number of cases	Less than 2 weeks wait (%)	Number of cases	Less than 2 weeks wait (%)	Attendance (%)	DNA (%)
		<b>ENGLAND</b>		<b>124,238</b>	<b>17</b>	<b>35,479</b>	<b>68</b>	<b>495</b>	<b>77</b>	<b>1101</b>	<b>49</b>
<b>YORKSHIRE &amp; HUMBER</b>		<b>10,348</b>	<b>20</b>	<b>3,225</b>	<b>79</b>	<b>32</b>	<b>75</b>	<b>65</b>	<b>62</b>	<b>73</b>	<b>14</b>
<b>North &amp; East Yorkshire and Northern Lincolnshire</b>		<b>2,991</b>	<b>14</b>	<b>1,063</b>	<b>69</b>	<b>10</b>	<b>80</b>	<b>16</b>	<b>56</b>	<b>77</b>	<b>9</b>
RCD Harrogate Healthcare (N)	Harrogate General Hospital	183	15	64	98	0	.	1	100	100	0
RWA Hull & East Yorkshire Hospitals (N)	Castle Hill	453	13	196	61	0	.	1	0	65	12
	Hull Royal	422	1	220	54	2	50	3	0	78	7
5AN North East Lincolnshire PCT	Littlefield Lane	73	12	20	90	0	.	3	100	78	2
RJL Northern Lincolnshire & Goole Hospitals (N)	Grimsby (Diana, PofW)	602	19	163	100	3	100	3	100	65	9
	Scunthorpe & Goole	398	30	96	93	0	.	1	100	72	15
RCC Scarborough & N E Yorkshire Healthcare (N)	Scarborough, Bridlington	430	13	154	53	3	67	1	0	88	7
RCB York Hospitals (N)	York Hospital	430	10	150	55	2	100	3	33	99	1
<b>South Yorkshire</b>		<b>3,558</b>	<b>26</b>	<b>952</b>	<b>89</b>	<b>9</b>	<b>78</b>	<b>22</b>	<b>73</b>	<b>68</b>	<b>13</b>
RFF Barnsley Distict General Hospital (N)	Barnsley Distict General Hospital	595	30	145	91	1	100	2	0	58	13
RP5 Doncaster & Bassetlaw Hospitals (F)	Bassetlaw	276	7	56	59	0	.	0	.	73	21
	Doncaster GUM	177	89	1	100	0	.	0	.	60	19
	Doncaster Royal	492	5	145	83	0	.	6	67	78	12
5EL Doncaster West PCT	Carcroft Doctors	34	53	0	.	0	.	0	.	74	8
RFR Rotherham General Hospitals (N)	Rotherham General Hospital	699	28	231	95	5	100	9	100	72	10
RHQ Sheffield Teaching Hospitals (F)	Jessop Wing	1,211	23	373	91	3	33	5	60	73	15
5EQ South East Sheffield PCT	Central Health Clinic	74	54	1	100	0	.	0	.	94	3
<b>West Yorkshire</b>		<b>3,799</b>	<b>19</b>	<b>1,210</b>	<b>79</b>	<b>13</b>	<b>69</b>	<b>27</b>	<b>56</b>	<b>75</b>	<b>17</b>
RCF Airedale (N)	Airedale General Hospital	259	8	89	88	5	100	1	0	66	10
RAE Bradford Teaching Hospitals (F)	Bradford Royal Infirmary	556	22	197	95	0	.	1	100	81	12
RWY Calderdale & Huddersfield (N)	Calderdale	250	14	107	71	1	100	5	0	89	7
	Huddersfield	354	12	157	91	0	.	3	100	89	5
5J6 Calderdale PCT	Valley Medical Centre	63	0	18	94	1	0	0	.	94	1
5E7 Eastern Wakefield PCT	White Rose Surgery	21	0	3	67	0	.	0	.	85	0
RR8 Leeds Teaching Hospitals (N)	Leeds General Inf., St James, Wharfedale	1,414	22	323	72	2	50	8	75	70	27
	Leeds GUM	82	24	12	8	0	.	0	.	95	4
RXF Mid Yorkshire Hospitals (N)	Dewsbury Hospital	167	13	70	43	2	50	2	0	74	20
	Pinderfields Hospital	265	26	87	91	1	0	2	100	75	13
	Pontefract Hospital	368	21	147	71	1	100	5	60	68	11
<b>EAST MIDLANDS</b>		<b>9,195</b>	<b>20</b>	<b>2,927</b>	<b>57</b>	<b>33</b>	<b>52</b>	<b>99</b>	<b>27</b>	<b>75</b>	<b>11</b>
<b>Leicestershire, Northamptonshire &amp; Rutland</b>		<b>2,897</b>	<b>23</b>	<b>1,025</b>	<b>62</b>	<b>9</b>	<b>67</b>	<b>14</b>	<b>36</b>	<b>77</b>	<b>12</b>
RNQ Kettering General Hospital (N)		451	15	167	25	1	100	3	0	82	9
RNS Northampton General Hospital (N)		839	33	296	85	5	80	7	43	80	7
RWE University Hospitals of Leicester (N)		1,607	21	562	62	3	33	4	50	74	16
<b>Trent</b>		<b>6,298</b>	<b>19</b>	<b>1,902</b>	<b>54</b>	<b>24</b>	<b>46</b>	<b>85</b>	<b>26</b>	<b>75</b>	<b>11</b>
RFS Chesterfield & North Derbyshire Royal Hospital (N)		951	14	332	90	1	100	11	55	80	10
5HN High Peaks & Dales PCT	Goyt Valley Medical Practice	79	3	22	64	0	.	0	.	82	8
5EG North Eastern Derbyshire PCT	Buxton Colposcopy Clinic	82	2	27	41	0	.	0	.	78	22
RCS Nottingham City Hospital (N)	Heanor Hospital & GUM	114	32	27	59	0	.	0	.	82	14
	Nottingham City Hospital	1,305	26	353	17	14	21	24	8	59	10
RFK Queen's Medical Centre, Nottingham University Hospital (N)		1,049	22	304	28	1	100	21	24	81	14
RK5 Sherwood Forest Hospitals (N)	Kings Mill, Newark	477	2	166	57	3	100	10	10	81	12
RTG Derby Hospitals (F)		1,072	14	305	93	2	100	9	56	84	9
RWD United Lincolnshire Hospitals (N)	Grantham	224	15	75	61	1	0	2	50	77	6
	Lincoln	624	28	170	54	2	50	4	50	86	8
	Pilgrim	321	16	121	30	0	.	4	0	77	13
<b>WEST MIDLANDS</b>		<b>14,653</b>	<b>18</b>	<b>4,043</b>	<b>66</b>	<b>57</b>	<b>77</b>	<b>143</b>	<b>48</b>	<b>76</b>	<b>13</b>
<b>Birmingham &amp; the Black Country</b>		<b>7,403</b>	<b>21</b>	<b>1,703</b>	<b>78</b>	<b>28</b>	<b>82</b>	<b>79</b>	<b>56</b>	<b>75</b>	<b>14</b>
RR1 Birmingham Heartlands & Solihull (Teaching) (N)	Heartlands Hospital	837	15	188	94	0	.	1	100	75	13
	Solihull Hospital	787	32	183	97	2	100	3	67	81	10
RLU Birmingham Womens Healthcare (N)	Birmingham Women's Hospital	1,495	24	276	58	6	83	16	25	65	18
RNA Dudley Group of Hospitals (N)	Russells Hall Hospital	974	16	269	62	3	67	13	38	82	10
RJH Good Hope Hospital (N)	Good Hope Hospital	858	19	151	99	8	100	17	94	81	13
RL4 Royal Wolverhampton Hospitals (N)	New Cross Hospital	716	21	201	85	1	100	4	100	76	11
RXK Sandwell and West Birmingham Hospitals (N)	City Hospital	470	18	119	29	3	0	6	0	73	18
	Sandwell Hospital	585	33	160	98	4	100	6	50	78	17
RBK Walsall Hospital (N)	Walsall Manor Hospital	681	10	156	88	1	100	13	69	79	11
<b>Shropshire &amp; Staffordshire</b>		<b>4,003</b>	<b>10</b>	<b>1,272</b>	<b>62</b>	<b>20</b>	<b>70</b>	<b>40</b>	<b>50</b>	<b>79</b>	<b>11</b>
5DQ Burntwood, Lichfield & Tamworth PCT	Hammerwich/Lichfield Victoria & Sir Robert Peel	266	9	56	86	0	.	0	.	81	12
RJF Burton Hospital (N)	Queens Hospital	549	24	140	59	1	0	7	43	81	9
RJD Mid Staffordshire General Hospital (N)	Staffordshire General	757	4	281	90	4	75	11	64	82	8
RJE University Hospital of North Staffordshire (N)	University Hospital of North Staffordshire	1,341	10	444	48	9	78	17	47	81	15
RXW Shrewsbury & Telford Hospitals (N)	Princess Royal Hospital	486	7	171	61	3	67	1	0	77	14
	Royal Shrewsbury Hospital	604	10	180	51	3	67	4	50	73	8
<b>West Midlands South</b>		<b>3,247</b>	<b>20</b>	<b>1,068</b>	<b>51</b>	<b>9</b>	<b>78</b>	<b>24</b>	<b>21</b>	<b>75</b>	<b>13</b>
RLT George Eliot Hospital (N)	George Eliot Hospital	386	38	143	54	0	.	4	25	52	15
RLQ Hereford Hospitals (N)	Hereford Hospital	268	10	84	31	0	.	0	.	78	3
RJC South Warwickshire General Hospitals (N)	Warwick	364	15	180	28	0	.	4	0	81	3
5MT South Worcestershire PCT	Evesham Community Health	105	22	35	54	0	.	2	100	79	2
RKB University Hosps Coventry & Warwickshire, (N)	Hospital of St Cross, Rugby	154	8	55	64	0	.	1	0	80	16
	Walsgrave Hospital	637	9	236	50	1	100	4	0	80	18
RWP Worcestershire Acute Hospitals (N)	Alexandra Hospital	560	28	118	74	6	100	4	25	75	16
	Kidderminster Hospital	405	22	95	82	0	.	0	.	72	14
	Worcestershire Royal Hospital	368	20	122	48	2	0	5	20	90	4

continued

Table 26a Summary statistics by colposcopy clinic, England 2004-05

Government Office Region		KC65 Part A : 1st appointment						KC65 Part B			
Strategic Health Authority		All referrals		Moderate or severe dyskariosis		Severe dyskariosis/ ?Invasive carcinoma		? Glandular neoplasia		Appointments for colposcopy	
Trust code and name	Name of unit	Total referrals	Clinical indication (%)	Number of cases	Less than 4 weeks wait (%)	Number of cases	Less than 2 weeks wait (%)	Number of cases	Less than 2 weeks wait (%)	Attendance (%)	DNA (%)
		<b>ENGLAND</b>		<b>124,238</b>	<b>17</b>	<b>35,479</b>	<b>68</b>	<b>495</b>	<b>77</b>	<b>1101</b>	<b>49</b>
<b>EAST</b>		<b>12,307</b>	<b>16</b>	<b>3,773</b>	<b>63</b>	<b>108</b>	<b>85</b>	<b>140</b>	<b>54</b>	<b>78</b>	<b>10</b>
<b>Bedfordshire &amp; Hertfordshire</b>		<b>2,928</b>	<b>16</b>	<b>925</b>	<b>38</b>	<b>16</b>	<b>50</b>	<b>27</b>	<b>19</b>	<b>82</b>	<b>10</b>
RC1 Bedford Hospital (N)	Bedford Hospital	402	1	159	66	1	0	2	50	89	5
RWH East & North Hertfordshire (N)	Lister Hospital	551	30	143	45	6	83	7	14	99	1
	Queen Elizabeth II	413	20	127	46	5	40	2	50	69	9
RC9 Luton & Dunstable (N)	Luton & Dunstable Hospital	395	6	182	4	1	0	2	50	76	16
RWG West Hertfordshire Hospitals (N)	St Albans City Hospital	480	23	122	62	1	0	7	14	91	9
	Watford General Hospital	687	12	192	21	2	50	7	0	75	16
<b>Essex</b>		<b>3,384</b>	<b>14</b>	<b>885</b>	<b>56</b>	<b>13</b>	<b>77</b>	<b>25</b>	<b>76</b>	<b>72</b>	<b>13</b>
RDD Basildon & Thurrock University Hospitals (F)	Basildon Hospital	506	19	109	61	1	0	3	33	89	10
RDE Essex Rivers Healthcare Trust	Colchester General Hospital	864	10	398	20	6	67	3	0	78	16
RQ8 Mid Essex Hospital Services (N)	St John's Hospital	732	2	56	100	0	.	0	.	56	12
RQW Princess Alexandra Hospital (N)	Princess Alexandra Hospital	750	28	180	83	5	100	7	100	70	13
RAJ Southend Hospital (N)	Southend Hospital	503	14	134	100	1	100	9	89	80	10
5AK Southend on Sea PCT	Queensway Surgery	29	0	8	100	0	.	3	100	94	2
<b>Norfolk, Suffolk &amp; Cambridgeshire</b>		<b>5,995</b>	<b>18</b>	<b>1,963</b>	<b>78</b>	<b>79</b>	<b>94</b>	<b>88</b>	<b>58</b>	<b>83</b>	<b>8</b>
RGT Cambridge University Hospitals (F)	Addenbrooke's Hospital	1,166	39	308	76	8	88	14	71	91	5
RQQ Hinchingsbrooke Healthcare (N)	Hinchingsbrooke Hospital	290	11	136	98	0	.	7	43	74	13
RGQ Ipswich Hospital (N)	Ipswich Hospital	637	7	202	47	3	67	9	67	75	11
RGP James Paget Healthcare (N)	James Paget	558	8	145	68	0	.	7	43	84	12
RCX King's Lynn & Wisbech Hospitals (N)	Queen Elizabeth Hospital	325	14	156	81	2	100	16	69	82	6
RM1 Norfolk & Norwich University Hospital (N)	Norfolk & Norwich University Hospital	1,773	11	617	84	65	95	16	25	90	5
RGN Peterborough & Stamford Hospitals (F)	Peterborough District Hospital	600	20	191	76	0	.	8	75	81	9
RGR West Suffolk Hospitals (N)	West Suffolk Hospital	646	22	208	88	1	100	11	73	76	9
<b>LONDON</b>		<b>24,254</b>	<b>20</b>	<b>5,707</b>	<b>63</b>	<b>77</b>	<b>75</b>	<b>159</b>	<b>48</b>	<b>65</b>	<b>17</b>
<b>North Central London</b>		<b>4,179</b>	<b>18</b>	<b>933</b>	<b>69</b>	<b>4</b>	<b>100</b>	<b>6</b>	<b>83</b>	<b>66</b>	<b>13</b>
RVL Barnet & Chase Farm Hospitals (N)	Barnet Hospital	699	22	144	87	0	.	1	100	55	16
	Chase Farm Hospital	452	13	109	83	2	100	0	.	60	11
RAP North Middlesex University (N)	North Middlesex Hospital	506	9	90	37	0	.	0	.	86	13
RAL Royal Free Hampstead (N)	The Royal Free Hospital	794	14	241	79	0	.	4	100	74	20
RRV University College London (F)	University College Hospital	655	23	164	54	1	100	0	.	68	7
RKE The Whittington Hospital (N)	The Whittington Hospital	1,073	22	185	62	1	100	1	0	68	10
<b>North East London</b>		<b>3,384</b>	<b>22</b>	<b>971</b>	<b>82</b>	<b>22</b>	<b>68</b>	<b>26</b>	<b>38</b>	<b>63</b>	<b>20</b>
RF4 Barking, Havering & Redbridge Hospitals (N)	Harold Wood Hospital	715	26	173	88	0	.	5	20	82	14
	King George Hospital	387	9	156	80	2	100	4	25	58	19
RNJ Barts & The London (N)	St Bartholomew's Hospital	544	18	160	68	3	67	6	33	57	13
RQX Homerton University Hospital (F)	Homerton Hospital	668	33	178	85	10	50	3	33	56	30
RNH Newham University Hospital (N)	Newham Hospital	335	31	95	79	5	80	3	0	57	26
RGC Whipps Cross University Hospital (N)	Whipps Cross University Hospital	735	14	209	87	2	100	5	100	-	-
<b>North West London</b>		<b>6,586</b>	<b>30</b>	<b>1,189</b>	<b>70</b>	<b>9</b>	<b>78</b>	<b>54</b>	<b>52</b>	<b>61</b>	<b>18</b>
RQM Chelsea and Westminster Healthcare (N)	Chelsea & Westminster Hospital	933	24	137	65	1	0	8	50	74	11
RC3 Ealing Hospital (N)	Ealing Hospital	232	6	31	55	2	100	3	67	72	26
RQN Hammersmith Hospitals (N)	Hammersmith Hospital	743	17	141	99	4	100	22	55	60	20
RAS The Hillingdon Hospital (N)	The Hillingdon Hospital	771	36	213	19	2	50	9	0	65	12
RV8 The North West London Hospitals (N)	Central Middlesex Hospital	415	6	118	70	0	.	2	100	79	17
	Northwick Park Hospital	685	25	173	93	0	.	7	71	77	20
RJ5 St Mary's (N)	St Mary's Hospital	2,279	49	218	89	0	.	2	100	46	21
RFW West Middlesex University Hospital (N)	West Middlesex Hospital	528	4	158	72	0	.	1	100	70	9
<b>South East London</b>		<b>6,614</b>	<b>16</b>	<b>1,676</b>	<b>52</b>	<b>23</b>	<b>78</b>	<b>47</b>	<b>36</b>	<b>62</b>	<b>17</b>
RG3 Bromley Hospitals (N)	Princess Royal University Hospital	847	22	278	58	7	100	22	18	64	9
RJ1 Guy's & St Thomas' (F)	Guy's Hospital	1,665	13	417	67	8	75	9	56	60	17
RJZ King's College Hospital (N)	King's College Hospital	1,253	17	357	29	1	100	5	0	62	26
RJ2 Lewisham Hospital (N)	University Hospital Lewisham	1,362	20	340	34	4	50	5	60	62	12
RG2 Queen Elizabeth Hospital (N)	Queen Elizabeth Hospital	670	11	84	24	0	.	1	0	60	25
RGZ Queen Mary's Sidcup (N)	Queen Mary's Hospital, Sidcup	817	11	200	99	3	67	5	100	67	9
<b>South West London</b>		<b>3,491</b>	<b>11</b>	<b>938</b>	<b>46</b>	<b>19</b>	<b>74</b>	<b>26</b>	<b>62</b>	<b>76</b>	<b>15</b>
RVR Epsom & St Helier University Hospitals (N)	St Helier Hospital	482	9	166	46	2	50	2	50	88	9
RAX Kingston Hospital (N)	Kingston Hospital	594	1	128	63	3	100	3	67	78	16
	Queen Mary's, Roehampton	327	0	100	56	1	0	4	75	72	17
RJ6 Mayday Healthcare (N)	Mayday Hospital	682	12	252	69	2	100	9	67	62	17
RJ7 St George's Healthcare (N)	St George's Hospital	1,406	17	292	16	11	73	8	50	83	15

continued

Table 26a Summary statistics by colposcopy clinic, England 2004-05

Government Office Region		KC65 Part A : 1st appointment						KC65 Part B			
Strategic Health Authority		All referrals		Moderate or severe dyskariosis		Severe dyskariosis/ ?Invasive carcinoma		? Glandular neoplasia		Appointments for colposcopy	
Trust code and name	Name of unit	Total referrals	Clinical indication (%)	Number of cases	Less than 4 weeks wait (%)	Number of cases	Less than 2 weeks wait (%)	Number of cases	Less than 2 weeks wait (%)	Attendance (%)	DNA (%)
<b>ENGLAND</b>		<b>124,238</b>	<b>17</b>	<b>35,479</b>	<b>68</b>	<b>495</b>	<b>77</b>	<b>1101</b>	<b>49</b>	<b>73</b>	<b>13</b>
<b>SOUTH EAST</b>		<b>17,344</b>	<b>18</b>	<b>5,543</b>	<b>68</b>	<b>63</b>	<b>70</b>	<b>159</b>	<b>45</b>	<b>75</b>	<b>12</b>
<b>Hampshire &amp; Isle of Wight</b>		<b>4,057</b>	<b>12</b>	<b>1,009</b>	<b>82</b>	<b>13</b>	<b>77</b>	<b>46</b>	<b>65</b>	<b>78</b>	<b>11</b>
RR2 Isle of Wight Healthcare (N)	St Mary's Hospital	349	15	105	63	6	83	6	67	71	5
RN5 North Hampshire Hospitals (N)	North Hampshire Hospital	467	25	129	78	0	.	5	0	85	11
RHU Portsmouth Hospitals (N)	St Mary's Hospital	1,440	0	338	95	4	50	25	72	78	12
RHM Southampton University Hospitals (N)	Princess Anne Hospital	1,312	21	332	78	3	100	4	100	71	12
RN1 Winchester & Eastleigh Healthcare (N)	Royal Hampshire County Hospital	489	12	105	81	0	.	6	67	92	1
<b>Kent &amp; Medway</b>		<b>3,013</b>	<b>17</b>	<b>920</b>	<b>63</b>	<b>6</b>	<b>50</b>	<b>25</b>	<b>36</b>	<b>76</b>	<b>14</b>
RN7 Dartford & Gravesham (N)	Darent Valley	356	28	96	86	0	.	7	86	76	18
RVV East Kent Hospitals (N)	Buckland	189	18	48	100	0	.	2	50	69	9
	Kent & Canterbury	281	5	63	84	0	.	0	.	64	13
	Queen Elizabeth the Queen Mother (QEQM)	374	17	106	83	0	.	3	67	79	16
	William Harvey	408	16	98	100	1	100	1	0	79	8
RWF Maidstone & Tunbridge Wells (N)	Maidstone	354	29	95	73	1	100	3	0	87	11
	Pembury	379	8	131	87	0	.	2	0	83	10
RPA Medway (N)	Medway Maritime	672	14	283	10	4	25	7	0	74	19
<b>Surrey &amp; Sussex</b>		<b>5,418</b>	<b>21</b>	<b>1,885</b>	<b>60</b>	<b>13</b>	<b>77</b>	<b>52</b>	<b>33</b>	<b>74</b>	<b>13</b>
RTK Ashford & St Peter's Hospitals (N)	Blanche Heriot GUM	64	27	8	13	0	.	0	.	99	1
	Ashford & St Peters	751	21	223	80	1	100	7	71	70	19
RXH Brighton & Sussex University Hospitals (N)	Brighton	703	16	323	80	0	.	4	75	74	14
	Princess Royal	244	19	102	79	0	.	3	0	85	5
RXC East Sussex Hospitals (N)	Conquest	200	9	79	66	1	0	1	100	90	4
	Eastbourne District General	504	24	177	51	2	100	6	83	61	23
RVR Epsom & St Helier University Hospitals (N)	Leatherhead	324	20	117	84	3	100	0	.	80	4
RDU Frimley Park Hospital (N)	Frimley Park	511	14	202	30	0	.	5	0	91	6
RPC Queen Victoria Hospital (F)		39	10	19	26	1	100	0	.	96	3
RA2 Royal Surrey County Hospital (N)	Royal Surrey County	444	30	120	83	4	75	4	50	85	10
RPR Royal West Sussex (N)	St Richards	437	33	96	77	0	.	4	0	73	8
RTP Surrey & Sussex Healthcare (N)	Crawley	474	15	250	36	0	.	15	0	70	14
	Dorking	102	2	59	32	0	.	1	0	63	19
RPL Worthing & Southlands Hospitals (N)	Southlands	621	30	110	22	1	0	2	50	68	10
<b>Thames Valley</b>		<b>4,856</b>	<b>21</b>	<b>1,729</b>	<b>70</b>	<b>31</b>	<b>68</b>	<b>36</b>	<b>44</b>	<b>74</b>	<b>10</b>
RXQ Buckinghamshire Hospital (N)	Stoke Mandeville Hospital	431	2	199	67	4	25	12	25	83	4
	Wycombe Hospital	521	29	164	24	0	.	3	33	80	6
RD7 Heatherwood & Wexham Park Hospitals (N)	Heatherwood Hospital	412	35	85	74	2	0	0	.	67	11
	Wexham Park Hospital	569	37	103	84	2	50	4	75	57	13
RD8 Milton Keynes General Hospital (N)	Milton Keynes General Hospital	686	10	288	92	4	50	2	50	86	7
RTH Oxford Radcliffe Hospitals (N)	Horton Hospital	204	5	98	42	2	50	1	0	86	5
	John Radcliffe Hospital	974	18	408	62	11	91	11	64	82	12
	Radcliffe Infirmary	98	34	35	66	1	100	0	.	73	12
RHW Royal Berkshire & Battle Hospitals (N)	Royal Berkshire Hospital	961	23	349	85	5	100	3	33	69	10
<b>SOUTH WEST</b>		<b>9,015</b>	<b>11</b>	<b>3,218</b>	<b>61</b>	<b>29</b>	<b>79</b>	<b>124</b>	<b>46</b>	<b>73</b>	<b>10</b>
<b>Avon, Gloucestershire &amp; Wiltshire</b>		<b>4,045</b>	<b>10</b>	<b>1,590</b>	<b>61</b>	<b>13</b>	<b>92</b>	<b>60</b>	<b>27</b>	<b>72</b>	<b>11</b>
RTE Gloucestershire Hospitals (F)	Cheltenham G.H & Gloucestershire Royal	938	2	378	71	2	100	8	88	67	9
RVJ North Bristol (N)	Southmead Hospital	541	4	291	75	1	0	15	27	57	9
RD1 Royal United Hospital Bath (N)	Royal United Hospital	970	17	300	71	10	100	22	14	78	10
RNZ Salisbury Healthcare (N)	Salisbury District Hospital	407	12	130	44	0	.	1	0	67	11
RN3 Swindon & Marlborough (N)	Great Weston Hospital	542	20	198	27	0	.	7	0	77	15
RA7 United Bristol Healthcare (N)	St Michael's Hospital	647	3	293	57	0	.	7	29	84	16
<b>Dorset &amp; Somerset</b>		<b>2,489</b>	<b>17</b>	<b>676</b>	<b>85</b>	<b>1</b>	<b>100</b>	<b>25</b>	<b>76</b>	<b>73</b>	<b>8</b>
RA4 East Somerset (N)	Yeovil District Hospital	390	14	109	85	0	.	8	88	72	8
RD3 Poole Hospital (N)	St Mary's Hospital	570	18	173	98	0	.	1	100	66	8
RDZ Royal Bournemouth & Christchurch Hospitals (N)	The Royal Bournemouth Hospital	393	15	126	75	0	.	2	100	66	13
RBA Taunton & Somerset (N)	Musgrove Park	836	15	193	88	1	100	11	64	79	8
RBD West Dorset General Hospital (N)	Dorset County Hospital	300	23	75	65	0	.	3	67	88	2
<b>South West Peninsula</b>		<b>2,481</b>	<b>7</b>	<b>952</b>	<b>42</b>	<b>15</b>	<b>67</b>	<b>39</b>	<b>56</b>	<b>75</b>	<b>9</b>
5FT East Devon PCT	Sidmouth Hospital	54	0	14	64	0	.	0	.	96	3
5FV Mid Devon PCT	Tiverton and District Hospital	80	14	19	79	0	.	2	0	90	7
RBZ Northern Devon Healthcare (N)	North Devon District Hospital	..	..	..	..	..	..	..	..	..	..
RK9 Plymouth Hospitals (N)	Derriford Hospital	737	1	295	10	7	57	19	47	73	13
REF Royal Cornwall Hospitals (N)	Royal Cornwall Hospital	803	8	312	13	3	33	6	50	73	10
RH8 Royal Devon & Exeter (F)	Royal Devon & Exeter Hospital	179	11	34	94	0	.	3	67	73	7
RA9 South Devon Health Care (N)	Torbay Hospital	628	13	278	99	5	100	9	89	76	5

.. no data available, . not applicable, (N) NHS Trust, (F) NHS Foundation Trust  
 Note: Some trusts/clinics were unable to provide full data for all quarters.

Table 26b Summary statistics by colposcopy clinic, England 2004-05

Government Office Region		KC65 Part C1 : 1st appointment						KC65 Part D	KC65 Part E		
Strategic Health Authority		Procedure type used (all referrals)						Biopsy outcome	Non diagnostic biopsies		
Trust code and name	Name of unit	No procedure (%)	Procedure used (%)	Diagnostic biopsy (%)	Excision (%)	Ablation & no biopsy (%)	Ablation with biopsy (%)	Other (%)	All informed within 8 weeks (%)	Number of cases	Total showing CIN worse (%)
<b>ENGLAND</b>		<b>37</b>	<b>63</b>	<b>43</b>	<b>17</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>88</b>	<b>14,561</b>	<b>85</b>
<b>NORTH EAST</b>		<b>25</b>	<b>75</b>	<b>54</b>	<b>20</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>98</b>	<b>977</b>	<b>86</b>
<b>County Durham &amp; Tees Valley</b>		<b>29</b>	<b>71</b>	<b>53</b>	<b>16</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>100</b>	<b>265</b>	<b>86</b>
RXP County Durham and Darlington Acute Hospitals (N)	Bishop Auckland	37	63	58	2	4	0	0	100	6	0
	Darlington	21	79	65	13	0	0	0	100	12	92
	Shotley Bridge	31	69	68	1	0	0	0	100	22	73
	Uni Hosp of North Durham	33	67	66	1	0	0	0	100	29	76
RVW North Tees & Hartlepool (N)	Hartlepool	24	76	32	30	13	1	0	100	16	63
	North Tees	28	72	38	31	2	0	0	100	57	100
RTR South Tees Hospitals (N)	Friarage Hospital	24	76	45	29	0	0	1	100	43	91
	James Cook	28	72	45	27	0	0	0	99	80	91
<b>Northumberland, Tyne &amp; Wear</b>		<b>22</b>	<b>78</b>	<b>54</b>	<b>23</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>97</b>	<b>712</b>	<b>86</b>
RLN City Hospitals Sunderland (F)	Sunderland	15	85	54	30	1	0	0	98	96	90
RR7 Gateshead Health (N)	Queen Elizabeth, NGOC	28	72	41	31	0	0	0	99	99	89
RTD Newcastle Upon Tyne Hospitals (N)	RVI	21	79	55	23	0	0	2	100	198	92
RTF Northumbria Healthcare (N)	Ashington	13	87	72	15	0	0	0	99	158	86
	Hexham	40	60	45	14	0	0	1	91	17	76
	North Tyneside	21	79	70	9	0	0	0	87	89	85
RE9 South Tyneside Healthcare (N)	South Tyneside District	38	62	18	43	0	0	1	98	55	53
<b>NORTH WEST</b>		<b>39</b>	<b>61</b>	<b>48</b>	<b>10</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>86</b>	<b>1996</b>	<b>85</b>
<b>Cheshire &amp; Merseyside</b>		<b>48</b>	<b>52</b>	<b>37</b>	<b>11</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>89</b>	<b>862</b>	<b>85</b>
REM Aintree Hospitals (N)	University Hospital Aintree	55	45	28	10	5	0	2	98	61	97
RJR Countess of Chester Hospital (F)	Countess of Chester Hospital	26	74	54	14	1	4	0	100	101	72
RJN East Cheshire (N)	Macclesfield District Gen Hospital	3	97	49	28	0	0	19	97	24	75
5H5 Eastern Cheshire PCT	Cumberland House	18	82	81	1	0	0	0	94	3	100
REP Liverpool Women's Hospital (N)	Liverpool Womens Hospital	59	41	29	10	0	0	1	90	141	86
RBT Mid Cheshire Hospitals (N)	Leighton Hospital	44	56	30	18	1	0	6	99	111	84
RWW North Cheshire Hospitals (N)	Warrington	49	51	42	9	0	0	0	66	82	91
RQ6 Royal Liverpool & Broadgreen University Hospitals (N)	Royal Liverpool University Hospital	29	71	47	20	0	4	0	90	63	95
RBN St Helens & Knowsley Hospitals (N)	Whiston Hospital	50	50	39	7	1	0	3	83	104	89
RVY Southport & Ormskirk Hospital (N)	Southport & Formby	31	69	67	2	0	0	0	100	41	78
	Southport & Ormskirk	16	84	76	6	1	1	0	88	22	86
RBL Wirral Hospital (N)	Arrowe Park Hospital	63	37	19	17	1	1	0	85	109	82
<b>Cumbria and Lancashire</b>		<b>33</b>	<b>67</b>	<b>53</b>	<b>11</b>	<b>2</b>	<b>0</b>	<b>1</b>	<b>82</b>	<b>514</b>	<b>87</b>
RXL Blackpool, Fylde & Wyre Hospitals (N)	Blackpool Victoria Hospital	36	64	24	24	12	0	4	96	104	86
	Fleetwood & GUM	39	61	55	2	0	0	4	100	1	100
RXR East Lancashire Hospitals (N)	Burnley Hospital	42	58	41	13	2	2	0	63	58	86
	Queens Park Hospital (Blackburn)	31	69	68	1	0	0	0	72	107	96
RXN Lancashire Teaching Hospital (N)	Sharoe Green Hospital & Chorley	31	69	55	13	1	1	0	100	87	87
RTX Morecambe Bay Hospitals (N)	Furness	31	69	69	0	0	0	0	100	27	59
	Royal Lancaster Infirmary	37	63	61	1	0	0	0	72	45	82
	Westmorland	33	67	67	0	0	0	0	17	18	89
RNL North Cumbria Acute Hospital (N)	Cumberland Infirmary	21	79	51	27	0	0	1	96	63	87
	West Cumberland	34	66	60	2	3	0	1	100	4	50
<b>Greater Manchester</b>		<b>30</b>	<b>70</b>	<b>60</b>	<b>7</b>	<b>1</b>	<b>2</b>	<b>0</b>	<b>86</b>	<b>620</b>	<b>83</b>
RMC Bolton Hospitals (N)	Royal Bolton Hospital	14	86	52	23	1	10	0	97	47	87
5JX Bury PCT	Monarch Medical Centre	0	100	73	0	0	9	18	100	0	.
RW3 Central Manchester & Manchester Children's Uni Hosp (N)	Central Manchester & Man. Children's Hosp	51	49	46	4	0	0	0	82	56	86
5CL Central Manchester PCT	The Palatine Centre	27	73	73	0	0	0	0	100	0	.
RW6 Pennine Acute Hospitals (N)	Fairfield General Hospital	27	73	72	1	0	0	0	57	33	82
	North Manchester	35	65	55	10	0	0	0	94	65	85
	Rochdale Infirmary	35	65	40	3	12	11	0	82	2	50
	The Royal Oldham Hospital	17	83	78	5	0	0	0	97	98	71
5JY Rochdale PCT	The Dawes Family Practice	19	81	75	0	3	0	3	98	15	93
RM3 Salford Royal Hospitals (N)	Hope Hospital	22	78	59	14	1	4	0	97	48	94
RM2 South Manchester University Hospitals (N)	Withington	32	68	55	12	0	0	1	100	13	62
	Wythenshawe	53	47	21	15	3	7	1	95	22	55
RWJ Stockport (F)	Stepping Hill	34	66	66	0	0	0	0	95	0	.
RMP Tameside & Glossop Acute Services (N)	Tameside General Hospital	17	83	76	5	2	0	0	89	93	87
RM4 Trafford Healthcare (N)	Trafford General Hospital	27	73	63	5	2	1	2	64	61	95
RRF Wrightington, Wigan & Leigh (N)	Billinge Hospital	30	70	60	9	1	0	0	68	67	82

continues

Table 26b Summary statistics by colposcopy clinic, England 2004-05

Government Office Region		KC65 Part C1 : 1st appointment						KC65 Part D	KC65 Part E		
Strategic Health Authority		Procedure type used (all referrals)						Biopsy outcome	Non diagnostic biopsies		
Trust code and name	Name of unit	No procedure (%)	Procedure used (%)	Diagnostic biopsy (%)	Excision (%)	Ablation & no biopsy (%)	Ablation with biopsy (%)	Other (%)	All informed within 8 weeks (%)	Number of cases	Total showing CIN worse (%)
<b>ENGLAND</b>		<b>37</b>	<b>63</b>	<b>43</b>	<b>17</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>88</b>	<b>14,561</b>	<b>85</b>
<b>YORKSHIRE &amp; HUMBER</b>		<b>34</b>	<b>66</b>	<b>45</b>	<b>18</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>86</b>	<b>1249</b>	<b>84</b>
<b>North &amp; East Yorkshire and Northern Lincolnshire</b>		<b>31</b>	<b>69</b>	<b>38</b>	<b>28</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>93</b>	<b>484</b>	<b>85</b>
RCD Harrogate Healthcare (N)	Harrogate General Hospital	18	82	41	34	7	0	0	40	32	84
RWA Hull & East Yorkshire Hospitals (N)	Castle Hill	30	70	33	36	0	0	0	98	84	85
	Hull Royal	49	51	12	37	0	1	0	99	99	88
5AN North East Lincolnshire PCT	Littlefield Lane	14	86	78	8	0	0	0	100	7	100
RJL Northern Lincolnshire & Goole Hospitals (N)	Grimsby (Diana, PofW)	33	67	41	22	4	0	0	100	62	74
	Scunthorpe & Goole	35	65	48	16	1	0	0	85	41	73
RCC Scarborough & North East Yorkshire Healthcare (N)	Scarborough, Bridlington	24	76	37	38	1	0	0	97	73	100
RCB York Hospitals (N)	York Hospital	27	73	48	24	1	0	1	100	86	84
<b>South Yorkshire</b>		<b>38</b>	<b>62</b>	<b>53</b>	<b>7</b>	<b>1</b>	<b>0</b>	<b>2</b>	<b>92</b>	<b>362</b>	<b>85</b>
RFF Barnsley Distict General Hospital (N)	Barnsley Distict General Hospital	39	61	42	11	0	0	8	99	84	80
RP5 Doncaster & Bassetlaw Hospitals (F)	Bassetlaw	56	44	41	0	2	0	0	98	2	100
	Doncaster GUM	86	14	14	0	0	0	0	100	4	25
	Doncaster Royal	11	89	62	19	5	0	2	99	69	83
5EL Doncaster West PCT	Carcroft Doctors	66	34	28	0	6	0	0	100	0	.
RFR Rotherham General Hospitals (N)	Rotherham General Hospital	54	46	40	5	1	0	0	84	92	78
RHQ Sheffield Teaching Hospitals (F)	Jessop Wing	25	75	71	4	0	0	0	89	111	98
5EQ South East Sheffield PCT	Central Health Clinic	68	32	32	0	0	0	0	100	0	.
<b>West Yorkshire</b>		<b>31</b>	<b>69</b>	<b>44</b>	<b>21</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>73</b>	<b>403</b>	<b>83</b>
RCF Airedale (N)	Airedale General Hospital	57	43	15	28	0	0	0	93	29	83
RAE Bradford Teaching Hospitals (F)	Bradford Royal Infirmary	27	73	37	35	0	0	1	84	106	74
RWY Calderdale & Huddersfield (N)	Calderdale	19	81	39	39	3	0	0	63	31	94
	Huddersfield	24	76	60	13	2	0	1	98	34	88
5J6 Calderdale PCT	Valley Medical Centre	23	77	25	49	4	0	0	94	13	85
5E7 Eastern Wakefield PCT	White Rose Surgery	7	93	73	13	0	0	7	100	4	100
RR8 Leeds Teaching Hospitals (N)	Leeds General Infirmary, St James, Wharfdal	35	65	50	12	0	0	3	45	96	80
	Leeds GUM	38	62	56	5	0	1	0	57	4	100
RXF Mid Yorkshire Hospitals (N)	Dewsbury Hospital	20	80	66	13	1	0	0	94	22	95
	Pinderfields Hospital	27	73	35	29	2	0	6	100	21	86
	Pontefract Hospital	31	69	32	21	6	8	2	100	43	86
<b>EAST MIDLANDS</b>		<b>33</b>	<b>67</b>	<b>42</b>	<b>21</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>96</b>	<b>1561</b>	<b>83</b>
<b>Leicestershire, Northamptonshire &amp; Rutland</b>		<b>42</b>	<b>58</b>	<b>20</b>	<b>31</b>	<b>4</b>	<b>1</b>	<b>2</b>	<b>96</b>	<b>473</b>	<b>85</b>
RNQ Kettering General Hospital (N)	Kettering General Hospital	30	70	46	14	5	4	0	99	70	74
RNS Northampton General Hospital (N)	Northampton General Hospital	25	75	39	25	7	0	4	100	134	81
RWE University Hospitals of Leicester (N)	University Hospitals of Leicester	55	45	1	39	1	0	3	91	269	90
<b>Trent</b>		<b>29</b>	<b>71</b>	<b>52</b>	<b>17</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>96</b>	<b>1088</b>	<b>82</b>
RFS Chesterfield & North Derbyshire Royal Hospital (N)	Chesterfield & North Derbyshire Royal Hospital	35	65	40	25	0	0	0	96	142	84
5HN High Peaks & Dales PCT	Goyt Valley Medical Practice	41	59	56	0	0	0	3	100	0	.
5EG North Eastern Derbyshire PCT	Buxton Colposcopy Clinic	13	87	79	6	0	2	0	95	7	100
RCS Nottingham City Hospital (N)	Heanor Hospital & GUM	27	73	69	1	1	0	2	74	14	100
	Nottingham City Hospital	35	65	55	8	0	2	0	100	164	80
RFK Queen's Medical Ctr, Nottingham University Hospital (N)	Queen's Medical Ctr, Nottingham University Hospital	39	61	39	19	2	1	0	72	48	96
RK5 Sherwood Forest Hospitals (N)	Kings Mill, Newark	10	90	58	26	1	5	0	99	86	80
RTG Derby Hospitals (F)	Derby Hospitals	21	79	78	1	0	0	0	98	163	85
RWD United Lincolnshire Hospitals (N)	Grantham	10	90	72	14	3	0	0	100	39	79
	Lincoln	29	71	29	34	8	1	0	99	251	78
	Pilgrim	30	70	23	45	1	1	0	94	174	80
<b>WEST MIDLANDS</b>		<b>49</b>	<b>51</b>	<b>25</b>	<b>22</b>	<b>1</b>	<b>0</b>	<b>2</b>	<b>87</b>	<b>1771</b>	<b>82</b>
<b>Birmingham &amp; the Black Country</b>		<b>56</b>	<b>44</b>	<b>22</b>	<b>19</b>	<b>1</b>	<b>0</b>	<b>3</b>	<b>79</b>	<b>720</b>	<b>82</b>
RR1 Birmingham Heartlands & Solihull (Teaching) (N)	Heartlands Hospital	50	50	29	12	1	0	8	31	12	67
	Solihull Hospital	44	56	25	22	3	0	6	93	71	77
RLU Birmingham Womens Healthcare (N)	Birmingham Women's Hospital	67	33	22	8	0	0	3	94	110	72
RNA Dudley Group of Hospitals (N)	Russells Hall Hospital	62	38	2	33	2	0	1	97	148	89
RJH Good Hope Hospital (N)	Good Hope Hospital	42	58	45	13	0	0	0	100	68	93
RL4 Royal Wolverhampton Hospitals (N)	New Cross Hospital	46	54	29	23	2	0	0	92	90	73
RXK Sandwell and West Birmingham Hospitals (N)	City Hospital	78	22	11	11	0	0	0	81	54	87
	Sandwell Hospital	51	49	9	34	0	3	4	64	76	67
RBK Walsall Hospital (N)	Walsall Manor Hospital	59	41	14	25	2	0	0	9	91	97
<b>Shropshire &amp; Staffordshire</b>		<b>41</b>	<b>59</b>	<b>30</b>	<b>25</b>	<b>1</b>	<b>0</b>	<b>3</b>	<b>92</b>	<b>615</b>	<b>83</b>
5DQ Burntwood, Lichfield & Tamworth PCT	Hammerwich/Lichfield Victoria & Sir Robert Peel	29	71	48	23	0	0	1	90	47	89
RJF Burton Hospital (N)	Queens Hospital	46	54	3	45	4	0	2	98	108	77
RJD Mid Staffordshire General Hospital (N)	Staffordshire General	17	83	75	7	1	0	1	98	109	87
RJE University Hospital of North Staffordshire (N)	University Hospital of N. Staffordshire	56	44	0	39	0	0	5	78	222	87
RXW Shrewsbury & Telford Hospitals (N)	Princess Royal Hospital	43	57	46	8	0	1	1	92	51	82
	Royal Shrewsbury Hospital	40	60	44	12	1	1	3	96	78	73
<b>West Midlands South</b>		<b>43</b>	<b>57</b>	<b>28</b>	<b>26</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>91</b>	<b>436</b>	<b>81</b>
RLT George Eliot Hospital (N)	George Eliot Hospital	41	59	3	51	4	0	1	84	58	86
RLQ Hereford Hospitals (N)	Hereford Hospital	25	75	48	24	0	0	3	93	40	70
RJC South Warwickshire General Hospitals (N)	Warwick	25	75	13	60	2	0	0	100	80	84
5MT South Worcestershire PCT	Evesham Community Health	32	68	54	10	0	0	5	91	13	54
RKB University Hospitals Coventry & Warwickshire, (N)	Hospital of St Cross, Rugby	30	70	36	33	0	0	1	95	17	88
	Walsgrave Hospital	37	63	21	39	2	0	1	90	100	81
RWP Worcestershire Acute Hospitals (N)	Alexandra Hospital	82	18	13	3	0	0	2	72	52	81
	Kidderminster Hospital	39	61	59	1	0	0	1	97	36	78
	Worcestershire Royal Hospital	43	57	44	13	0	0	1	92	40	85

continues

Table 26b Summary statistics by colposcopy clinic, England 2004-05

Government Office Region		KC65 Part C1 : 1st appointment						KC65 Part D	KC65 Part E		
Strategic Health Authority		Procedure type used (all referrals)						Biopsy outcome	Non diagnostic biopsies		
Trust code and name	Name of unit	No procedure (%)	Procedure used (%)	Diagnostic biopsy (%)	Excision (%)	Ablation & no biopsy (%)	Ablation with biopsy (%)	Other (%)	All informed within 8 weeks (%)	Number of cases	Total showing CIN worse (%)
<b>ENGLAND</b>		<b>37</b>	<b>63</b>	<b>43</b>	<b>17</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>88</b>	<b>14,561</b>	<b>85</b>
<b>EAST</b>		<b>26</b>	<b>74</b>	<b>45</b>	<b>25</b>	<b>3</b>	<b>1</b>	<b>0</b>	<b>91</b>	<b>1599</b>	<b>87</b>
<b>Bedfordshire &amp; Hertfordshire</b>		<b>23</b>	<b>77</b>	<b>40</b>	<b>27</b>	<b>7</b>	<b>2</b>	<b>1</b>	<b>92</b>	<b>406</b>	<b>82</b>
RC1 Bedford Hospital (N)	Bedford Hospital	14	86	41	45	0	0	1	98	83	76
RWH East & North Hertfordshire (N)	Lister Hospital	38	62	14	27	9	9	3	84	68	76
	Queen Elizabeth II	17	83	54	28	0	1	0	99	74	88
RC9 Luton & Dunstable (N)	Luton & Dunstable Hospital	31	69	50	18	0	0	0	70	53	87
RWG West Hertfordshire Hospitals (N)	St Albans City Hospital	14	86	33	28	25	0	0	100	69	81
	Watford General Hospital	22	78	53	21	2	1	0	97	59	86
<b>Essex</b>		<b>33</b>	<b>67</b>	<b>44</b>	<b>22</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>90</b>	<b>396</b>	<b>89</b>
RDD Basildon & Thurrock University Hospitals (F)	Basildon Hospital	68	32	12	19	0	0	1	83	54	94
RDE Essex Rivers Healthcare Trust	Colchester General Hospital	28	72	43	28	0	0	0	97	127	95
RQ8 Mid Essex Hospital Services (N)	St John's Hospital	20	80	78	2	0	0	0	74	5	100
RQW Princess Alexandra Hospital (N)	Princess Alexandra Hospital	33	67	26	35	1	3	3	95	126	78
RAJ Southend Hospital (N)	Southend Hospital	29	71	51	20	0	0	0	96	73	95
5AK Southend on Sea PCT	Queensway Surgery	0	100	45	55	0	0	0	100	11	82
<b>Norfolk, Suffolk &amp; Cambridgeshire</b>		<b>24</b>	<b>76</b>	<b>48</b>	<b>26</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>91</b>	<b>797</b>	<b>88</b>
RGT Cambridge University Hospitals (F)	Addenbrooke's Hospital	36	64	41	22	1	1	0	65	143	83
RQQ Hinchingsbrooke Healthcare (N)	Hinchingsbrooke Hospital	46	54	37	17	0	0	0	99	55	100
RGQ Ipswich Hospital (N)	Ipswich Hospital	18	82	62	18	0	1	1	99	69	81
RGP James Paget Healthcare (N)	James Paget	23	77	64	13	0	0	0	91	55	98
RCX King's Lynn & Wisbech Hospitals (N)	Queen Elizabeth Hospital	24	76	28	35	10	3	0	93	39	67
RM1 Norfolk & Norwich University Hospital (N)	Norfolk & Norwich University Hospital	10	90	61	29	0	0	0	99	190	93
RGN Peterborough & Stamford Hospitals (F)	Peterborough District Hospital	34	66	44	20	1	0	0	99	101	85
RGR West Suffolk Hospitals (N)	West Suffolk Hospital	21	79	24	47	8	0	0	95	145	92
<b>LONDON</b>		<b>43</b>	<b>57</b>	<b>48</b>	<b>8</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>80</b>	<b>2136</b>	<b>85</b>
<b>North Central London</b>		<b>46</b>	<b>54</b>	<b>52</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>76</b>	<b>309</b>	<b>85</b>
RVL Barnet & Chase Farm Hospitals (N)	Barnet Hospital	26	74	73	1	0	0	0	75	36	89
	Chase Farm Hospital	29	71	70	1	0	0	0	92	83	82
RAP North Middlesex University (N)	North Middlesex Hospital	47	53	52	1	0	0	0	55	23	87
RAL Royal Free Hampstead (N)	The Royal Free Hospital	58	42	42	0	0	0	0	75	64	95
RRV University College London (F)	University College Hospital	40	60	53	6	1	0	0	92	41	95
RKE The Whittington Hospital (N)	The Whittington Hospital	64	36	34	1	0	0	0	67	62	71
<b>North East London</b>		<b>42</b>	<b>58</b>	<b>49</b>	<b>8</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>89</b>	<b>387</b>	<b>83</b>
RF4 Barking, Havering & Redbridge Hospitals (N)	Harold Wood Hospital	43	57	55	1	0	0	0	96	98	87
	King George Hospital	36	64	32	30	2	0	0	89	58	81
RNJ Barts & The London (N)	St Bartholomew's Hospital	39	61	49	10	2	0	0	96	59	88
RQX Homerton University Hospital (F)	Homerton Hospital	34	66	62	4	0	0	0	88	59	75
RNH Newham University Hospital (N)	Newham Hospital	50	50	23	27	0	0	0	65	24	96
RGC Whipps Cross University Hospital (N)	Whipps Cross University Hospital	46	54	52	0	0	0	2	80	89	78
<b>North West London</b>		<b>41</b>	<b>59</b>	<b>55</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>74</b>	<b>491</b>	<b>88</b>
RQM Chelsea and Westminster Healthcare (N)	Chelsea & Westminster Hospital	58	42	38	4	0	0	0	93	78	96
RC3 Ealing Hospital (N)	Ealing Hospital	21	79	78	1	0	0	0	85	1	0
RQN Hammersmith Hospitals (N)	Hammersmith Hospital	40	60	59	1	0	0	0	73	60	92
RAS The Hillingdon Hospital (N)	The Hillingdon Hospital	49	51	46	4	0	0	0	98	57	75
RV8 The North West London Hospitals (N)	Central Middlesex Hospital	51	49	44	5	0	0	0	82	13	85
	Northwick Park Hospital	49	51	45	6	0	0	0	72	28	89
RJ5 St Mary's (N)	St Mary's Hospital	38	62	62	0	0	0	0	86	102	73
RFW West Middlesex University Hospital (N)	West Middlesex Hospital	1	99	84	15	0	0	0	24	152	98
<b>South East London</b>		<b>44</b>	<b>56</b>	<b>39</b>	<b>15</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>88</b>	<b>588</b>	<b>82</b>
RG3 Bromley Hospitals (N)	Princess Royal University Hospital	54	46	12	32	2	0	0	76	138	79
RJ1 Guy's & St Thomas' (F)	Guy's Hospital	34	66	55	10	0	0	1	82	179	78
RJZ King's College Hospital (N)	King's College Hospital	49	51	38	12	0	0	1	100	95	87
RJ2 Lewisham Hospital (N)	University Hospital Lewisham	45	55	38	16	0	2	2	94	76	91
RG2 Queen Elizabeth Hospital (N)	Queen Elizabeth Hospital	54	46	31	3	10	2	0	68	22	86
RGZ Queen Mary's Sidcup (N)	Queen Mary's Hospital, Sidcup	36	64	46	16	0	0	2	100	78	85
<b>South West London</b>		<b>43</b>	<b>57</b>	<b>47</b>	<b>10</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>79</b>	<b>361</b>	<b>88</b>
RVR Epsom & St Helier University Hospitals (N)	St Helier Hospital	16	84	66	17	0	0	0	42	8	75
RAX Kingston Hospital (N)	Kingston Hospital	37	63	59	5	0	0	0	94	56	93
	Queen Mary's, Roehampton	41	59	56	2	1	0	0	74	16	88
RJ6 Mayday Healthcare (N)	Mayday Hospital	61	39	36	2	0	0	0	81	157	94
RJ7 St George's Healthcare (N)	St George's Hospital	47	53	39	15	0	0	0	81	124	79

continued

Table 26b Summary statistics by colposcopy clinic, England 2004-05

Government Office Region		KC65 Part C1 : 1st appointment						KC65 Part D	KC65 Part E		
Strategic Health Authority		Procedure type used (all referrals)						Biopsy outcome	Non diagnostic biopsies		
Trust code and name	Name of unit	No procedure (%)	Procedure used (%)	Diagnostic biopsy (%)	Excision (%)	Ablation & no biopsy (%)	Ablation with biopsy (%)	Other (%)	All informed within 8 weeks (%)	Number of cases	Total showing CIN worse (%)
<b>ENGLAND</b>		<b>37</b>	<b>63</b>	<b>43</b>	<b>17</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>88</b>	<b>14,561</b>	<b>85</b>
<b>SOUTH EAST</b>		<b>34</b>	<b>66</b>	<b>38</b>	<b>24</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>89</b>	<b>2128</b>	<b>87</b>
<b>Hampshire &amp; Isle of Wight</b>		<b>38</b>	<b>62</b>	<b>45</b>	<b>17</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>87</b>	<b>465</b>	<b>87</b>
RR2	Isle of Wight Healthcare (N)	18	82	56	27	0	0	0	99	43	81
RN5	North Hampshire Hospitals (N)	25	75	69	5	1	0	0	99	41	83
RHU	Portsmouth Hospitals (N)	50	50	27	24	0	0	0	77	163	85
RHM	Southampton University Hospitals (N)	33	67	49	17	0	0	1	82	158	89
RN1	Winchester & Eastleigh Healthcare (N)	39	61	60	1	0	0	0	97	60	95
<b>Kent &amp; Medway</b>		<b>35</b>	<b>65</b>	<b>42</b>	<b>19</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>92</b>	<b>234</b>	<b>79</b>
RN7	Dartford & Gravesham (N)	44	56	16	30	4	6	1	81	59	80
RVV	East Kent Hospitals (N)	28	72	54	16	0	0	2	100	34	82
	Kent & Canterbury	52	48	33	13	0	0	1	100	24	79
	Queen Elizabeth the Queen Mother (QEQM)	52	48	32	16	0	0	1	93	36	75
	William Harvey	30	70	63	6	0	0	1	100	33	88
RWF	Maidstone & Tunbridge Wells (N)	19	81	58	13	0	0	10	76	12	75
	Pembury	20	80	65	14	0	0	0	95	17	65
RPA	Medway (N)	34	66	26	35	1	3	1	83	19	74
<b>Surrey &amp; Sussex</b>		<b>34</b>	<b>66</b>	<b>38</b>	<b>24</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>84</b>	<b>640</b>	<b>86</b>
RTK	Ashford & St Peter's Hospitals (N)	12	88	85	2	0	0	0	90	0	.
	Ashford & St Peters	42	58	32	22	0	0	3	87	117	91
RXH	Brighton & Sussex University Hospitals (N)	18	82	39	42	0	0	1	99	130	95
	Princess Royal	9	91	31	48	2	8	2	91	39	87
RXC	East Sussex Hospitals (N)	28	72	53	18	0	0	1	83	34	88
	Eastbourne District General	38	62	42	16	2	0	1	48	30	80
RVR	Epsom & St Helier University Hospitals (N)	34	66	27	36	1	0	2	98	60	92
RDU	Frimley Park Hospital (N)	40	60	40	19	0	0	0	76	44	82
RPC	Queen Victoria Hospital (F)	49	51	51	0	0	0	0	100	0	.
RA2	Royal Surrey County Hospital (N)	34	66	44	16	0	3	3	78	55	78
RPR	Royal West Sussex (N)	54	46	5	32	4	2	3	98	55	73
RTP	Surrey & Sussex Healthcare (N)	22	78	60	16	0	0	2	94	9	56
	Dorking	14	86	47	22	0	0	18	97	9	56
RPL	Worthing & Southlands Hospitals (N)	45	55	37	9	2	4	3	72	58	84
<b>Thames Valley</b>		<b>31</b>	<b>69</b>	<b>31</b>	<b>35</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>94</b>	<b>789</b>	<b>91</b>
RXQ	Buckinghamshire Hospital (N)	11	89	23	65	0	0	0	93	135	98
	Wycombe Hospital	19	81	47	31	2	1	0	99	91	88
RD7	Heatherwood & Wexham Park Hospitals (N)	60	40	3	32	0	0	4	86	37	95
	Wexham Park Hospital	60	40	5	31	1	1	2	34	46	91
RD8	Milton Keynes General Hospital (N)	46	54	18	34	1	0	1	88	104	87
RTH	Oxford Radcliffe Hospitals (N)	23	77	34	37	3	0	2	97	28	93
	John Radcliffe Hospital	21	79	52	27	0	0	0	100	155	89
	Radcliffe Infirmary	30	70	59	11	0	0	0	100	21	100
RHW	Royal Berkshire & Battle Hospitals (N)	26	74	35	35	3	1	1	99	172	89
<b>SOUTH WEST</b>		<b>35</b>	<b>65</b>	<b>44</b>	<b>18</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>93</b>	<b>1144</b>	<b>90</b>
<b>Avon, Gloucestershire &amp; Wiltshire</b>		<b>29</b>	<b>71</b>	<b>52</b>	<b>16</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>90</b>	<b>479</b>	<b>93</b>
RTE	Gloucestershire Hospitals (F)	22	78	54	24	0	0	0	97	103	97
RVJ	North Bristol (N)	30	70	54	14	1	1	0	100	104	96
RD1	Royal United Hospital Bath (N)	34	66	45	18	1	1	1	93	114	89
RNZ	Salisbury Healthcare (N)	43	57	45	6	6	0	0	100	31	97
RN3	Swindon & Marlborough (N)	33	67	60	6	1	0	0	48	37	65
RA7	United Bristol Healthcare (N)	21	79	59	19	0	0	1	98	90	98
<b>Dorset &amp; Somerset</b>		<b>42</b>	<b>58</b>	<b>50</b>	<b>7</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>98</b>	<b>242</b>	<b>87</b>
RA4	East Somerset (N)	71	29	24	4	0	1	0	96	12	92
RD3	Poole Hospital (N)	33	67	61	2	4	0	0	100	76	82
RDZ	Royal Bournemouth & Christchurch Hospitals (N)	35	65	60	5	0	0	0	97	20	85
RBA	Taunton & Somerset (N)	39	61	45	16	0	0	0	100	89	96
RBD	West Dorset General Hospital (N)	42	58	57	0	1	0	1	91	45	80
<b>South West Peninsula</b>		<b>39</b>	<b>61</b>	<b>23</b>	<b>32</b>	<b>1</b>	<b>5</b>	<b>1</b>	<b>93</b>	<b>423</b>	<b>89</b>
5FT	East Devon PCT	38	62	21	38	0	0	4	100	7	100
5FV	Mid Devon PCT	19	81	42	32	0	0	7	100	10	60
RBZ	Northern Devon Healthcare (N)	..	..	..	..	..	..	..	..	..	..
RK9	Plymouth Hospitals (N)	22	78	49	25	0	2	0	97	166	92
REF	Royal Cornwall Hospitals (N)	20	80	17	42	1	15	3	82	131	85
RH8	Royal Devon & Exeter (F)	70	30	20	10	0	0	0	85	9	100
RA9	South Devon Health Care (N)	62	38	4	34	0	0	0	100	100	90

.. no data available, (T) partial annual data, (N) NHS Trust, (F) NHS Foundation Trust  
 Note: Some trusts/clinics were unable to provide full data for all quarters.